HTML Tags You Didn't Know

Programwithfun

Hey Everyone :)

Here are 5+ Must Know HTML Tags That Almost Nobody Knows in HTML.

1. Fieldset Tag

The HTML <fieldset> tag is used for grouping related form elements. By using the fieldset tag and the legend tag, you can make your forms much easier to understand for your users.

```html
<!DOCTYPE html>
<html>

    <head>
        <title>HTML fieldset Tag</title>
    </head>

    <body>
        <form>

            <fieldset>
                <legend>Details</legend>
                Student Name: <input type = "text"><br />
                MCA Subjects:<input type = "text"><br />
                Course Link:<input type = "url" name = "websitelink">
            </fieldset>

        </form>
    </body>

</html>
```

Output:

```
┌─Details──────────────────────────────────────────┐
│ Student Name: [                    ]              │
│ MCA Subjects:[                    ]               │
│ Course Link:[                    ]                │
└──────────────────────────────────────────────────┘
```

2. DataList Tag:

The <datalist> tag is used to provide an "autocomplete" feature for elements. Users will see a drop-down list of pre-defined options as they input data.

```html
<!DOCTYPE html>
<html>
<body>

<h1>The datalist element</h1>

<form action="/action_page.php" method="get">
  <label for="browser">Choose your browser from the list:</label>
  <input list="browsers" name="browser" id="browser">
  <datalist id="browsers">
    <option value="Edge">
    <option value="Firefox">
    <option value="Chrome">
    <option value="Opera">
    <option value="Safari">
  </datalist>
  <input type="submit">
</form>

</body>
</html>
```

Output:

The datalist element

Choose your browser from the list:

[▼] Submit

Edge

Firefox

Chrome

Opera

Safari

3. Time Tag:

The <time> tag defines a specific time (or datetime). The datetime attribute of this element is used to translate the time into a machine-readable format so that browsers can offer to add date reminders through the user's calendar, and search engines can produce smarter search results.

```html
<!DOCTYPE html>
<html>
<body>

<h1>The time element</h1>

<p>Open from <time>10:00</time> to <time>21:00</time> every weekday.</p>
</body>
</html>
```

Output:

The time element

Open from 10:00 to 21:00 every weekday.

4. Color Picker Tag:

<input> elements of type color provide a user interface element that lets a user specify a color, either by using a visual color picker interface or by entering the color into a text field in #rrggbb hexadecimal format.

```html
<!DOCTYPE html>
<html>
 <head>
 </head>
 <body>
   <label for="colorpicker">Color Picker:</label>
   <input type="color" id="colorpicker" value="#0000ff">
 </body>
</html>
```