




STRATA'S



GAMECHANGERS

Quality certified, world-class geosynthetic solutions that lead with performance



ABOUT US

Strata's precision manufacturing facility at Gujarat, India has been setting global benchmarks in-line with world-class standards, while also putting us atop giants in light of manufacturing, 6.5 million sqm of geogrids per month.

Driving Excellence Across the Board

Our commitment to excellence across manufacturing, products and projects come from a holistic approach to better our offerings constantly

Innovation & Technology

State-of-the-art precision manufacturing facility in Gujarat- India, with a capacity of 6.5 million sqm/month.

Quality & Compliance

Adherence to world-class standards, with quality-certified products used globally.

Sustainability

Eco-friendly outcomes for project builds, with reduced carbon footprint on the environment.

Global Expertise, Local Focus

Leveraging global knowledge while adapting to the specific nuanced localised needs of projects.

WHY STRATA

We reinforce the world's infrastructure from the ground up with innovative geosynthetic technologies engineered for durability, performance and sustainability.

We strengthen your industrial operations from the foundation upwards

One of the **Global Leader** in Geosynthetics Manufacturing

Presence in **45+ Countries**

76,000 sqm of factory in operation. Across 5 different locations.



INTEGRATED GEOSYNTHETIC SOLUTIONS

Products

StrataGeomembrane **NEW**

Page | 01-02

StrataTex ST **NEW**

Page | 03-04

StrataDrain™ PVD **NEW**

Page | 05-06

StrataBase™ **NEW**

Page | 07-08

StrataGrid™ **NEW**

Asphalt Composite (SGA C)

Page | 09-10

StrataGrid™

Page | 11-12

SGB Grid
(StrataGrid™ Biaxial)

Page | 13-14

StrataDrain™

Page | 15-16

StrataTex HSR™

Page | 17-18

StrataWeb®

Page | 19-20

StrataGrid™ GC

Page | 21-22

Sleeve-It®

Page | 23-24

Systems

StrataBlock™ 2E

Page | 25-26

StrataWall™ EC

Page | 27-28

StrataSlope™

Page | 29-30

StrataWeb® Wall

Page | 31-32

PRODUCT

StrataGeomembrane

UPCOMING

A high-performance impermeable barrier for containment, environmental protection and fluid control.

HIGHLIGHTS

- Widths up to 8 m
- Thickness ranges from 0.75 mm to 3 mm with smooth or textured surfaces on one or both sides
- Manufactured using precision flat cast extrusion with an advanced feedback loop for automatic thickness control
- Multi-stage in-process quality checks supported by certified testing in GAI-LAP and NABL-approved laboratories
- Manufactured using carefully selected, premium-grade virgin raw materials to ensure consistent performance and long-term durability

APPLICATION

- Waste containment in landfills
- Water management in ponds & canals
- Heap leaching in mining
- Erosion control & slope protection



Spain

PRODUCT

Non-woven Geotextiles **NEW**

StrataTex™ ST

A permeable filtration and separation layer for drainage, soil stabilisation and protection.

HIGHLIGHTS

Widths up to 5.8 m (19 ft) for efficient large-area coverage

Available from 70 GSM to 2000 GSM in both PP and PET polymers

Compliance with international standards

Backed by 30 years of manufacturing experience

APPLICATION

Rail/Road performance improvement

Embankment support

Slope stabilisation

Erosion control



India



PRODUCT

StrataDrain™ PVD NEW

StrataDrain™ PVD (Prefabricated Vertical Drains) are meticulously engineered to accelerate soil consolidation. Designed for superior performance, these drains efficiently channelise pore water from saturated clay soils, significantly reducing settlement time from years to months.

HIGHLIGHTS

High durability that endures challenging soil conditions and withstands installation stress

Superior drainage efficiency from an optimised core for smooth and effective water discharge

High strength & flexibility delivering reliable performance, even under crumpled or buckled conditions

Clog-resistant design made from non-woven geotextile

Long-term soil stability from enhanced load-bearing capacity and reduced risks of differential settlement

APPLICATION

Railways

Highways & Expressways

Ports & Container Yards

Land Reclamation & Coastal Development

Industrial & Commercial Infrastructure



India



PRODUCT

StrataBase^{NEW}

StrataBase™ is a rigid, biaxial polypropylene geogrid for reinforcement in paved and unpaved road applications with reduced aggregate thickness, extended service life and lower overall project costs.

HIGHLIGHTS

High junction strength ensuring superior load transfer

Excellent interlocking with granular layers for enhanced confinement

Reduces thickness of aggregate layers, leading to cost savings

Enhances pavement performance & extends service life

Distributes loads over a wider area to minimize deformation

Durable and resistant to long-term environmental stresses

Easy handling & installation

APPLICATION

Base reinforcement in paved & unpaved roads

Subgrade stabilisation

Working platforms

Railway track bed stabilisation (ballast & sub-ballast)

Airport runways & aprons

Industrial yards, parking areas & container terminals

Haul roads in mining, oil & gas & construction sites



India

PRODUCT

StrataGrid™

Asphalt Composite (SGA C) **NEW**

SGA-C is an engineered geosynthetic developed for asphalt pavement reinforcement, specifically formulated to mitigate reflective cracking and enhance the fatigue life of bituminous layers.

HIGHLIGHTS

Available in roll widths up to 3.75m

Tensile strength: 50 kN/m & 100 kN/m
(both MD and CMD)

High modulus and low elongation with
optimised stress-strain characteristics for
both greenfield pavements and
rehabilitation pavements

Provides industry leading Fatigue
Improvement Factor (FIF) and Rut
Improvement Factor (RIF) of composite
bituminous interlayers

APPLICATION

Pavement overlay reinforcement during
maintenance cycles

Structural rehabilitation of flexible
pavement systems

Mitigation of reflective cracking from
underlying joints or cracks

Reduction of rutting and surface deformation
in high-traffic areas

Enhances trafficability requirements of the
greenfield pavements



India

PRODUCT

StrataGrid™

StrataGrid's™ tensile strength and high molecular weight offer both vertical and horizontal soil reinforcement, and its proprietary UV-stabilised coating compound provides enhanced durability against the elements.

HIGHLIGHTS

- Widths up to 5.7m (18.7 ft)
- Tensile strengths up to 1000 kN/m (68,520 lbs/ft)
- Industry leading stress-strain values with low elongations
- Improves modulus values of pavement base layers
- Design lifespan of 100 years*

*T&C apply.

APPLICATION

- Reinforced soil walls
- Embankments over soft soils (basal reinforcement)
- Below structural foundations
- Reinforced steep soil slopes and embankments



USA



PRODUCT

SGB Grid

(StrataGrid™ Biaxial)

Coupled with a high degree of interaction with the infill material, SGB Grid offers the best value for pavement reinforcement when compared with any other competitive solution. Other advantages are: reduction in pavement crust thickness, easy installation, speedy construction, and a smaller carbon footprint.

Engineered with industry-leading stress-strain values to provide higher tensile resistance at lower elongations, and strengths of 20 kN/m (1370 lbs/ft) to 200 kN/m (13704 lbs/ft).

HIGHLIGHTS

Improves modulus values of pavement base layers

5.2 m max width (17 ft) for low overlap and reduced wastage

Saves up to 15-20% cost compared to conventional

APPLICATION

Basal reinforcement over soft soils


Pavement reinforcement and optimisation

Below structural foundations

Load transfer platform and void spanning



India



PRODUCT

StrataDrain™

StrataDrain™ provides drainage, filtration, and separation with a single product. It is easy to install, even more so when compared with the conventional granular filters. StrataDrain™ is very useful in various applications of different sectors such as landfill, mining and civil works.

HIGHLIGHTS

Excellent transmissibility property and apparent opening size depending on the backfill material

Reduced carbon footprint as compared to the traditional methods

Excellent durability and long-term performance

Easy to install and handle

Economical and effective solution

Conforms with and is tested in accordance with international standards

Widths up to 3.8m (12.5ft).

APPLICATION

Vertical drainage behind retaining walls

Drainage at pavement subgrades

Leachate/gas collection

Leak detection

Runoff collection

Longitudinal drainage



Spain



PRODUCT

StrataTex HSR™

A next-generation flexible polyester high-performance geotextile is manufactured using a high-grade polyester yarn with special high tenacity and low creep properties, knitted into a stable network.

HIGHLIGHTS

Wider and longer than usual, to reduce overlap and wastage

Tensile strength: 1400 kN/m (95,928 lbs/ft) in Uniaxial Series and 300 kN/m (20,556 lbs/ft) in Biaxial Series

Linear knitted fibers reach full tensile strength at low elongation

Excellent permeability; allows high rate of water flow

Knitted yarn is more stable during handling

Wider width of 5.8m (19 ft) upto HSR 600/50 and 5.2m (17 ft) for styles from HSR 700/50 to HSR 1400/50.

APPLICATION

Load transfer platforms

Basal reinforcement for embankments on soft soils

Paved and unpaved roads



USA



PRODUCT

StrataWeb®


One of nature's strongest structures is the honeycomb. StrataWeb® is a geocell for load support over soft soils, erosion on steep slopes and the lining of lagoons, drainage channels and landfills. Transfers compressive and tensile stresses from heavy loads to provide higher load support capacity than any other geosynthetic product available.

HIGHLIGHTS

- Available in custom sizes and a range of weld strengths
- Rapid installation
- Collapsible and easily transported
- Minimal maintenance required
- Works with locally available infill material

APPLICATION

- Drain and canal lining
- Erosion control
- Slope liner protection
- Retaining wall
- Load support
- Slopes



Saudi Arabia



PRODUCT

StrataGrid™ GC

StrataGrid™ GC is a high-performance geocomposite designed to provide reinforcement, separation, and filtration—all in a single product. It combines a high-strength, low-elongation knitted polyester geogrid with a durable nonwoven geotextile, delivering exceptional performance even in aggressive soil and construction conditions.

HIGHLIGHTS

- Combines reinforcement, filtration, and separation in one layer
- Superior soil-geotextile interlock and drainage through in-plane permeability
- Constructed with high molecular weight polyester yarns
- Low creep ensures long-term stability and economic design
- Flexible and easy to handle during installation
- Withstands harsh environments and construction loads

APPLICATION

- Embankment basal reinforcement over soft soils
- MSE walls with fine-grained backfill requiring drainage
- Sub-base stabilisation in pavements
- Unpaved roads and access tracks
- Breakwater structures in ports and harbors
- Veneer reinforcement in landfill caps



Philippines



PRODUCT

Sleeve-It[®]

Sleeve-It[®] is a pre-engineered fence post anchoring solution used to enhance the below-grade foundational stability of fences placed on top of a segmental retaining wall (SRW). Thanks to its cantilevered design, the Sleeve-It[®] system allows stable fence footings to be integrated into the support structure of the SRW during construction.

HIGHLIGHTS

- Compliant with IBC 1015.2, IBC 1607.8.1 and ASCE 7 4.5.1
- Maximises land use
- Stackable and portable
- Easy to install
- Compatible with most fences

APPLICATION

- Sloped embankments
- Foundation walls
- Retaining walls
- Bridge abutments



USA



SYSTEM

StrataBlock™ 2E PATENTED

StrataBlock™ 2E is a unique, modular retaining wall system designed for reinforced soil applications. Developed through extensive research by Indian and US technical teams and approved by IIT Madras, this system ensures 100% geogrid coverage, resulting in maximum structural stability.

The blocks have a uniform fascia, which ensures zero material wastage, reduced concrete use, and cost savings. StrataBlock™ 2E is lightweight, corrosion-resistant, and requires no maintenance, making it a sustainable and durable solution

HIGHLIGHTS

Zero wastage and reduced concrete use due to uniform fascia

100% geogrid coverage for enhanced safety and strength

Lightweight and easy to install

Corrosion-resistant and maintenance-free

Flexible to handle differential settlements

Approved by IIT Madras

Successfully used in national and international infrastructure projects

APPLICATION

Retaining walls for highways and railways

Grade separation structures

Bridge abutments

Slope stabilisation

Land development and embankment solutions

Infrastructure in corrosive or coastal environments



Egypt



SYSTEM

StrataWall™ EC

StrataWall™ EC (Embedded Connection) is a concrete panel-faced reinforced soil wall system, in which the granular backfill is enmeshed with StrataStrip™ geogrids up to 200 mm (7.9 inch) to create an internally stabilised mass of reinforced soil which withstands both static as well as dynamic loads.

The system also consists of embedded connectors which create a cavity in the concrete panel through which the geogrid passes to create a positive connection.

HIGHLIGHTS

- Less steel consumption
- No corrosion
- Highly economical and cost-effective system
- Has the safest connection

APPLICATION

- Landfill enclosures
- Sloped embankments
- Foundation walls
- Retaining walls
- Bridge abutments



India



SYSTEM

StrataSlope™

StrataSlope™ is a geogrid-reinforced soil slope system that provides a sustainable and cost-effective solution to complex topographic challenges. Designed by global experts and supported by full technical services, StrataSlope™ transforms difficult terrain into stable, usable land with aesthetic and ecological benefits. StrataSlope™ uses a combination of StrataGrid™, StrataWeb®, and various fascia options (such as green wraps, wire mesh, and gabions) to create reinforced slopes that are engineered to perform for over 120 years.

HIGHLIGHTS


- Allows reinforced slopes up to 70° and structures exceeding 30 m (98.4 ft)
- Sustainable reuse of site-won soils like cohesive clays, coal ash, steel slag
- Multiple fascia types – green vegetated, gabion, architectural stone
- Designed for high settlement tolerance and complex soil conditions
- Eco-friendly and ideal for wetlands and natural habitats
- Offers rapid construction with minimal carbon footprint
- Full system durability for up to 120 years

APPLICATION

- Highway and railway embankments
- Slope stabilisation and steepened slopes
- Tailing dam extensions and acoustic bunds
- Landfills and industrial platforms
- Avalanche bunds and land development
- Temporary or permanent structures



Vietnam



SYSTEM

StrataWeb® Wall

An alternative to traditional retaining walls systems that uses geocells for reinforcement and structural stability for excellent load distribution and confinement, also dynamically reducing costs and time spent in construction.

HIGHLIGHTS


- 3D geocell-based reinforced soil wall system
- Flexible alternative to rigid RCC retaining walls
- Excellent load distribution and soil confinement
- Allows free drainage, reduces hydrostatic pressure
- Faster construction with minimal equipment
- Cost-effective using locally available infill
- Can be vegetated for a natural, green finish
- Durable, low-maintenance solution for long-term performance

APPLICATION

- Reduces construction cost compared to RCC walls
- Faster installation and shorter project timelines
- Performs well on weak and soft soils
- Minimises hydrostatic pressure due to inherent drainage
- Flexible system – resists differential settlement
- Uses locally available infill material
- Low maintenance and long service life
- Environment-friendly with option for green facia



Canada



Certifications and Standards



ISO 9001, ISO 14001,
& ISO 45001



Achieved CE Mark



ISI Certified



British Board of
Agreement



NABL Certified

