


Quarto Figures & Cross-References Cheatsheet

Image syntax, layouts, code cell options, and cross-reference prefixes

IMAGE SYNTAX

Image Syntax

Annotated breakdown of Quarto's figure markdown syntax



Minimal: ![Caption](image.png) With cross-ref: ![Caption](image.png){#fig-id}

A caption is required for a figure to be cross-referenceable. Add .lightbox for clickable zoom.

FIGURE LAYOUTS

Figure Layouts

Subfigures, panels, and custom layout arrays

layout-ncol=2

```

::: {layout-ncol=2}
! [Cat A] (cat-a.png)

! [Cat B] (cat-b.png)
:::

```



Two equal columns

Subfigures with Cross-References

```


::: {#fig-cats layout-ncol=2}

! [Sleeping] (cat-sleep.png) {#fig-sleep}

! [Playing] (cat-play.png) {#fig-play}

Cat activities throughout the day
:::

```




@fig-cats renders as **Figure 1**
 @fig-sleep renders as **Figure 1 (a)**
 @fig-play renders as **Figure 1 (b)**
 Parent + child references

Custom Layout Array

```

::: {layout="[[70,30],[100]]"}
! [A] (a.png) ! [B] (b.png)
! [C] (c.png)
:::

```



layout="[[40,-20,40]]"
 Negative values = gaps
 40% + 20% gap + 40%

layout-valign="center"
 top | center | bottom

Each inner array = one row. Values are relative widths. Negative values insert spacing between items.

CODE CELL FIGURE OPTIONS

Code Cell Figure Options

Code cell options (left), what they do (center), rendered result (right)

```

{python}
# label: fig-scatter
# fig-cap: "X vs Y"
# fig-subcap:
# - "Raw data"
# - "Fitted model"
# layout-ncol: 2
# fig-width: 6
# fig-height: 4
# fig-align: center
# fig-alt: "Positive trend"
# fig-format: svg
# fig-dpi: 300
# cap-location: bottom

import matplotlib.pyplot as plt
plt.scatter(x, y)
plt.plot(x, fit)

```

label: fig-* prefix required

fig-cap / fig-subcap
Caption + subcaptions (list)

layout-ncol: columns for outputs

fig-width/height: size in inches


fig-align: left|center|right

fig-alt: screen reader text


fig-format/dpi: png|svg, 300

cap-location: top|bottom|margin

RENDERED OUTPUT



(a) Raw data



(b) Fitted model

Figure 1: X vs Y

@fig-scatter → "Figure 1"

Also: fig-alt (accessibility) fig-format: png|svg|pdf|retina fig-dpi: 300

All options use #| prefix. Set defaults in document YAML, override per cell.

CROSS-REFERENCE PREFIXES

Cross-Reference Prefixes

Every cross-referenceable element type and its @-reference syntax

Prefix	Element Type	Label Example	Reference	Renders As
fig-	Figure	#fig-scatter	@fig-scatter	Figure 1
tbl-	Table	#tbl-results	@tbl-results	Table 1
sec-	Section	#sec-intro	@sec-intro	Section 1
eq-	Equation	#eq-bayes	@eq-bayes	Equation 1
lst-	Listing (code)	#lst-example	@lst-example	Listing 1
thm-	Theorem	#thm-central	@thm-central	Theorem 1
Callout Cross-References				
nte-	Note callout	#nte-data	@nte-data	Note 1
tip-	Tip callout	#tip-perf	@tip-perf	Tip 1
wrn-	Warning callout	#wrn-compat	@wrn-compat	Warning 1
imp-	Important callout	#imp-breaking	@imp-breaking	Important 1
cau-	Caution callout	#cau-delete	@cau-delete	Caution 1

See @fig-scatter for details.

Use @ + label (without #) to create a clickable numbered reference in your text

Labels use # (e.g. #fig-id). References use @ (e.g. @fig-id). Numbering is automatic.

blog.thecoatlessprofessor.com/programming/quarto/quarto-figures-cheatsheet

© 2026 HJJB, LLC · thecoatlessprofessor.com