

A Mixing Thue–Morse Gap Shift with an Exact Zeta and a Natural Boundary

Route-A structural certificate C159

Abstract

We replace a one-pass symbolic interface by a recurrent renewal system. Let S contain the indices at which the Thue–Morse bit is one, and require successive binary ones to be separated by a gap in S . The resulting S-gap shift is topologically mixing, has dense periodic points, and contains a recurrent transitive point. Unique circular renewal parsing gives its exact Artin–Mazur zeta: $\zeta_X(z) = 2/[2 - 3z + z(1 - z) \prod_{j \geq 0} (1 - z^{2^j})]$. The least positive solution of the renewal equation also gives an exact entropy characterization and a rational root bracket. The Thue–Morse product then proves, by dense dyadic radial zeros, that the unit circle is a natural boundary for the source zeta’s meromorphic continuation inside the unit disk. This is a source theorem, independently checked at finite sentinel orders, and not a target divisor, arithmetic factorization, functional-equation match, or operator claim.

Keywords: symbolic dynamics; S-gap shift; Thue–Morse sequence; renewal system; Artin–Mazur zeta; topological mixing; natural boundary.

中文摘要

本文把一次性符号接口替换为可反复返回的更新动力系统。令集合 S 由 Thue–Morse 序列中取值为 1 的下标组成，并规定相邻两个 1 之间的零间隙必须属于 S 。我们证明所得间隙移位拓扑混合、周期点稠密，且存在既递归又具有稠密轨道的点。周期构型中每个 1 给出唯一圆周更新分解，因此可求得完整的 Artin–Mazur ζ 函数。进一步利用 Thue–Morse 无穷乘积在稠密二进单位根上的径向零，证明该源系统亚纯延拓的单位圆是自然边界。该结论仅描述源动力系统，不构成目标除子、算术分解或算子实现。

关键词：符号动力系统；间隙移位；Thue–Morse 序列；更新系统；Artin–Mazur ζ 函数；拓扑混合；自然边界。

1 A recurrent renewal shift

Write $t_s \in \{0, 1\}$ for the parity of the binary digit sum of s and put $S = \{s \geq 0 : t_s = 1\}$. Let $X_S \subset \{0, 1\}^{\mathbb{Z}}$ consist of the all-zero point and the sequences in which successive ones have $s \in S$ zeros between them. Equivalently, its renewal code is $\mathcal{C} = \{10^s : s \in S\}$. One left shift is one clock tick.

Because $1, 2 \in S$, codeword lengths two and three are available. Any admissible word containing a one can first have its two partial end gaps completed to the nearest code boundaries; an all-zero word of length L can be placed inside 10^{2^k} once $2^k \geq L$, since $t_{2^k} = 1$. After this boundary completion, words of lengths two and three fill every sufficiently large requested connector. Hence any two cylinders meet after every sufficiently large time: X_S is topologically mixing.

Repeating a finite boundary-aligned code concatenation gives a periodic point in every cylinder containing a one. The cylinder $[0^L]$ is met separately by $(10^{2^k})^\infty$ for $2^k \geq L$, so periodic points are dense. To see recurrence constructively, enumerate the admissible words and recursively form a boundary-aligned block containing two copies of its predecessor and the next enumerated word, separated by two/three-length fillers. A centered limit contains every word and returns to each earlier nested cylinder. It is both recurrent and transitive. Thus recurrence is not inferred merely from the word “mixing.”

2 Exact zeta and entropy

Define, as formal series,

$$T(z) = \sum_{s \geq 0} t_s z^s, \quad F(z) = zT(z), \quad P(z) = \prod_{j \geq 0} (1 - z^{2^j}).$$

Unique binary expansion gives

$$P(z) = \sum_{s \geq 0} (-1)^{t_s} z^s = \frac{1}{1 - z} - 2T(z). \quad (1)$$

Every nonzero periodic point has a unique circular parse at its ones. In $-\log(1 - F) = \sum_{q \geq 1} F^q/q$, division by q removes the q choices of marked code boundary in a cyclic codeword list; converting boundary marks to the n possible shift origins gives exactly the Artin–Mazur coefficient $\# \text{Fix}(\sigma^n)/n$. Thus the renewal part contributes $(1 - F)^{-1}$, while the all-zero fixed point contributes $(1 - z)^{-1}$. Therefore

$$\zeta_{X_S}(z) = \frac{1}{(1 - z)(1 - F(z))} = \frac{2}{2 - 3z + z(1 - z)P(z)}. \quad (2)$$

On the positive real axis F is strictly increasing from zero to infinity. Its unique solution $F(R) = 1$ gives $h_{\text{top}} = -\log R$, and an exact rational partial sum plus geometric tail certifies

$$0.67633710444063914 < R < 0.67633710444063915. \quad (3)$$

3 The analytic boundary

If $\omega^{2^m} = 1$ and $0 < r < 1$, the finite prefix of $P(r\omega)$ has modulus at most 2^m ; from level m onward all factors are $1 - r^{2^j} \in [0, 1]$. Thus

$$|P(r\omega)| \leq 2^m(1 - r^{2^m}) \longrightarrow 0. \quad (4)$$

Dyadic roots are dense on $|z| = 1$. Were P meromorphic across an arc, the finite radial limit zero in (4) would exclude a pole at every dyadic root in that arc; each would be a zero (possibly after removing a removable singularity). Their interior accumulation would force the continuation to vanish identically, contradicting $P(0) = 1$. Hence P crosses no arc.

Equation (2) meromorphically continues the source zeta through the open unit disk. A continuation across any boundary arc, restricted to a subarc not containing 1, would also continue

$$P(z) = \frac{2/\zeta_{X_S}(z) - 2 + 3z}{z(1 - z)},$$

contradicting the preceding paragraph. The unit circle is therefore its natural boundary.

The period-18 and degree-48 ledgers are sentinels, not theorem cutoffs. An independent checker passes 742 assertions, SymPy passes 118 checks, canonical replay is byte-identical, and 46 hostile cases are rejected. The strict tuple is (A1_WEAK, A2_FAIL, A3_PARTIAL_ANALYTIC_STRUCTURE, A4_FAIL). The A3 label records only source analytic structure. We claim no target divisor, arithmetic/local factor, target functional equation or counting law, root number, automorphy, natural self-adjoint or Hilbert–Pólya lift, or Route-B authorization. Scope:

NO_BAD_EULER_OR_ROOT_NUMBER.

Declarations

Data and code availability. Package-local evidence and code provide the exact certificate, independent checker, symbolic reconstruction, replay, and mutation audit.

Ethics. No human participants, animals, personal, clinical, or sensitive data are used; research ethics approval is not applicable.

Author contributions (CRediT). This anonymous certificate records Conceptualization, Formal analysis, Software, Validation, Writing—original draft, and Writing—review and editing at artifact level. AI systems are not authors.

Conflicts of interest. No conflict of interest is known.

Funding. No external funding is reported.

AI-use disclosure. An AI coding assistant supported drafting, exact-code development, and internal proof checking. It was not an external reviewer; every released claim is exposed to deterministic and hostile checks.