NASSP Pulsar lectures



Course layout:

Lecture 1: Radio pulsar observations

Lecture 2: Pulsar properties

Marisa Geyer, SARAO

NASSP Pulsar lectures



Course material

Much of what is discussed in these lectures come from

1) NRAO 'Essential Radio Astronomy' course found online at:
https://science.nrao.edu/opportunities/courses/era

2) Handbook of Pulsar Astronomy by Lorimer and Kramer

Marisa Geyer, SARAO

Pulsar lectures: learning objectives

Lecture 1: radio pulsar observations

- Discuss basic pulsar data characteristics: how average pulse profile shapes are formed, the frequencies they emit over, their frequency spectra.
- Understand the effect of the interstellar medium (ISM) on a broadband pulsar signal:
  - Given the expression for the refractive index, show how the group velocity of the pulsar emission is effected.

$$\mathrm{v_g} = \mathrm{c}\,\mu = \mathrm{c}\sqrt{1-\left(\frac{\nu_\mathrm{p}}{\nu}\right)^2} \approx \mathrm{c}\left(1-\frac{\nu_\mathrm{p}^2}{2\nu^2}\right)$$

  - Given expressions for the refractive index and plasma frequency compute the associated delay due to the ISM across a observing frequency band (given the DM)

$$t = 4.149\times10^3\mathrm{sec}\left(\frac{\nu}{\mathrm{MHz}}\right)^{-2}\left(\frac{\mathrm{DM}}{\mathrm{pc\ cm^{-3}}}\right) \quad \text{and} \quad t_l - t_h = 4.15\times10^3\times\mathrm{DM}\times\left[\frac{1}{\nu_\mathrm{l}^2}-\frac{1}{\nu_\mathrm{h}^2}\right]$$

  - Explain using a diagram how to correct for the delay using incoherent dedispersion, and understand the advantage of coherent dedispersion
  - Calculate the dispersion measure (DM) given pulsar profiles at different frequencies
  - Be able to describe pulsar scattering and its effect
- Be able to use the pulsar sensitivity equation (modified radiometer equation) in calculations

Pulsar lectures: learning objectives

Lecture 2: pulsar properties

- Be able to derive and discuss the minimum density for a star spinning with period P, and compute minimum densities for a given pulsar: $$\rho > \frac{3\pi}{P^2 G}$$
- Compute the radius of NS based on its density and mass.
- Briefly discuss the observed mass measurement distributions and its connection to the NS equation of state research
- Be able to derive the expression for the loss of rotational energy: $\dot{E} = -\frac{4\pi^2 I \dot{P}}{P^3}$
- Compute derived quantities such as the magnetic field size or characteristic age if an expression for the magnetic dipole radiation (P_{rad}) and E-dot is given. (Note you do not have to derive P_{rad}).
- Discuss the pulsar population using a P-pdot diagram

Email me with any questions:
mgeyer@ska.ac.za