


Course layout:

Lecture 1: Radio pulsar observations

Lecture 2: Pulsar properties



## Course material

Much of what is discussed in these lectures come from

1) NRAO Essential Radio Astronomy' course found online at: <a href="https://science.nrao.edu/opportunities/courses/era">https://science.nrao.edu/opportunities/courses/era</a>

2) Handbook of Pulsar Astronomy by Lorimer and Kramer

## Pulsar lectures: learning objectives Lecture 1: radio pulsar observations

- Discuss basic pulsar data characteristics: how average pulse profile shapes are formed, the frequencies they emit over, their frequency spectra.
- Understand the effect of the interstellar medium (ISM) on a broadband pulsar signal:
  - Given the expression for the refractive index, show how the group velocity of the pulsar emission is effected.

$$v_g = c \mu = c \sqrt{1 - \left(\frac{\nu_p}{\nu}\right)^2} \approx c \left(1 - \frac{\nu_p^2}{2\nu^2}\right)$$

• Given expressions for the refractive index and plasma frequency compute the associated delay due to the ISM across a observing frequency band (given the DM)

$$t = 4.149 \times 10^{3} \text{sec} \left(\frac{\nu}{\text{MHz}}\right)^{-2} \left(\frac{\text{DM}}{\text{pc cm}^{-3}}\right)$$
 and  $t_l - t_h = 4.15 \times 10^{3} \times \text{DM} \times \left[\frac{1}{\nu_l^2} - \frac{1}{\nu_h^2}\right]$ 

- Explain using a diagram how to correct for the delay using incoherent dedispersion, and understand the advantage of coherent dedispersion
- Calculate the dispersion measure (DM) given pulsar profiles at different frequencies
- Be able to describe pulsar scattering and its effect
- Be able to use the pulsar sensitivity equation (modified radiometer equation) in calculations

## Pulsar lectures: learning objectives Lecture 2: pulsar properties

- Be able to derive and discuss the minimum density for a star spinning with period P, and compute minimum densities for a given pulsar:  $\rho > \frac{3\pi}{P^2 \, G}$
- Compute the radius of NS based on its density and mass.
- Briefly discuss the observed mass measurement distributions and its connection to the NS equation of state research
- Be able to derive the expression for the loss of rotational energy:  $\dot{E} = -\frac{4\pi^2 I \dot{P}}{P^3}$
- Derive and compute secondary pulsar quantities such as the magnetic field size or characteristic age if an expression for the magnetic dipole radiation (P<sub>rad</sub>) and E-dot is given. (Note you do not have to derive P<sub>rad</sub>).
- Discuss the pulsar population using a P-pdot diagram

A copy of the class lecture notes can be found here:

https://github.com/marisageyer/NASSP\_pulsar\_lectures

To make a copy in a local directory do:

git clone <a href="https://github.com/marisageyer/NASSP\_pulsar\_lectures">https://github.com/marisageyer/NASSP\_pulsar\_lectures</a>

To update a copy of the directory you already have, go to the directory (cd NASSP\_pulsar\_lectures) and do:

git pull

Email me with any questions: mgeyer@ska.ac.za

A copy will also be available on Vula.

## Pulsar tutorial and practicals

- Go through the examples in both the tutorials we did in class for exam preparation:
- Tutorial 1: The Effect of the ISM on pulsar signals: Computing and correcting dispersion measure
- Tutorial 2: Pulsar visibility using the radiometer equation test which pulsars MeerKAT can observe (as a function of the radiometer equation parameters)

All tutorials can be found here:

https://github.com/sbuchner/nassp\_tutorial.git

To make a copy in a local directory do:

git clone https://github.com/sbuchner/nassp\_tutorial

To update a copy of the directory you already have, go to the directory (cd nassp\_tutorial) and do:

git pull

Email sbuchner@ska.ac.za