

## Phase 8- Project Demonstration Phase

**Project title : Script-Controlled ACL - Restrict Record Access Based on Field Value**

**College Name: Government Arts and Science College, Manur.**

**College Code: MSU142**

**Department: B.SC Computer Science**

**Team ID: SWTID-2026-9029**

**TeamLeader: Subbulakshmi M      NM ID: 727F7AC2ABD1D8C8DF6496517D478773**

**Team member: Arumuga Kani S      NM id: 601EE17CA3AAD3AB4EA4C8F841A16DD1**

**Team member: Mariammal C      NM id: BBE8324EB82C757A1054DE3C9951281A**

**Team member: Esakki Ganesh P      NM id: A705CB2C71F3AF38AF2473EFB5AE7725**

**Team member: Akalya R              NM id: B3F460E08A938D39C7F40868EA8EC1C6**

The Project Demonstration Phase is the final stage of the Script-Controlled ACL – Restrict Record Access Based on Field Value project. The purpose of this phase is to demonstrate the complete working of the developed system and explain how the ACL controls access to records.

During the demonstration, the project is presented step by step. The user login, record selection, field-value checking, ACL execution, and final access decision are shown clearly.

## **8.1 Introduction of the System**

The project is first introduced by explaining its purpose. The system is designed to restrict access to records according to predefined field values and user permissions.

## **8.2 User Login Demonstration**

A valid user logs into the system. The system identifies the user and obtains the information required for access validation.

## **8.3 Record Selection**

After login, the user selects a particular record. The system retrieves the requested record and identifies the field used for access control.

## **8.4 ACL Script Execution**

When the record is requested, the configured ACL script is executed automatically. The script checks the required field value and evaluates the access condition.

## **8.5 Field Value Verification**

The field value is compared with the predefined rule. The system determines whether the current user satisfies the required condition.

## **8.6 Successful Access Demonstration**

A valid access condition is demonstrated.

### **Example:**

Authorized User + Matching Field Value → Access Granted

The user is successfully allowed to access the record.

## **8.7 Restricted Access Demonstration**

An invalid access condition is also demonstrated.

### **Example:**

Unauthorized User + Non-Matching Field Value → Access Denied

The system prevents the user from accessing the restricted record.

## **8.8 Different User Scenarios**

Different users and roles can be demonstrated to show how the same ACL rules produce different access decisions depending on the user's permissions and the record's field value.

## **8.9 Different Record Scenarios**

Multiple records with different field values are tested during the demonstration. This shows that the ACL can make access decisions for individual records.

## **8.10 Security Demonstration**

The project demonstrates how unauthorized access is prevented. Users cannot simply access restricted records when the required access condition is not satisfied.

### **8.11 Result Verification**

The actual result obtained from each demonstration is compared with the expected result.

#### **Scenario Expected Result**

Authorized user + valid condition Access Granted

Authorized user+invalid condition Access Denied

Unauthorized user + valid restriction Access Denied

Missing/invalid field value Access Denied

### **8.12 Explanation of Benefits**

The demonstration highlights the main benefits of the project:

- Secure record-level access
- Field-based access control
- Automated permission checking
- Reduced unauthorized access
- Flexible access conditions
- Better protection of restricted information

### **8.14 Final Presentation**

At the end of the demonstration, the complete workflow is explained:

Login → Select Record → Execute ACL → Check Field Value → Validate Permission → Grant / Deny Access

## **Conclusion**

The Project Demonstration Phase verifies the practical working of the Script-Controlled ACL system. It clearly demonstrates how the system uses field values and user permissions to control access to individual records and maintain secure record-level access.