

ASP.NET vs PHP

Marius Olariu (B00350529)

1 Introduction

(500 words)

Nowadays, people expect personalized experiences and the Internet makes no exception to this rule. In order to fulfill this user requirement we need dynamic webpages (i.e. pages that can change automatically the content they display), few webpages currently are static (i.e. have the same content every time you open them). An example of a dynamic webpage could be *amazon.com* that displays on the home page products that you might be interested in (based on your previous purchases, search history) whereas an example of a static webpage could be the contents of a book published online (e.g. <https://natureofcode.com/book/>). Developers automatically wonder what are the best technologies to use in order to develop dynamic webpages. However, due to the fact that different dynamic webpages have different requirements this study-case is going to focus on comparing two web technologies suitable for developing a future version of *www.uws.ac.uk*, namely ASP.NET and PHP. One of the main requirements of this site is to be able to process a lot of data (e.g. a lot of applications for programmes provided by university) thus it uses a SQL database system to store it. This study-case is going to compare how the aforementioned technologies interact with SQL database systems.

ASP.NET is a framework from Microsoft for building dynamic web pages that was released in 2002 as a successor to **A**ctive **S**erver **P**ages (ASP). This technology is used in the server-side web development; in other words, it interacts with the "computer" processing the website request and produces web pages that contain only HTML, CSS and JavaScript. ASP.NET provides flexibility to the developers because they have multiple choices when it comes to what languages to use for the backend of the website, namely ASP.NET supports C#, Visual Basic .NET and J# (a language inspired by Java). Additionally, writing the backend in C# or J# speeds the process of providing the website to the client because these languages are compiled (the backend code does not have to be interpreted at runtime). In 2014 Microsoft made the .NET server stack open-source (ASP.NET, .NET compiler, .NET Core Runtime etc.), ASP.NET can be found on a GitHub repository (github.com/aspnet). Moreover, in the same year they started to support cross-platform development by making the tools needed available for platforms like Linux or macOS and deployment on a Linux web server.

PHP is one of the most used programming languages (Cass, 2014 2015) and it is mainly used to write the backend of a webpage, in other words, mainly a server-side language. PHP was released in 1994 and the acronym stands for *H*ypertext *P*reprocessor or *P*ersonal *H*ome *P*age *T*ools, the later variant being the original name. The main advantage of this language is the fact that it can be embedded in HTML code and after being interpreted the PHP code results in HTML code (that gets sent to the browser). It is worth mentioning that PHP development is now open-source. Websites developed using PHP for the backend are cross-platform, namely, they can be hosted on web servers running Linux or Windows. The widely adoption of this language is due to the fact that it is free and runs fast in combination with Apache and MySQL on a low-specifications web server (Converse et al., 2004). Another reason for the use of PHP is that it is easy to learn.

2 Body

(2500 words)

The above technologies are analysed based on how they interact with **Relational Database Management Systems** (RDBMS). In order to manipulate the data stored in a RDBMS the standard language is **Structured Query Language** (SQL) that is why these RDBMS are sometime referred as *SQL-databases*. There are many RDBMS systems out there, to mention but a few: Oracle, MySQL, Microsoft SQL Server, PostgreSQL etc. . PHP websites use mostly MySQL because these two technologies have been developed with each other in mind, are both open source projects with active web communities around them and (as mentioned above) are fast (Davis & Phillips, 2007). ASP.NET websites use mostly Microsoft SQL Server because both technologies are developed and maintained by Microsoft.

2.1 Storage

In the past database storage was quite expensive but as the hardware technology advances and new discoveries are put in practice, for example (if cloud storage is chosen) having data centers at the bottom of oceans (Simon, 2018), the price of storage is becoming cheaper. Nonetheless, there are few things that have to be taken into account when choosing a database system. The considerations will be briefly mentioned and then there is going to be analyzed how the two programming technologies interact.

2.1.1 Scalability

As the university keeps expanding, for example - opens new campuses, it is likely that a type of SQL-database cannot keep the pace with the new requirements for *uws.ac.uk* (e.g. store retrieve more data) thus it would be wise to pick a database system that offers easy migration of data to another database management system.

2.1.2 Database replication

No matter how scalable a database is at some point the database needs to be replicated in more than one server. This creates the need of keeping the servers synched, thus there is created a *master-slave* relationship between the database servers. Usually the inserts happen in the master database and the reads are supplied by the slave databases (they keep synched with the master database by periodically updating their content). Moreover, in case the master database fails one of the slaves databases could take the place to ensure availability of the website.

2.1.3 GUI Interface

Often there is a need to interact directly with the database so a GUI can be really helpful, whether a web interface or a native software for a specific OS.

PHP offers native support for the following types of databases.

Table 1: Main databases supported by PHP through native APIs (PHP: Database Extensions - Manual, n.d)

Name	Type	Language
Cubrid	Relational	SQL
DB++	Relational	AQI
dBase	Relational	dBase
InterBase	Relational	SQL
FrontBase	Relational	SQL
IBM Db2	Relational	SQL
IBM Informix	Relational	SQL
Ingres	Relational	QUEL
MaxDb	Relational	SQL
MongoDB	Document-oriented database	Mongo Shell
mSQL	Relational	SQL
Microsoft SQL Server	Relational	SQL
MySQL	Relational	SQL
Oracle	Relational	SQL
PostgreSql	Object-Relational	SQL
Paradox	Relational	PAL
Ingres	Relational	QUEL


ASP.NET developers can work with a database using **Entity Framework Core (EFC)**, a object-relational mapping that uses .NET objects to manipulate data. ASP.NET supports the following databases.

Table 2: Main databases supported by ASP.NET through EFC (ASP.NET: Database Providers, n.d)


Name	Type	Language
MariaDB	Relational	SQL
MyCAT Server	Relational	SQL
Firebird	Relational	SQL
Progress OpenEdge	Relational	OpenEdge ABL
IBM Db2	Relational	SQL
IBM Informix	Relational	SQL
Ingres	Relational	QUEL
Microsoft SQL Server	Relational	SQL
MySQL	Relational	SQL
Oracle	Relational	SQL
PostgreSql	Object-Relational	SQL

As can be seen above, for both technologies there is a large variety of databases available. Some databases are available for both technologies like Oracle, PostgreSql, MySQL, Microsoft SQL Server, Ingres, IBM Informix, IBM Db2. There can be said that PHP offers support for almost every database that ASP.NET supports and some more. Therefore, if one is looking for database scalability (see 2.1.1) it is better to develop the backend in PHP.


When it comes to GUI Interfaces (see 2.1.2.) most of them provide at least a web GUI. One could look further to see which type of database provides the best GUI or the largest number of GUIs (e.g. web, native application etc.) but this is beyond the purpose of this work. Again, it seems that PHP is more likely to be the right choice.




The average pay for an ASP.NET Developer is £30,080 per year.



(a) Average salary for a ASP.NET developer in UK



The average pay for a PHP Developer is £28,682 per year.



(b) Average salary for a PHP developer in UK

Figure 1: Comparison between salaries of PHP/ASP.NET developers

2.2 Cost

The mass adoption of PHP was due to the fact that it was open-source and able to be used in combination with free software like Apache, MySQL and Linux. By contrast, in order to develop dynamic webpages with ASP.NET you had to buy a licence for the IDE, pay for Microsoft SQL Server licence, host your webpage on a Windows web server and so on, however, all this changed when the development for ASP.NET went open-source, Visual Studio free and the deployment of webpage on a Linux web server was possible through the Mono Project (n.d). This was a big and important step for Microsoft. Moreover, now the ASP.NET supports connection to free databases like MySQL. From what was stated above it can be said that the costs are pretty similar.

A future version of a webpage like *uws.ac.uk* would need a team of developers in order to be developed professionally and according to *payscale.com* the average salary for a PHP developer is less than the average salary for a ASP.NET developer. Therefore, if not for the cost of a certain stack of technologies used then at least from the perspective of workforce cost PHP is cheaper.

2.3 Security

2.4 Maintenance available (or commercial license)

2.5 Development

The technologies can be compared also by the underlying programming paradigm that they use. In the case of ASP.NET, because it is a framework, C# will be the chosen language for comparison since it is the

most popular choice from all of the possibilities.

PHP started as a scripting language in 1995, however, it has moved towards the Object Oriented paradigm supporting concepts like class, object, constructors & destructors or object inheritance (Classes and Objects, n.d). For a language to be considered Object-Oriented it needs to adhere to three main concepts: **Encapsulation**, **Polymorphism** and **Inheritance**. Encapsulation is used to bundle data and methods to a class, to protect the state of an object and it is achieved in PHP through the access specifies like *public*, *private* and *protected*. Polymorphism is the ability to provide a interface to entities of different types and it is achieved in PHP by having *interfaces* and *abstract classes*. Inheritance allows new objects to "inherit" the properties and services of existing objects and is achieved in PHP by allowing classes to be *extended* and interfaces to be *implemented*. To sum it up, PHP7 can be considered an Object Oriented language but there some problems due to the fact that it has to be compatible with legacy code and the fact that it was not designed from the start as an Object Oriented language.

By comparison, C# is a robust and mature Object Oriented language and it allows the programmer to develop good designed software that promotes separation of content, logic and data and thus the software it is easier to support in the long run. In addition, ASP.NET provides well-organized libraries that allow the developer to create new features easily whereas in PHP it might be slightly harder to develop the same functionality by using libraries developed by different developers.

A big part of the development time is spent on debugging the code and testing it. PHP does not offer great tools for debugging, often, the developer has to use third-party software. ASP.NET provides free of charge an Integrated Development Environment (IDE) for computers running Windows/macOS which allows debugging of webpages code.

In the first versions of PHP there was no mechanism for error trapping but this drawback was fixed in PHP5 when *Exception Handling* was added. Thus, from this way of looking at it, PHP5 is similar to C#.

Taking into account the strictly the development part it seems that ASP.NET would be a better choice for *uws.ac.uk*.

2.6 Speed

According to *similartech.com*, a website which performs comparisons between technologies, ASP.NET was used in the development of about 2.5 million websites whereas PHP was used for the developemnt of about 7.5 million websites (ASP.NET vs PHP, n.d) 2. These numbers suggests that both of them are valid technologies used by industry. One way to compare the two technologies would be by the webpage load speed. As can be found on Alexa's website, a company owned by Amazon, the current version of *uws.ac.uk* loads pretty slow, on average 3.64 seconds and 83% of websites load faster (uws.ac.uk Traffic Statistics, n.d). It is generally believed that ASP.NET is faster than PHP because it can use for the backend programming languages that are compiled, like C#, whereas PHP is an interpreted language.




Figure 2: Comparison of the technologies based on number of websites developed using them

There has been found a study (Mirzoev & Sack, 2014) that compares the technologies by the webpage load speed. The authors created two small types of websites using both technologies: i) test.aspx & test.php and ii) about.aspx & about.php. The first type of website, *test.**, called 3 JavaScript files, 1 style sheet, 4 images and 1 favicon. The second type of website, *about.**, read a text file with 10.000 lines (each line being 15 characters long) and displayed it in the webpage. The webpage load speed was recorded using an addon, Lori (Life-of-request info), in Mozilla Firefox browser, the results can be seen in Figure 3. In both sessions PHP ran faster than ASP.NET (session 1 -> 0.189 s, session 2 -> 1.281), however, PHP also had one the slowest loading time in session 1 -> 0.304 seconds. In *Session 1* ASP.NET average load time was faster with 11.2 miliseconds than PHP while in *Session 2* PHP website loaded faster on average with 13.56 miliseconds than the one using in ASP.NET. It seems from this study that there is not a big difference between ASP.NET and PHP when it comes to webpage load speed. However, the author believes that a more thorough testing scenario could be designed in order to validate the results of the above mentioned study.

	Testing Session 1		Testing Session 2	
Iteration	about.aspx	about.php	test.aspx	test.php
1	0.222	0.202	1.438	1.317
2	0.198	0.209	1.339	1.337
3	0.294	0.190	1.304	1.337
4	0.214	0.226	1.323	1.296
5	0.193	0.198	1.294	1.301
6	0.243	0.181	1.370	1.317
7	0.209	0.208	1.305	1.313
8	0.197	0.231	1.288	1.332
9	0.228	0.229	1.312	1.381
10	0.195	0.287	1.305	1.310
11	0.189	0.295	1.304	1.281
12	0.189	0.267	1.318	1.370
13	0.229	0.225	1.328	1.328
14	0.249	0.304	1.313	1.314
15	0.200	0.203	1.371	1.302
16	0.191	0.214	1.299	1.314
17	0.197	0.209	1.405	1.298
18	0.245	0.197	1.388	1.291
19	0.202	0.270	1.404	1.335
20	0.205	0.237	1.329	1.331
21	0.245	0.257	1.385	1.337
22	0.224	0.207	1.379	1.300
23	0.223	0.223	1.319	1.427
24	0.207	0.229	1.386	1.332
25	0.239	0.209	1.300	1.366
Mean	0.21708	0.22828	1.34024	1.32668
Standard Deviation	0.0252915	0.0335006	0.042762	0.032263
Min	0.189	0.181	1.288	1.281
Max	0.294	0.304	1.438	1.427
Max & Min Difference	0.105	0.123	0.15	0.146

Figure 3: Speed comparisons between two webpages written using both technologies

3 Conclusion

(1000 words)

References

- ASP.NET: Database Providers (n.d). [Online] Available: <https://docs.microsoft.com/en-us/ef/core/providers/index> [Accessed: 07 February 2019].
- ASP.NET vs PHP (n.d). [Online] Available: <https://www.similartech.com/compare/asp-net-vs-php> [Accessed: 07 February 2019].
- Cass, S. (2014), ‘The top 10 programming languages spectrum’s 2014 ranking’, IEEE Spectrum **51**(7), 68–68.
- Cass, S. (2015), ‘The 2015 top ten programming languages’, IEEE Spectrum, July **20**.
- Classes and Objects (n.d). [Online] Available: <http://php.net/manual/en/language.oop5.php> [Accessed: 10 February 2019].
- Converse, T., Park, J. & Morgan, C. (2004), PHP5 and MySQL bible, Vol. 147, John Wiley & Sons.
- Davis, M. E. & Phillips, J. A. (2007), Learning PHP & MySQL: Step-by-Step Guide to Creating Database-Driven Web Sites, ” O’Reilly Media, Inc.”.
- Mirzoev, D. & Sack, L. (2014), ‘Webpage load speed: Asp. net vs. php’, arXiv preprint arXiv:1404.2163 .
- Mono Project (n.d). [Online] Available: <https://www.mono-project.com/> [Accessed: 10 February 2019].
- PHP: Database Extensions - Manual (n.d). [Online] Available: <http://php.net/manual/en/refs.database.php> [Accessed: 07 February 2019].
- Simon, K. (2018), ‘Project natick—microsoft’s self-sufficient underwater datacenters’, IndraStra Global **4**(6), 4.
- uws.ac.uk Traffic Statistics (n.d). [Online] Available: <https://www.alexa.com/siteinfo/uws.ac.uk> [Accessed: 07 February 2019].