

Development and Evaluation of the Usability of a Mobile Web System Designed for Youth Work

Student:
Marius-Lucian Olariu

Supervisor:
Dr. Daune West

Paisley
Word count: ?
2019

Contents

1	Abstract	4
2	Aims	5
3	Objectives	5
4	Justification	5
5	Review of the literature	6
5.1	Filtering conditions for finding relevant research	6
5.2	Usability for Mobile-Web	6
5.3	Cross-platform development approach	7
6	Methodology	8
6.1	Software Development	8
6.2	Data collection and evaluation	9
6.3	Ethical and practical considerations	10
7	Work plan	11

List of Figures

1	All the activities that need to be undertaken to finish the project	11
---	---	----

1 Abstract

(5 p - 300w)

A pilot study on the development of a Mobile Web system (mobile app and webpage) for YMCA Paisley. Try to provide a mobile-web system with high usability so that the organization wants to adopt it over their old paper based system.

Key words: **booking, mobile booking, usability evaluation, user research, user-centered design process, system usability, evaluation, webpage, mobile**

2 Aims

(5 p - 125w)

The main aim of this work is to develop a prototype webpage and a mobile application for the youth work of YMCA Paisley and to compare it from the usability perspective with the current system used by the organization. The current system relies on paper forms to collect information about each volunteering session which have to be analyzed by the organization's manager. In this work the term mobile-web system is going to describe the two software artefacts (webpage and mobile application). The mobile-web system would provide valuable insights for the organization regarding their activity. Moreover, once the study is finished the organisation can decide if it is worth to invest in the development of such a system or not.

3 Objectives

(10 p - 250w)

The first step is to have one or two meetings with the users (manager and volunteers alike) of the mobile-web system in order to derive a set of requirements. Once this is done a project document should be written containing the following headings: description of project, system requirements, system specifications and software design methods. This document should be made available to all the parts involved (developers, volunteers, manager) so that they can provide additional input. A literature research should be performed to see if there are similar projects, how have they been developed and evaluated. Apart from development, an evaluation is necessary which is split in two parts: technical and non-technical. To perform the technical evaluation of the software the developers have to write unit tests. The non-technical evaluation uses a structured interview regarding usability of the system used in the youth activity of YMCA Paisley. Once the structured interview is devised, the researcher can interview the manager and the volunteers to obtain initial data. The next step is to deploy the mobile-web system for 1 - 2 weeks and do the interview again. At this point the data obtained by the researcher can be evaluated and conclusions drawn.

4 Justification

(5 p - 125 w)

The author believes that there is a gap in the literature for research that takes a booking software and analyzes how this can improve(or not) the activity of an organization. Some of the research that the author has found on booking software focuses on usability and how it can be improved (Gündüz and Pathan, 2012; Burmistrov, 2009). There is something similar Abdulah and Kadim (2016) but the quality of the work is questionable as it will later be detailed in the literature review. Some works are similar but they quality is questionable and old (Alawaer, Awni and AL-Zoubi, 2011; Karthick and Velmurugan, 2012; Abdulah and Kadim, 2016).

5 Review of the literature

(20p - 1700w - 2000w)

5.1 Filtering conditions for finding relevant research

The author has tried to find literature that contains mobile and/or webpage development and is related to usability. One of the first search queries used in Google Scholar (n.d.) was "mobile booking" and on the second page of the results was found the research by Gündüz and Pathan (2012), other works matching the search query have been read but not mentioned as part of literature review due to poor quality (Karthick, S. and Velmurugan, 2012; Abdullah and Kadhim, 2016). Details for finding other research papers are omitted (to save space) and just the queries used are enumerated: "mobile-web usability", "usability guidelines mobile", "cross-platform development".

5.2 Usability for Mobile-Web

The world of phones and computing changed in 2007 when the first iPhone was released due to the fact that this phone allows users to access Internet, has a touchscreen interface and is essentially a small computer that fits in a pocket. The term *smartphone* is used to describe such a device. At the time of writing of this work (2019) there are about 2.71 billion smartphone users around the world and the number is expected to increase in the future (Number of smartphone users worldwide 2014-2020, n.d.). Such a large pool of users drives big companies to invest in their mobile applications and their websites in order to provide better customer experience (Vagrani, Kumar and Ilavarasan, 2017).

All major airlines companies nowadays offer booking facilities both through their website and mobile app. Apart from the security to protect user data usability is another important characteristic in this industry since it leads to user productivity. Nielsen (2012) even suggests that 10% of the project's budget should be invested in usability. While the purpose of this work is not related to any e-commerce industry, it is still worth to analyze how these booking systems are designed to increase usability in order to develop a better mobile-web system. One of the crucial factors for using a mobile-web app from the perspective of the users is *usability* and *user experience*. However, there are different opinions in literature to what these terms mean. To eliminate any confusion that might arise their definitions from ISO 9241-210:2010 (2010) are provided below.

User Experience - person's perceptions and responses resulting from the use and/or anticipated use of a product, system or service.

(ISO 9241-210:2010, 2010, non-paginated)

Usability - extent to which a system, product or service can be used by specified users to achieve specified goals with effectiveness, efficiency and satisfaction in a specified context of use

(ISO 9241-210:2010, 2010, non-paginated)

The user experience and usability have common characteristics, however, the former

is harder to evaluate (McNamara and Kirakowski, 2005). The design of a webpage is not affected by many variables as it is the case for a mobile app. When designing a mobile app one has to take into account that the user might be on the move, a variable screen size, limited processing power, user's attention interruptions or poor network connection (Oulasvirta et al, 2005). Following their study on usability for a mobile flight booking app Gündüz and Pathan (2012) have identified usability challenges that are going to be briefly detailed. Icons help in saving screen space and aid in completion of tasks, however, *the wrong choice of icons* leads to confusion, it is suggested to use the same icons on web and mobile app to have consistency. Next, the mobile interface needs to have *a smaller number of steps* compared to the web app to achieve a task (e.g. search for flights) due to the fact that network interruptions might occur. Subsequently, the user inputs in a mobile app should be located towards the bottom of the screen to *favor single hand use of the device*. Lastly, there should not be presented a lot of information at once (cognitive overload) and the most important bits should be highlighted (e.g. departure and return date for a flight).

Another study by Shitkova et al. (2015) focused on finding usability guidelines for mobile applications and mobile websites tested in empirical settings and published in a large time frame, between 2003 and to 2013. In total there were identified 39 usability guidelines (from 127 papers) which were structured in the following 5 categories: i) Layout, ii) Navigation, iii) Design, iv) Content and v) Performance. To demonstrate the applicability of the usability guidelines found the researchers developed a mobile app and a mobile website. While the author considers most of the presented guidelines to be useful, there is one, *"G3) ...avoid using tabs"* which is not necessary valid because the *Tab Bar Design* is widely used in successful apps (e.g. Coursera, edX, Facebook) and suggested by famous organizations as good practice (Nielsen Norman Group, 2015). Similar to the findings of Gündüz and Pathan (2012), in this research it was highlighted the guideline *of having a consistent user interface between the mobile website and the mobile app*.

Web usability guidelines have been around from 1990s and nowadays there are well established publications regarding this topic (Nielsen Norman Group, n.d; Shneiderman and Leavitt, 2006). We can say that Web Usability is a mature field now after almost 30 years of research. Websites within e-commerce sector pay a special interest in usability since it stimulates online purchases (Venkatesh and Agarwal, 2006).

5.3 Cross-platform development approach

The mobile app needs to be developed for both major mobile operating systems (OS), namely, Android and iOS. This implies to write the code for the application twice, once in Java for Android and once in Swift for iOS, this approach is known as native app development. While this is the ideal way to obtain app performance it is not feasible given the total time allowed for a MSc project. Therefore, to save time one can use a **cross-platform tool** (CPT) where the codebase is written just once and the CPT generates an application for multiple mobile OSs. However, there are many CPTs available and it is hard to choose one that best fits a project without prior research. To get an idea of how many options are available, for instance, in an industry report by SlashData (2012) there were discussed more than 100 CPTs. The same report (SlashData,

2012) highlights that developers' satisfaction regarding CPTs has been low, however, the author believes that some CPTs are now mature and better suited for development.

There are 5 types of CPTs: i) app factories, ii) source code translators, iii) JavaScript frameworks, iv) runtimes and v) Web-to-Native. The app factories target non-developers and help them to create a basic app by using drag-and-drop visual elements (the process is similar to solving a puzzle). JavaScript frameworks allows web developers to develop mobile apps using client-side technologies (HTML, CSS and JavaScript) the resulting mobile app is basically a webpage for mobile that can be accessed through a mobile browser. Web-to-Native are similar to JavaScript frameworks in terms of development technologies just that this CPT packs the mobile website into a standalone mobile app that can be installed on the devices. Runtime CPTs allow developers to write the non-native app using a language like Java and provide a special runtime for executing it for each mobile OS; basically, the native app is comprised of the non-native part and the runtime that executes it. Source code translators CPTs allow one to write the app code in a specific language which later is translated to the equivalent code for a specific mobile OS (e.g. Java/Swift) which in turn is compiled to executable code.

A complex analysis of 10 CPTs was done by Willocx, Vossaert and Naessens (2016) resulting in a series of guidelines for picking a CPT. Apps developed with JavaScript frameworks stress more the CPU and consume more memory than native apps, however, their performance is comparable to their native counterparts. The size of the app installer and the memory consumption is increased when using runtime CPTs compared to a native app. The best choice from a technical perspective it seems *source code translators* that provide performances comparable with the native approach. Apart from these technical considerations, there are some non-technical considerations that can help in decision process: existing infrastructure (Webpages can be directly converted to mobile using JavaScript CPTs), skills of developer (one can pick a CPT that uses technologies he knows), flexibility (some CPTs offer better support to access OS specific features) and type of application (some CPTs are better for developing game apps). Given the above guidelines the author is going to use Flutter (n.d.), a CPT developed by Google, which is a source code translator according to the above classification because the performance of the app will be close to the native counterpart.

6 Methodology

(25 p - 1000w)

6.1 Software Development

As was mentioned before in this research proposal the software system is comprised by two components, namely, a webpage and a mobile application for the two major mobile OSs (iOS and Android). These two software products need to share a common database where all the data is stored. Data is generated by the volunteers using the mobile app and can be viewed by the manager and edited.

When it comes to webpage development and Web Development in general there are many technologies that one can use for both client-side development and server-side

development. The look and feel of the webpage does not need to have complex visual features, thus, its development can be done using HTML5, CSS3, JavaScript and AJAX. There are many server-side development languages that one can use like PHP, C# (ASP.NET) or Python frameworks (Django, Flask). However, the author is going to use PHP due to the following reasons: past development experience with the language, it has a large community around it (Cass, 2018), can be embedded in HTML code and the stack **Linux-Apache-MySQL-PHP** (LAMP stack) is free. Due to the fact that the webpage will contain a login feature and use a database extra security measures are needed. Namely, the login input needs to be sanitized to protect the webpage against all kind of attacks similar to SQL Injection.

Although MySQL database and PHP are often used together when developing webpages, for this project the author is going to use **Firebase Realtime Database** (FRD). MySQL is a relational database which stores data in tables that have relationships and constraints among them, however, not all types of data can be easily structured in such a database type. Therefore we have document-oriented databases like FRD which work better for storing 'unstructured' data which is going to be the case for this project. Another reason to use FRD is the fact it integrates very well with object oriented programming languages that are going to be used like PHP and Dart (for the mobile development).

The best approach to develop the mobile apps would be the native one, namely, to write the iOS app in Swift with Xcode and the Android one in Java with Android Studio. However, this approach is time consuming, a macOS machine for iOS development is needed and the author is not very familiar with Swift programming. Therefore, a cross-platform approach will be put in practice, which means that the codebase for the mobile apps is written only once and the two apps are generated by a CPT. As was presented in the literature review there are many CPT to choose from but for this project Flutter (n.d.) is going to be used. To mention but a few reasons to use Flutter: hot reload (allows code to be injected on a running app; improves development time), the generated apps use native UI elements, open-source, good documentation materials and the possibility to use a familiar **Integrated Development Environment** (IDE) like Android Studio. However, the iOS application cannot be published on AppStore due to the fact that now Apple accepts only applications that are written 100% native in Swift.

In order to keep track of all the code files there is going to be used a version control website, GitHub (n.d.). The whole codebase is going to be contained in a repository with different submodules that can be updated independently.

6.2 Data collection and evaluation

In order to evaluate the usability of the mobile-web system a structured interview is going to be used. In total, a number of 6 persons are going to be interviewed, namely, the YMCA Paisley manager and 5 other volunteers. The YMCA Paisley has around 25 volunteers, therefore, one fifth of the organization is going to be interviewed. The volunteers are selected based on how long they have been volunteering within the organization, from less experienced to more experienced ones. There are two methods suitable to conduct the interviews, namely, *face-to-face* and via *telephone call*. The author is going to use the *face-to-face* approach because it offers also non-verbal data

regarding what the interviewees think about the developed mobile-web system. The author is going to organize two meetings to conduct the interviews, one in week 6 and one in week 12 (see Figure 1). There are no monetary costs involved for the volunteers or the author to come to this meetings because they can be held before/after the weekly organization's meeting. To each answer received to the interviews question a value is going to be assigned, range 1-10.

6.3 Ethical and practical considerations

Before a young person starts a YMCA mentorship their parents/tutors must agree that YMCA processes and stores data regarding the young person. Due to the fact that such a mobile-web system uploads the young person's data on the Internet it must be very secure and has to comply with tough government regulations. However, because this is a pilot study all the data that is going to be uploaded in the time the system is up is going to be spurious. In this way, there are no legal implications for the organization or for the author if somehow the mobile-web app gets hacked.

7 Work plan

(10p -)

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.




Figure 1: All the activities that need to be undertaken to finish the project

References

- Abdullah, M.N. and Kadhim, E.H. (2016) Airline mobile reservation development. International Advanced Research Journal in Science, Engineering and Technology [Online] pp.1-3. Available: <https://iarjset.com/recent-issue-october-2016/> [Accessed: 6 April 2019]
- Alfawaer, Z.M., Awni, M. and Al-Zoubi, S. (2011) Mobile e-ticketing reservation system for Amman International Stadium in Jordan. International Journal of Academic Research Vol. 3(1), pp.848-852.
- Burmistrov, I. (2009) Mobile air ticket booking. European Conference on Cognitive Ergonomics: Designing beyond the Product—Understanding Activity and User Experience in Ubiquitous Environments Article 11 Helsinki: VTT Technical Research Centre of Finland.
- Cass, S. (2018) The 2018 Top Programming Languages. IEEE Spectrum (July 2018) [Online] Available: <https://bit.ly/2AquJBT> [Accessed: 10 April 2019]
- Flutter (n.d.) [Online] Available: <https://flutter.dev> [Accessed 5 April 2019]
- GitHub (n.d.) [Online] Available: <https://github.com/> [Accessed 6 April 2019]
- Google Scholar (n.d.) [Online] Available: <https://scholar.google.co.uk/> [Accessed 3 April 2019]
- Gündüz, F. and Pathan, A.S.K., (2012) Usability improvements for touch-screen mobile flight booking application: A case study. International Conference on Advanced Computer Science Applications and Technologies pp. 49-54. Kuala Lumpur: IEEE.
- ISO 9241-210:2010 (2010) [Online] Available: <https://bit.ly/1j1dMhv> [Accessed: 3 April 2019].
- Karthick, S. and Velmurugan, A. (2012) Android suburban railway ticketing with GPS as ticket checker. IEEE International Conference on Advanced Communication Control and Computing Technologies (ICACCCT) pp. 63-66 s.l.: IEEE
- McNamara, N. and Kirakowski, J., (2005) Defining usability: quality of use or quality of experience? IPCC 2005. Proceedings. International Professional Communication Conference pp. 200-204. Limerick: IEEE.
- Nielsen, J. (2012) Usability 101: Introduction to Usability [Online] Available: <https://bit.ly/1OOHO8T> [Accessed: 7 April 2019]
- Nielsen Norman Group (n.d.) Usability Guidelines for Accessible Web Design [Online] Available: <https://bit.ly/2s63gO9> [Accessed: 7 April 2019]

Nielsen Norman Group (2015) Basic Patterns for Mobile Navigation [Online] Available: <https://bit.ly/1RpvkVo> [Accessed 7 Apr 2019]

Number of smartphone users worldwide 2014-2020 (n.d.) [Online] Available: <https://bit.ly/2dk8wHh> [Accessed: 3 April 2019].

Oulasvirta, A., Tamminen, S., Roto, V. and Kuorelahti, J., (2005) Interaction in 4-second bursts: the fragmented nature of attentional resources in mobile HCI.

Proceedings of the SIGCHI conference on Human factors in computing systems pp. 919-928. New York: ACM.

Shitkova, M., Holler, J., Heide, T., Clever, N. and Becker, J. (2015) Towards Usability Guidelines for Mobile Websites and Applications. Wirtschaftsinformatik pp. 1603-1617

Shneiderman, B. and Leavitt, M. (2006) Research-based web design & usability guidelines Washington: Department of Health and Human Services

SlashData (2012) Vision mobile cross-platform developer tools 2012 [Online] Available: <https://bit.ly/2GhaYMC> [Accessed: 5 April 2019].

Vagrani, A., Kumar, N. and Ilavarasan, P.V., (2017) Decline in Mobile Application Life Cycle. Procedia computer science. vol. 122, pp. 957-964. [Online] Article in Press. Available: <https://doi.org/10.1016/j.procs.2017.11.460> [Accessed 3 April 2019].

Venkatesh, V. and Agarwal, R. (2006) Turning visitors into customers: A usability-centric perspective. Management Science Vol. 52(3), pp. 367-382.

Willox, M., Vossaert, J. and Naessens, V. (2016) Comparing performance parameters of mobile app development strategies. 2016 IEEE/ACM International Conference on Mobile Software Engineering and Systems (MOBILESoft) pp. 38-47. Austin: IEEE.