### BT5110 Data Management and Warehousing

Tutorial 3: Aggregate and Nested Queries

### Mark Meng Huasong

School of Computing National University of Singapore

6 - 10 Sep, 2021



All the materials within presentation slides are protected by copyrights.

It is forbidden by NUS to upload these materials to the Internet.




### Quick Recap: End of Last Tutorial

What we have done in the last week:

- (1) Write simple a query with arithmetic, comparison & logical operators;
- (2) Write a table joining query (CROSS JOIN and INNER JOIN);
- (4) Write simple a query with the set operators.

Summary of our database (# of rows):

book	student	copy loan		department	
311	105	1244	4976	13	



# Question 1 Aggregate Queries (a)

How many loans involve an owner and a borrower from the same department?

#### **Solution:**


```
1    SELECT COUNT(*)
2    FROM loan l, student s1, student s2
3    WHERE l.owner = s1.email
4    AND l.borrower = s2.email
5    AND s1.department = s2.department;
```

You should have 502 observed in the output.

### Question 1 (b)

For <u>each</u> faculty, print the <u>number of loans</u> that involve an owner <u>and</u> a borrower from this faculty?

Which tables are involved in this query?



(plotted by DbVisualizer)

### Question 1 (b) Cont.

For <u>each</u> faculty, print the <u>number of loans</u> that involve an owner <u>and</u> a borrower from this faculty?

#### **Solution:**

```
SELECT d1.faculty, COUNT(*)
FROM loan l, student s1, student s2, department d1, department d2
WHERE l.owner = s1.email
AND l.borrower = s2.email
AND s1.department = d1.department
AND s2.department = d2.department
AND d1.faculty = d2.faculty
GROUP by d1.faculty;
```

### Question 1 (b) Cont.

The output should be like as follows (for your reference).

# Question 1 (c)

What are the <u>average</u> and the <u>standard deviation</u> of the <u>duration</u> of a loan? (assume today is 2010-12-31)

**Recap**: Q1 (d) of Tutorial 2: print the duration of each loan:

```
1    SELECT l.book, ((CASE WHEN l.returned ISNULL
2    THEN '2010-12-31'
3    ELSE l.returned END) - l.borrowed + 1) AS duration
4    FROM loan l
5    ORDER BY l.book ASC, l.duration ASC;
```

How can we reuse this code?

### Question 1 (c) Cont.

#### Solution:

```
1 SELECT AVG((CASE WHEN l.returned ISNULL
2 THEN '2010-12-31'
3 ELSE l.returned END) - borrowed + 1),
5 TDDEV_POP((CASE WHEN l.returned ISNULL
5 THEN '2010-12-31'
6 ELSE l.returned END) - borrowed + 1)
7 FROM loan l;
```

The output should be as follows.

```
avg | stddev_pop
41.4963826366559486 | 38.4266806387009364
(1 row)
```

#### Attention

STDDEV\_SAMP and STDDEV are equivalent, which calculate Sample Covariance. While STDDEV\_POP calculate Population Covariance. Here we need to use the latter.

Extra: Can we use nested query to simplify it?



### Question 1 (c) Cont.


### Solution (nested version):

```
SELECT AVG(temp.duration), STDDEV_POP(temp.duration)
FROM (SELECT ((CASE
WHEN l.returned ISNULL
THEN '2010-12-31'
ELSE l.returned END) - l.borrowed + 1) AS duration
FROM loan l) AS temp;
```

### Question 2 Nested Queries (a)

Print the titles of different books that have <u>never been borrowed</u>. Use a nested query.

Which tables are involved in this nested query?



(plotted by DbVisualizer)

### Question 2 (a) Cont.

#### Solution:

```
1 SELECT b.title
2 FROM book b
3 WHERE b.ISBN13 NOT IN (
4 SELECT l.book
5 FROM loan l);

...or, equivalently,


1 SELECT b.title
2 FROM book b
3 WHERE b.ISBN13 ⇔ ALL (
4 SELECT l.book
5 FROM loan l);
```

You should observe **no** record given in the output.

### Question 2 (b)

Print the name of the different students who <u>own</u> a copy of a book that they have <u>never lent</u> to anybody.

Which tables are involved in this nested query?



(plotted by DbVisualizer)

### Question 2 (b) Cont.

#### Solution:

```
SELECT s.name
    FROM student s
    WHERE s.email IN
       (SELECT c.owner
 5
      FROM copy c
      WHERE NOT EXISTS (
         SELECT *
 8
         FROM loan 1
 9
        WHERE 1.owner = c.owner
10
          AND l.book = c.book
11
          AND l.copy = c.copy));
```

### Question 2 (b) Cont.

### ...or, equivalently,

```
SELECT s.name
    FROM student s
    WHERE s.email = ANY (
4
      SELECT c.owner
      FROM copy c
6
      WHERE NOT EXISTS (
        SELECT *
8
        FROM loan l
9
        WHERE l.owner = c.owner
10
          AND l.book = c.book
11
          AND l.copy = c.copy));
```


You should observe **no** record given in the output.

#### Notice

We can always use "<> ALL" as an equivalence of "NOT IN". Similarly, we can use "= ANY" as an equivalence of "IN"

### Question 2 (c)

For each department, print the names of the students who lent the most.



(plotted by DbVisualizer)

### Question 2 (c) Cont.

#### Solution:

```
1  SELECT  s.department, s.name, count(*)
2  FROM student s, loan l
3  WHERE l.owner = s.email
4  GROUP BY s.department, s.email
5  HAVING count(*) >= ALL
6  (SELECT count(*)
7  FROM student s1, loan l1
8  WHERE l1.owner = s1.email
9  AND s.department = s1.department
10  GROUP BY s1.email);
```

It is better to add "ORDER BY s.department" at the end for better output display, although it is not required by the question.

### Question 2 (c) Cont.

You should observe the output as follows.

department	name	count
Geography	SEAH TECK KEE	64
Geography	ZHANG YUZHAO	64
EE	WANG NA	60
CE	TAY YONG MING	68
Math	HUANG WENXIN	
CS	LIU ZHENCAI	
Geography	DAVID HALL	64
ME	GE DUO	64
Language	NEELAM DEOL	68
Biology	PENG JIAYUAN	80
	ZHANG HONG	88
History	ZENG YIHUI	60
Economics	LI YUZHAO	60
Physics	NI HANRAN	60
Chemistry	XIE XIN	56
(15 rows)		

department	name	count
Biology	+   PENG JIAYUAN	-+   80
CE	TAY YONG MING	68
Chemistry	XIE XIN	56
Computer Science	LIU ZHENCAI	
EE	WANG NA	60
Economics	LI YUZHAO	60
Geography	SEAH TECK KEE	64
Geography	ZHANG YUZHAO	64
Geography	DAVID HALL	64
History	ZENG YIHUI	60
IS	ZHANG HONG	88
Language	NEELAM DEOL	68
ME	GE DUO	64
Math	HUANG WENXIN	
Physics	NI HANRAN	60
(15 rows)		

(without ORDER BY)

(with ORDER BY s.department)

#### Warning

Notice that there are three such students in the department of **Geography** (that is why one should almost never use TOP N queries).

### Question 2 (c) Cont. - Extra(1)

# **Extra(1):** What if I insert the query below before we execute the solution?

- 1 INSERT INTO department VALUES('Business Analytics', 'School of Computing');
- 2 INSERT INTO student VALUES('MARK\_MENG', 'mark@biz.edu', '2010-01-01', 'Business\_ Analytics', '2014-01-01');

#### We observe the output as:

department	name	count
		+
Geography	SEAH TECK KEE	64
Geography	ZHANG YUZHAO	64
EE	WANG NA	60
CE	TAY YONG MING	68
Math	HUANG WENXIN	76
cs	LIU ZHENCAI	76
Geography	DAVID HALL	64
ME	GE DUO	64
Language	NEELAM DEOL	68
Biology	PENG JIAYUAN	80
IS	ZHANG HONG	88
History	ZENG YIHUI	60
Economics	LI YUZHAO	60
Physics	NI HANRAN	60
Chemistry	XIE XIN	56
(15 rows)		

### We expect the output to be like:

department	1	name	1	count
Geography		SEAH TECK KEE		64
Geography		ZHANG YUZHAO		64
		WANG NA		60
CE		TAY YONG MING		68
Math		HUANG WENXIN		76
CS		LIU ZHENCAI		76
Geography		DAVID HALL		64
ME		GE DUO		64
Language		NEELAM DEOL		68
Biology		PENG JIAYUAN		80
		ZHANG HONG		88
History		ZENG YIHUI		60
Economics		LI YUZHAO		60
Physics		NI HANRAN		60
Chemistry		XIE XIN		56
Business Analytics		MARK MENG		
(16 rows)				

Let's think about it... (out of scope of this tutorial)

# Question 2 (c) Cont. Extra(1)

### To simplify this question, let's create a VIEW first:

```
1    CREATE VIEW lender AS
2    SELECT    s.department, s.name, count(*) AS count
3    FROM student s, loan l
4    WHERE l.owner = s.email
5    GROUP BY s.department, s.email;
```

# How to print those departments & students without any student lending a book?

```
SELECT s.department, s.name
FROM student s LEFT OUTER JOIN loan l
ON lowner = s.email
WHERE l.borrower ISNULL;
```

#### The output will be like follows.

```
department | name

Computer Science | RIKKI TAVI
Computer Science | TIKKI TAVI
Business Analytics | MARK MENG
Computer Science | ADELINE WONG
IS | GERALDINE LEE
IS | TANG CHEE YONG
```

# Question 2 (c) Cont. Extra(1)

Let's create the view that includes those department without a lender?

```
1 CREATE VIEW lender AS
2 (SELECT s.department, s.name, count(*) AS count
3 FROM student s, loan l
4 WHERE l.owner = s.email
5 GROUP BY s.department, s.email)
6 UNION
7 (SELECT s.department, s.name, 0 AS count
8 FROM student s LEFT OUTER JOIN loan l
9 ON l.owner = s.email
10 WHERE l.borrower ISNULL);
```

# Question 2 (c) Cont. Extra(1)

11

ORDER BY s.department;

Now let's recap the solution of Q2(c) (on the **left**), and convert it to the code on the **right**.

```
SELECT s.department, s.name, count(*)
                                                      SELECT l.department, l.name, l.count
     FROM student s. loan l
                                                      FROM lender 1
     WHFRF 1.owner = s.email
                                                      GROUP BY l.department, l.name, l.count
     GROUP BY s.department, s.email
                                                      HAVING l.count >= ALL
     HAVING count(*) >= ALL
                                                        (SELECT 12.count
 6
       (SELECT count(*)
                                                        FROM lender 12
       FROM student s1, loan l1
                                                        WHERE l.department = l2.department)
 8
       WHFRF 11.owner = s1.email
                                                      ORDER BY l.department:
       AND s.department = s1.department
10
       GROUP BY s1.email)
```

The output below is better, and is in fact the CORRECT one. (see next slide)

# Question 2 (c) Extra(1)

#### The output:

department	name	count
		+
Biology	PENG JIAYUAN	80
Business Analytics	MARK MENG	j 0
CE	TAY YONG MING	68
Chemistry	XIE XIN	56
Computer Science	LIU ZHENCAI	
EE	WANG NA	60
Economics	LI YUZHAO	60
Geography	DAVID HALL	64
Geography	SEAH TECK KEE	64
Geography	ZHANG YUZHAO	64
History	ZENG YIHUI	60
IS	ZHANG HONG	88
Language	NEELAM DEOL	68
ME	GE DUO	64
Math	HUANG WENXIN	
Physics	NI HANRAN	60
(16 rows)		

### Notice

If you have run those code, don't forget to delete ME from student, as those record are not in the scope of our tutorials.

E.g., DELETE FROM student WHERE name='MARK MENG'; DELETE FROM department WHERE department='Business Analytics';

### Question 2 (c) Extra(2)

**Extra(2):** What if the question asks to print the top **3** lenders in each department?

**Hint**: This time we may seek help from the troublesome "LEFT OUTER JOIN".

# Question 2 (c) Extra(2)

### Solution of Extra(2):

```
1 SELECT winner.department, winner.name, winner.count
```

- 3 **ON** winner.department=loser.department
- 4 AND winner.name<>loser.name
- 5 AND winner.count<loser.count</p>
- 6 GROUP BY winner.department, winner.name, winner.count
- 7 HAVING COUNT(loser.name) < 3</pre>
- 8 ORDER BY winner.department;

# Question 2 (c) Extra(2)

#### The output will be as follows.

department		name		count
Biology	1	CHOY YI TING	+ا	56
Biology		GOH HUI YING		72
Biology		PENG JIAYUAN		80
CE		ANUPAMA ANGHAN		64
CE		DING KUAN CHONG		60
CE		TAY YONG MING		68
Chemistry		LISA SMITH		40
Chemistry		LIU ZHANPENG		
Chemistry		XIE XIN		56
Computer Science		ANG JIA YI		64
Computer Science		LIU ZHENCAI		
Computer Science		SIOW CAO KHOA		
		LIU JUN		48
		WANG NA		60
		ZHANG CONG		48
Economics		JERRY BROWN		56
Economics		LI YUZHAO		60
		LIU LINXI		44
		DAVID HALL		64
Geography				64
Geography		ZHANG YUZHAO		64

(Continue)		
Geography	ZHANG YUZHAO	64
History	DING YANG	56
History	ZENG YIHUI	60
History	ZHU CHANG	48
IS	HUANG QI	60
IS	SUBRAMANIAM GHANTASALA	
IS	ZHANG HONG	88
Language	ANNIE CHAPMAN	60
Language	NEELAM DEOL	68
Language	NEHAL KANWAT	64
ME	DENNIS PALMER	
ME	GE DUO	64
ME	LIU DANNI	
ME	NG ANH QUANG	
Math	HUANG WENXIN	
Math	ZHANG ZHANPENG	
Math	ZHANG ZHUO	
Physics	GE YUWEI	
Physics	NI HANRAN	60
Physics	TAN CHENG HAN	44
Physics	TSO HUI LIN	44
(41 rows)		


### Nightmare ends here!



### Question 2 (d)

Print the emails and the names of the different students who borrowed  $\underline{\mathsf{all}}$  the books authored by Adam Smith.

Can we make use of negation with nested query?



(plotted by DbVisualizer)

### Question 2 (d) Cont.

#### Solution:

```
SELECT s.email, s.name
FROM student s
WHERE NOT EXISTS (
SELECT *
FROM book b
WHERE authors = 'Adam_Smith' AND NOT EXISTS (
SELECT *
FROM loan l
WHERE l.book = b.isbn13 AND l.borrower = s.email));
```

```
email | name
------yeojiahao1989@yahoo.com | YEO JIA HAO
(1 row)
```

### Question 2 (d) Cont.

**Interpretation**: We are going to print the emails and the names of students who have borrowed all Adam's book.

Our query must start with: SELECT s.email. s.name FROM student s...

Then how to use DOUBLE NEGATION to describe this student?

```
SELECT s.email. s.name
    FROM student s -- if the student has not missed borrowing any book of Adam, that
          means the student has borrowed all Adam's books.
     -- next, let's describe the student by using double negation
     WHERE NOT EXISTS ( -- it means ''no such a book by Adam Smith ...''
       SELECT *
 6
       FROM book b
 7
       WHERE authors = 'Adam Smith'
 8
       AND NOT EXISTS ( -- ''... has not been borrowed by the student''
 9
         SELECT *
10
        FROM loan l
11
        WHERE l.book = b.isbn13 AND l.borrower = s.email)):
```

### Question 2 (d) - Extra

### Nightmare comes again!!!

**Extra**: Can you spot the difference between the 2 queries below:

```
SELECT s.email, s.name
     FROM student s
 3
     WHERE NOT EXISTS (
       SELECT *
 5
       FROM book b
       WHERE authors = 'Adam Smith'
       AND NOT EXISTS (
 8
         SELECT *
 9
         FROM loan l
10
         WHERE 1.book = b.isbn13
11
         AND l.borrower = s.email));
```

```
1 SELECT s.email, s.name
2 FROM student s
3 WHERE NOT EXISTS (
4 SELECT *
5 FROM loan l
6 WHERE l.borrower = s.email
7 AND NOT EXISTS (
8 SELECT *
9 FROM book b
10 WHERE b.authors = 'Adam_Smith'
11 AND l.book = b.isbn13));
```

```
email | name
yeojiahao1989@yahoo.com | YEO JIA HAO
(1 row)
```

```
email | name

glee@msn.com | GERALDINE LEE
tcy@hotmail.com | TANG CHEE YONG
awong007@msn.com | ADBLINE WONG
tikki@mail.com | TIKKI TAVI
rikki@gmail.com | RIKKI TAVI
(5 rows)
```

### Question 2 (d) - Extra

#### How to interpret the RHS query?

```
1 SELECT s.email, s.name
2 FROM student s
3 WHERE NOT EXISTS (
4 SELECT *
5 FROM book b
6 WHERE authors = 'Adam_Smith'
7 AND NOT EXISTS (
8 SELECT *
9 FROM loan l
10 WHERE l.book = b.isbn13
11 AND l.borrower = s.email);
```

```
1 SELECT s.email, s.name
2 FROM student s
3 WHERE NOT EXISTS (
4 SELECT *
5 FROM loan l
6 WHERE l.borrower = s.email
7 AND NOT EXISTS (
8 SELECT *
9 FROM book b
10 WHERE b.authors = 'Adam_Smith'
11 AND l.book = b.isbn13));
```

Print the names and emails of students who have left NO borrowing record in the loan table, of any book NOT written by Adam Smith Output 5 students who actually have never borrowed any book according to the loan table.

# Question 2 (d) - Extra (2)

There always exists alternative solution, either simpler or more complicated.

Can you guy come up with another solution (or idea) to solve this question rather then using DOUBLE NEGATION.

First of all, we may calculate how many books are written by Adam Smith -> 2 books

Then select distinct those students who has borrowed at least one book of Adam Smith (i.e., the email of student has ever appeared in loan table as the borrower of Adam Smith's books)

Wrap the first two queries into a bigger query, that using HAVING to enforce the aggregate condition to print students who has borrow (2) different books written by Adam Smith according to all records of the loan table

For any further question, please feel free to email me: huasong.meng@u.nus.edu

Copyright 2021 Mark H. Meng. All rights reserved.