

```

import { useState, useEffect } from "react";

/* ——— CONSTANTS ————— */
const GLOW = [
  { c: "#00CFFF", d: "rgba(0,207,255,0.45)", dd: "rgba(0,207,255,0.1)" },
  { c: "#CC44FF", d: "rgba(204,68,255,0.45)", dd: "rgba(204,68,255,0.1)" },
  { c: "#FFD700", d: "rgba(255,215,0,0.45)", dd: "rgba(255,215,0,0.1)" },
  { c: "#FF2D87", d: "rgba(255,45,135,0.45)", dd: "rgba(255,45,135,0.1)" },
  { c: "#FF6600", d: "rgba(255,102,0,0.45)", dd: "rgba(255,102,0,0.1)" },
  { c: "#00FF88", d: "rgba(0,255,136,0.45)", dd: "rgba(0,255,136,0.1)" },
];

const BS_RANKS = [
  "Bronze I", "Bronze II", "Bronze III",
  "Silver I", "Silver II", "Silver III",
  "Gold I", "Gold II", "Gold III",
  "Diamond I", "Diamond II", "Diamond III",
  "Mythic I", "Mythic II", "Mythic III",
  "Legendary I", "Legendary II", "Legendary III",
  "Masters",
];

const RANKED_MODES = ["Gem Grab", "Brawl Ball", "Bounty", "Knockout", "Hot Zone", "Hei

const MODE_COLOR = {
  "Gem Grab": "#9B59B6",
  "Brawl Ball": "#3498DB",
  "Bounty": "#F1C40F",
  "Knockout": "#E74C3C",
  "Hot Zone": "#E67E22",
  "Heist": "#2ECC71",
  "Wipeout": "#1ABC9C",
};

const FALLBACK_MAPS = [
  { id: 15000260, name: "Hard Rock Mine", gameMode: "Gem Grab", imageUrl: "htt
  { id: 15000453, name: "Canal Grande", gameMode: "Gem Grab", imageUrl: "htt
  { id: 15000417, name: "Pinball Dreams", gameMode: "Brawl Ball", imageUrl: "htt
  { id: 15000558, name: "Penalty Kick", gameMode: "Brawl Ball", imageUrl: "htt
  { id: 15000109, name: "Out in the Open", gameMode: "Bounty", imageUrl: "htt
  { id: 15000296, name: "Goldarm Gulch", gameMode: "Bounty", imageUrl: "htt
  { id: 15000219, name: "Flaring Phoenix", gameMode: "Knockout", imageUrl: "htt
  { id: 15000352, name: "Center Stage", gameMode: "Knockout", imageUrl: "htt
  { id: 15000404, name: "Ring of Fire", gameMode: "Hot Zone", imageUrl: "htt

```

```

    { id: 15000538, name: "Parallel Plays",  gameMode: "Hot Zone",  imageUrl: "htt
    { id: 15000072, name: "Safe Zone",      gameMode: "Heist",      imageUrl: "htt
    { id: 15000422, name: "Layer Cake",     gameMode: "Gem Grab",    imageUrl: "htt
];

/* ——— HELPERS ————— */
function seededShuffle(arr, seed) {
  const a = [...arr];
  for (let i = a.length - 1; i > 0; i--) {
    const j = Math.abs((seed * 2654435761 + i * 1234567) % (i + 1));
    [a[i], a[j]] = [a[j], a[i]];
  }
  return a;
}

function buildTournaments(maps) {
  const TWO_H = 2 * 60 * 60 * 1000;
  const now = Date.now();
  const slot0 = Math.floor(now / TWO_H) * TWO_H;
  const baseNum = Math.floor(slot0 / TWO_H) % 900 + 100;
  return Array.from({ length: 6 }, (_, i) => {
    const start = slot0 + i * TWO_H;
    const end = start + TWO_H;
    const isLive = now >= start && now < end;
    const seed = Math.floor(start / TWO_H);
    const tMaps = seededShuffle(maps, seed).slice(0, 5);
    return {
      id: seed,
      number: baseNum + i,
      start,
      end,
      isLive,
      maps: tMaps,
      regCount: isLive ? 12 + i : Math.max(0, 8 - i * 3),
      maxTeams: 16,
      glowIdx: i % GLOW.length,
    };
  });
}

function fmtCountdown(ms) {
  if (ms <= 0) return "Startet jetzt!";
  const h = Math.floor(ms / 3600000);
  const m = Math.floor((ms % 3600000) / 60000);
  const s = Math.floor((ms % 60000) / 1000);
  return h > 0 ? `${h}h ${m}m ${s}s` : m > 0 ? `${m}m ${s}s` : `${s}s`;
}

```

```

function fmtTime(ts) {
  return new Date(ts).toLocaleTimeString("de-DE", { hour: "2-digit", minute: "2-d
}

/* — SUBCOMPONENTS — */
function LiveBadge() {
  return (
    <span style={{
      display: "inline-flex", alignItems: "center", gap: 6,
      background: "rgba(0,255,120,0.12)", border: "1px solid #00FF7F",
      borderRadius: 7, padding: "4px 10px",
      animation: "badgePulse 1.8s ease-in-out infinite",
    }}>
      <span style={{
        width: 8, height: 8, borderRadius: "50%", background: "#00FF7F",
        boxShadow: "0 0 8px #00FF7F",
        animation: "dotPulse 1.2s ease-in-out infinite",
        display: "inline-block",
      }} />
      <span style={{
        fontFamily: "'Bangers', cursive", fontSize: 15, letterSpacing: "0.08em",
        color: "#00FF7F", textShadow: "0 0 10px #00FF7F",
        animation: "textPulse 1.8s ease-in-out infinite",
      }}>LIVE</span>
    </span>
  );
}

function MapThumb({ map, onClick }) {
  const [err, setErr] = useState(false);
  const mc = MODE_COLOR[map.gameMode] || "#666";
  return (
    <div onClick={() => onClick(map)} style={{
      flex: 1, minWidth: 72, maxWidth: 90, aspectRatio: "3/4",
      borderRadius: 8, overflow: "hidden", cursor: "pointer", position: "relative
      border: `1.5px solid ${mc}55`, background: "#0A1020",
      transition: "transform 0.18s ease, box-shadow 0.18s ease",
    }}
    onMouseEnter={e => { e.currentTarget.style.transform = "scale(1.07)"; e.curre
    onMouseLeave={e => { e.currentTarget.style.transform = "scale(1)"; e.currentT
    >
      {!err ? (
        <img src={map.imageUrl} alt={map.name} onError={() => setErr(true)}
          style={{ width: "100%", height: "100%", objectFit: "cover", display: "b
        ) : (
          <div style={{

```

```

        width: "100%", height: "100%",
        background: `linear-gradient(160deg, ${mc}25, #050810)`,
        display: "flex", alignItems: "center", justifyContent: "center",
        padding: 4,
    }}>
    <span style={{ color: mc, fontSize: 9, textAlign: "center", fontWeight:
</div>
    }}
    <div style={{
        position: "absolute", inset: 0, background: "linear-gradient(transparent
        pointerEvents: "none",
    }} />
    <div style={{
        position: "absolute", bottom: 2, left: 2, right: 2,
        fontSize: 8, color: "white", textAlign: "center", lineHeight: 1.2, fontWe
    }}>{map.name}</div>
    <div style={{
        position: "absolute", top: 3, left: 3,
        background: mc, borderRadius: 3, padding: "1px 4px",
        fontSize: 7, color: "white", fontWeight: 800,
    }}>{map.gameMode?.split(" ")[0]}</div>
</div>
);
}

```

```

function TournamentCard({ t, onRegister, onMapClick, onBracket }) {
    const [now, setNow] = useState(Date.now());
    const g = GLOW[t.glowIdx];

    useEffect(() => {
        const id = setInterval(() => setNow(Date.now()), 1000);
        return () => clearInterval(id);
    }, []);

    return (
        <div style={{
            "--gc": g.c, "--gd": g.d, "--gdd": g.dd,
            background: "linear-gradient(160deg, #0D1428 0%, #080E1E 100%)",
            borderRadius: 16, padding: 20,
            border: `2px solid ${g.c}`,
            boxShadow: `0 0 18px ${g.d}, 0 0 40px ${g.dd}`,
            animation: "cardGlow 3s ease-in-out infinite",
            display: "flex", flexDirection: "column", gap: 14,
            transition: "transform 0.2s",
            position: "relative", overflow: "hidden",
        }}
        onMouseEnter={e => e.currentTarget.style.transform = "translateY(-3px)"}
    )
}

```

```

onMouseLeave={e => e.currentTarget.style.transform = "translateY(0)"}
>
  {/* Decorative corner star */}
  <div style={{
    position: "absolute", top: -20, right: -20,
    width: 80, height: 80, borderRadius: "50%",
    background: `radial-gradient(circle, ${g.dd} 0%, transparent 70%)`,
    pointerEvents: "none",
  }} />

  {/* Header row */}
  <div style={{ display: "flex", justifyContent: "space-between", alignItems:
    <div>
      <div style={{ fontFamily: "'Bangers', cursive", fontSize: 22, letterSpacing: 0.5,
        BRAWL CUP #{t.number}
      </div>
      <div style={{ fontSize: 11, color: "rgba(255,255,255,0.5)", marginTop: 5,
        3v3 • Best of 5 • First to 3 Wins
      </div>
    </div>
    {t.isLive ? <LiveBadge /> : (
      <div style={{
        background: "rgba(255,255,255,0.06)", border: "1px solid rgba(255,255,255,0.06)",
        borderRadius: 7, padding: "4px 10px", fontSize: 11, color: "rgba(255,255,255,0.5)",
      }}>
        {fmtTime(t.start)} Uhr
      </div>
    )}
  </div>

  {/* Countdown / Live info */}
  <div style={{ display: "flex", justifyContent: "space-between", alignItems:
    {t.isLive ? (
      <div style={{ fontSize: 13, color: "#00FF88", fontWeight: 700 }}>
        🟢 Turnier läuft – noch {fmtCountdown(t.end - now)}
      </div>
    ) : (
      <div style={{ fontSize: 13, color: "#FFD700", fontWeight: 700 }}>
        🕒 {fmtCountdown(t.start - now)}
      </div>
    )}
    <div style={{ fontSize: 12, color: "rgba(255,255,255,0.5)" }}>
      <span style={{ color: g.c, fontWeight: 800 }}>{t.regCount}</span>/{t.ma
    </div>
  </div>

  {/* Progress bar */}

```

```

<div style={{ background: "rgba(255,255,255,0.08)", borderRadius: 99, height:
  <div style={{
    height: "100%", borderRadius: 99, width: `${(t.regCount / t.maxTeams) *
    background: `linear-gradient(90deg, ${g.c}, ${g.d})`,
    boxShadow: `0 0 8px ${g.d}`,
    transition: "width 0.5s ease",
  }} />
</div>

{/* Maps */}
<div>
  <div style={{ fontSize: 11, color: "rgba(255,255,255,0.45)", marginBottom:
    MAPS (klicken für Vorschau)
  </div>
  <div style={{ display: "flex", gap: 6, flexWrap: "nowrap" }}>
    {t.maps.map(m => (
      <MapThumb key={m.id} map={m} onClick={onMapClick} />
    ))}
  </div>
</div>

{/* Divider */}
<div style={{ height: 1, background: `linear-gradient(90deg, transparent, $

{/* Actions */}
<div style={{ display: "flex", gap: 10 }}>
  <button onClick={() => onRegister(t)} style={{
    flex: 2, padding: "11px 0",
    background: t.isLive
      ? "linear-gradient(135deg, #FFD700, #FFA500)"
      : "linear-gradient(135deg, #FFD700, #FF9500)",
    border: "none", borderRadius: 10, cursor: "pointer",
    fontFamily: "'Bangers', cursive", fontSize: 17, letterSpacing: "0.06em"
    color: "#07090E", fontWeight: 900,
    boxShadow: t.isLive ? "0 0 20px rgba(255,215,0,0.5)" : "none",
    transition: "all 0.2s",
  }}
  onMouseEnter={e => { e.target.style.transform = "translateY(-2px)"; e.target
  onMouseLeave={e => { e.target.style.transform = "translateY(0)"; e.target
  >
    {t.isLive ? "⚡ JETZT ANMELDEN" : "🎯 ANMELDEN"}
  </button>
  <button onClick={() => onBracket(t)} style={{
    flex: 1, padding: "11px 0",
    background: "rgba(255,255,255,0.06)", border: `1px solid ${g.c}55`,
    borderRadius: 10, cursor: "pointer", color: g.c,
    fontFamily: "'Bangers', cursive", fontSize: 15, letterSpacing: "0.06em"

```

```

        transition: "all 0.2s",
      }}
      onMouseEnter={e => { e.target.style.background = `${g.dd}`; e.target.styl
      onMouseLeave={e => { e.target.style.background = "rgba(255,255,255,0.06) "
    >
      BRACKET
    </button>
  </div>
</div>
);
}

```

/* — REGISTER MODAL ————— */

```

function ModalOverlay({ children, onClose }) {
  return (
    <div onClick={onClose} style={{
      position: "fixed", inset: 0, background: "rgba(0,0,0,0.85)",
      backdropFilter: "blur(6px)", zIndex: 1000,
      display: "flex", alignItems: "center", justifyContent: "center",
      padding: 16, overflowY: "auto",
    }}>
      <div onClick={e => e.stopPropagation()} style={{
        width: "100%", maxWidth: 540,
        background: "linear-gradient(160deg, #0D1428, #080E1E)",
        border: "2px solid #FFD70044",
        boxShadow: "0 0 40px rgba(255,215,0,0.15), 0 20px 60px rgba(0,0,0,0.6)",
        borderRadius: 20, padding: 28,
        animation: "slideIn 0.25s ease-out",
        maxHeight: "90vh", overflowY: "auto",
      }}>
        {children}
      </div>
    </div>
  );
}

```

```

function inp(label, name, form, setForm, type = "text", placeholder = "") {
  return (
    <div style={{ marginBottom: 14 }}>
      <label style={{ display: "block", fontSize: 11, color: "#FFD700", fontWeigh
        {label}
      </label>
      <input
        type={type}
        placeholder={placeholder}
        value={form[name] || ""}
        onChange={e => setForm(f => ({ ...f, [name]: e.target.value })))}
    </div>
  );
}

```

```

    style={{
      width: "100%", padding: "10px 14px",
      background: "rgba(255,255,255,0.05)", border: "1px solid rgba(255,255,255,0.05)",
      borderRadius: 9, color: "white", fontSize: 14, outline: "none",
      fontFamily: "'Nunito', sans-serif", boxSizing: "border-box",
      transition: "border-color 0.2s",
    }}
    onFocus={e => e.target.style.borderColor = "#FFD700"}
    onBlur={e => e.target.style.borderColor = "rgba(255,255,255,0.12)"}
  />
</div>
);
}

```

```

function sel(label, name, options, form, setForm) {
  return (
    <div style={{ marginBottom: 14 }}>
      <label style={{ display: "block", fontSize: 11, color: "#FFD700", fontWeigh
        {label}
      </label>
      <select
        value={form[name] || ""}
        onChange={e => setForm(f => ({ ...f, [name]: e.target.value })))}
        style={{
          width: "100%", padding: "10px 14px",
          background: "#0D1428", border: "1px solid rgba(255,255,255,0.12)",
          borderRadius: 9, color: form[name] ? "white" : "rgba(255,255,255,0.35)"
          fontSize: 14, outline: "none", fontFamily: "'Nunito', sans-serif",
          boxSizing: "border-box", cursor: "pointer",
        }}
        onFocus={e => e.target.style.borderColor = "#FFD700"}
        onBlur={e => e.target.style.borderColor = "rgba(255,255,255,0.12)"}
      >
        <option value="" disabled>- wählen </option>
        {options.map(o => <option key={o} value={o} style={{ background: "#0D1428
      </select>
    </div>
  );
}

```

```

function RegisterModal({ tournament, onClose }) {
  const [form, setForm] = useState({});
  const [success, setSuccess] = useState(false);

  const handleSubmit = () => {
    const required = ["teamName", "bsId", "bsName", "email", "friend1", "friend2", "tro
    if (required.some(k => !form[k])) {

```



```

        alert("Bitte alle Felder ausfüllen!");
        return;
    }
    setSuccess(true);
};

return (
    <ModalOverlay onClose={onClose}>
        {success ? (
            <div style={{ textAlign: "center", padding: 20 }}>
                <div style={{ fontSize: 64, marginBottom: 10 }}>🏆</div>
                <div style={{ fontFamily: "'Bangers', cursive", fontSize: 30, color: "#
                    ANMELDUNG ERFOLGREICH!
                </div>
                <div style={{ color: "rgba(255,255,255,0.65)", marginTop: 10, marginBot
                    Team <strong style={{ color: "#FFD700" }}>{form.teamName}</strong> is
                    Eine Bestätigung wurde an <strong style={{ color: "#FFD700" }}>{form.
                </div>
                <div style={{ background: "rgba(255,215,0,0.08)", border: "1px solid #F
                    <div style={{ display: "flex", justifyContent: "space-between", fontS
                        <span>Turnier</span><span style={{ color: "white" }}>Brawl Cup #{to
                    </div>
                    <div style={{ display: "flex", justifyContent: "space-between", fontS
                        <span>Team</span><span style={{ color: "#FFD700" }}>{form.teamName}
                    </div>
                    <div style={{ display: "flex", justifyContent: "space-between", fontS
                        <span>Startzeit</span><span style={{ color: "white" }}>{fmtTime(tou
                    </div>
                </div>
                <button onClick={onClose} style={{
                    width: "100%", padding: "12px 0",
                    background: "linear-gradient(135deg, #FFD700, #FFA500)",
                    border: "none", borderRadius: 10, cursor: "pointer",
                    fontFamily: "'Bangers', cursive", fontSize: 18, color: "#07090E", let
                }}>SCHLIESSEN</button>
            </div>
        ) : (
            <>
                <div style={{ display: "flex", justifyContent: "space-between", alignIt
                    <div>
                        <div style={{ fontFamily: "'Bangers', cursive", fontSize: 24, color
                            🎯 TEAM ANMELDEN
                        </div>
                        <div style={{ fontSize: 12, color: "rgba(255,255,255,0.45)", margin
                            Brawl Cup #{tournament.number} • {fmtTime(tournament.start)} Uhr
                        </div>
                    </div>
                </div>
            </>
        ) : (

```

```

        <button onClick={onClose} style={{
            background: "none", border: "1px solid rgba(255,255,255,0.15)", border
            color: "rgba(255,255,255,0.5)", cursor: "pointer", padding: "4px 10
        }}>x</button>
    </div>

    <div style={{ height: 1, background: "linear-gradient(90deg, #FFD70044,

    <div style={{ fontSize: 11, color: "#00CFFF", fontWeight: 800, letterSpacing
        — TEAM INFO —
    </div>
    {inp("Team Name", "teamName", form, setForm, "text", "z.B. Galaxy Warri

    <div style={{ fontSize: 11, color: "#00CFFF", fontWeight: 800, letterSpacing
        — DEINE DATEN (Kapitän) —
    </div>
    {inp("Brawl Stars ID", "bsId", form, setForm, "text", "#XXXXXX")}
    {inp("Brawl Stars Name", "bsName", form, setForm, "text", "Dein In-Game
    {inp("Google E-Mail", "email", form, setForm, "email", "name@gmail.com"

    <div style={{ fontSize: 11, color: "#00CFFF", fontWeight: 800, letterSpacing
        — TEAM MITGLIEDER —
    </div>
    {inp("Mitspieler 1 - Brawl Stars Name", "friend1", form, setForm, "text
    {inp("Mitspieler 2 - Brawl Stars Name", "friend2", form, setForm, "text

    <div style={{ fontSize: 11, color: "#00CFFF", fontWeight: 800, letterSpacing
        — STATISTIKEN —
    </div>
    {inp("Trophäen Anzahl", "trophies", form, setForm, "number", "z.B. 3500

    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 12
        <div>
            {sel("Aktueller Rang", "rankCurrent", BS_RANKS, form, setForm)}
        </div>
        <div>
            {sel("Höchster Rang", "rankHighest", BS_RANKS, form, setForm)}
        </div>
    </div>

    <div style={{ marginTop: 8 }}>
        <button onClick={handleSubmit} style={{
            width: "100%", padding: "13px 0",
            background: "linear-gradient(135deg, #FFD700, #FFA500)",
            border: "none", borderRadius: 11, cursor: "pointer",
            fontFamily: "'Bangers', cursive", fontSize: 20, color: "#07090E",
            letterSpacing: "0.06em", fontWeight: 900,

```

```

        boxShadow: "0 4px 20px rgba(255,215,0,0.3)",
        transition: "all 0.2s",
    }}
    onMouseEnter={e => { e.target.style.transform = "translateY(-2px)"; e
    onMouseLeave={e => { e.target.style.transform = "translateY(0)"; e.ta
    >
        ⚡ JETZT ANMELDEN
    </button>
    <div style={{ textAlign: "center", fontSize: 11, color: "rgba(255,255
        Durch die Anmeldung akzeptierst du die Turnierregeln.
    </div>
    </div>
    </>
    )}
    </ModalOverlay>
    );
}

/* — MAP MODAL ————— */
function MapModal({ map, onClose }) {
    const mc = MODE_COLOR[map.gameMode] || "#666";
    const [err, setErr] = useState(false);
    return (
        <ModalOverlay onClose={onClose}>
            <div style={{ textAlign: "center" }}>
                <div style={{ display: "flex", justifyContent: "space-between", alignItems
                <div>
                    <div style={{ fontFamily: "'Bangers', cursive", fontSize: 22, color:
                    <div style={{
                        display: "inline-block", marginTop: 4,
                        background: mc, borderRadius: 6, padding: "2px 10px",
                        fontSize: 12, color: "white", fontWeight: 800,
                    }}>{map.gameMode}</div>
                </div>
                <button onClick={onClose} style={{
                    background: "none", border: "1px solid rgba(255,255,255,0.15)", borde
                    color: "rgba(255,255,255,0.5)", cursor: "pointer", padding: "4px 10px
                }}>X</button>
            </div>
            <div style={{
                borderRadius: 14, overflow: "hidden", border: `2px solid ${mc}66`,
                boxShadow: `0 0 30px ${mc}44`, background: "#050810",
            }}>
                {!err ? (
                    <img src={map.imageUrl} alt={map.name} onError={() => setErr(true)}
                        style={{ width: "100%", display: "block", maxHeight: 480, objectFit
                    ) : (

```

```

        <div style={{
            height: 300, display: "flex", flexDirection: "column",
            alignItems: "center", justifyContent: "center",
            background: `linear-gradient(135deg, ${mc}15, #050810)` ,
        }}>
            <div style={{ fontSize: 40, marginBottom: 10 }}>🌍</div>
            <div style={{ color: mc, fontWeight: 800 }}>{map.name}</div>
            <div style={{ color: "rgba(255,255,255,0.4)", fontSize: 12, marginT
        </div>
    }}
</div>
<div style={{ marginTop: 16, fontSize: 12, color: "rgba(255,255,255,0.4)"
    Modus: <strong style={{ color: mc }}>{map.gameMode}</strong> • 3v3 Form
</div>
</div>
</ModalOverlay>
);
}

/* — BRACKET MODAL ————— */
const FAKE_TEAMS = [
    ["Galaxy Warriors", "Storm Riders", "Thunder Hawks", "Iron Wolves"],
    ["Dark Crystals", "Shadow Foxes", "Neon Crushers", "Blaze Squad"],
    ["Ice Serpents", "Fire Eagles", "Cosmic Brawlers", "Steel Phantoms"],
    ["Diamond Killers", "Ruby Force", "Emerald Crew", "Sapphire Clan"],
];

function BracketModal({ tournament, onClose }) {
    const g = GLOW[tournament.glowIdx];
    const seed = tournament.id % 4;
    const teams = FAKE_TEAMS[seed];

    const Match = ({ t1, t2, score1, score2, done }) => (
        <div style={{
            background: "rgba(255,255,255,0.04)", border: "1px solid rgba(255,255,255,0
            borderRadius: 10, overflow: "hidden", marginBottom: 8,
        }}>
            {[{ name: t1, score: score1, win: done && score1 > score2 },
            { name: t2, score: score2, win: done && score2 > score1 }].map((team, i)
            <div key={i} style={{
                display: "flex", justifyContent: "space-between", alignItems: "center",
                padding: "8px 14px",
                background: team.win ? `${g.dd}` : "transparent",
                borderBottom: i === 0 ? "1px solid rgba(255,255,255,0.07)" : "none",
            }}>
                <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
                    {team.win && <span style={{ color: g.c, fontSize: 12 }}>✓</span>}

```

```

        <span style={{ fontSize: 13, color: team.win ? "white" : "rgba(255,25
            {team.name || "TBD"}
        </span>
    </div>
    {done && <span style={{
        fontFamily: "'Bangers', cursive", fontSize: 18,
        color: team.win ? g.c : "rgba(255,255,255,0.3)", letterSpacing: "0.05
    }}>{team.score}</span>}
    </div>
    )}}
</div>
);

return (
    <ModalOverlay onClose={onClose}>
        <div style={{ display: "flex", justifyContent: "space-between", alignItems:
            <div>
                <div style={{ fontFamily: "'Bangers', cursive", fontSize: 24, color: "#
                    🏆 BRACKET
                </div>
                <div style={{ fontSize: 12, color: "rgba(255,255,255,0.45)" }}>
                    Brawl Cup #{tournament.number} • Best of 5 • 3v3
                </div>
            </div>
            <button onClick={onClose} style={{
                background: "none", border: "1px solid rgba(255,255,255,0.15)", borderR
                color: "rgba(255,255,255,0.5)", cursor: "pointer", padding: "4px 10px",
            }}>X</button>
        </div>

        <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 20 }}>
            {/* Semi-Final 1 */}
            <div>
                <div style={{ fontSize: 10, color: g.c, fontWeight: 800, letterSpacing:
                    <Match t1={teams[0]} t2={teams[1]} score1={3} score2={1} done={tourname
                </div>
            {/* Semi-Final 2 */}
            <div>
                <div style={{ fontSize: 10, color: g.c, fontWeight: 800, letterSpacing:
                    <Match t1={teams[2]} t2={teams[3]} score1={2} score2={3} done={tourname
                </div>
            </div>

            <div style={{ height: 1, background: `linear-gradient(90deg, transparent, $

            {/* Final */}
            <div style={{ maxWidth: 260, margin: "0 auto" }}>

```

```

<div style={{ fontSize: 10, color: "#FFD700", fontWeight: 800, letterSpacing: 0.5 }}>
  ★ FINALE ★
</div>

<Match>
  t1={tournament.isLive ? teams[0] : "TBD"}
  t2={tournament.isLive ? teams[3] : "TBD"}
  score1={0} score2={0} done={false}
</Match>

</div>

{/* Maps */}
<div style={{ marginTop: 16, background: "rgba(255,255,255,0.03)", borderRadius: 8 }}>
  <div style={{ fontSize: 10, color: "rgba(255,255,255,0.4)", fontWeight: 800 }}>
    MAP POOL (Best of 5)
  </div>
  <div style={{ display: "flex", gap: 8 }}>
    {tournament.maps.map((m, i) => {
      const mc = MODE_COLOR[m.gameMode] || "#666";
      return (
        <div key={m.id} style={{ flex: 1, textAlign: "center" }}>
          <div style={{
            width: 32, height: 32, borderRadius: 8, background: `${mc}33`,
            border: `1.5px solid ${mc}66`, margin: "0 auto 4px",
            display: "flex", alignItems: "center", justifyContent: "center",
            fontSize: 10, color: mc, fontWeight: 800,
          }}>
            {i + 1}
          </div>
          <div style={{ fontSize: 8, color: "rgba(255,255,255,0.5)", lineHeight: 1.2 }}>
            {m.name}
          </div>
        </div>
      );
    })}
  </div>
</div>
</ModalOverlay>
);
}

/* ——— MAIN APP ——— */
export default function BrawlTournaments() {
  const [maps, setMaps] = useState(FALLBACK_MAPS);
  const [tournaments, setTournaments] = useState([]);
  const [regTournament, setRegTournament] = useState(null);
  const [mapModal, setMapModal] = useState(null);
  const [bracketTournament, setBracketTournament] = useState(null);
  const [tick, setTick] = useState(0);

```

```

// Fetch maps from Brawlify API
useEffect(() => {
  (async () => {
    try {
      const res = await fetch("https://api.brawlify.com/v1/maps");
      const data = await res.json();
      const ranked = (data.list || []).filter(m =>
        m.gameMode && RANKED_MODES.includes(m.gameMode.name) && !m.disabled
      ).map(m => ({
        id: m.id,
        name: m.name,
        gameMode: m.gameMode.name,
        imageUrl: m.imageUrl,
      }));
      if (ranked.length >= 8) setMaps(ranked);
    } catch {
      // keep fallback
    }
  })();
}, []);

useEffect(() => {
  setTournaments(buildTournaments(maps));
}, [maps]);

// Refresh countdown every second
useEffect(() => {
  const id = setInterval(() => {
    setTick(t => t + 1);
    setTournaments(prev => prev.map(t => ({
      ...t,
      isLive: Date.now() >= t.start && Date.now() < t.end,
    })));
  }, 1000);
  return () => clearInterval(id);
}, []);

const hasLive = tournaments.some(t => t.isLive);

return (
  <>
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Bangers&family=Nuni
      * { box-sizing: border-box; margin: 0; padding: 0; }
      body { background: #070C1A; }
    `}
  )

```

```

@keyframes cardGlow {
  0%,100% { box-shadow: 0 0 18px var(--gd), 0 0 40px var(--gdd); border-c
  50%      { box-shadow: 0 0 30px var(--gd), 0 0 70px var(--gdd); border-
}
@keyframes dotPulse {
  0%,100% { box-shadow: 0 0 6px #00FF7F; transform: scale(1); }
  50%     { box-shadow: 0 0 12px #00FF7F; transform: scale(1.3); }
}
@keyframes badgePulse {
  0%,100% { box-shadow: 0 0 10px rgba(0,255,127,0.3); }
  50%     { box-shadow: 0 0 20px rgba(0,255,127,0.5); }
}
@keyframes textPulse {
  0%,100% { text-shadow: 0 0 10px #00FF7F, 0 0 20px #00FF7F; }
  50%     { text-shadow: 0 0 5px #00FF7F; }
}
@keyframes slideIn {
  from { opacity: 0; transform: scale(0.93) translateY(10px); }
  to   { opacity: 1; transform: scale(1) translateY(0); }
}
@keyframes headerGlow {
  0%,100% { text-shadow: 0 0 20px rgba(255,215,0,0.6), 0 0 40px rgba(255,
  50%     { text-shadow: 0 0 35px rgba(255,215,0,0.9), 0 0 70px rgba(255
}
@keyframes starAnim {
  0%,100% { opacity: 0.2; }
  50%     { opacity: 0.8; }
}
@keyframes fadeUpIn {
  from { opacity: 0; transform: translateY(24px); }
  to   { opacity: 1; transform: translateY(0); }
}
.card-enter { animation: fadeUpIn 0.5s ease-out both; }
`</style>

```

```

<div style={{
  minHeight: "100vh",
  background: "radial-gradient(ellipse at 50% 0%, #0D1832 0%, #070C1A 60%)"
  color: "white",
  fontFamily: "'Nunito', sans-serif",
  position: "relative",
  overflow: "hidden",
}}>

```

```

{/* Background stars */}
(Array.from({ length: 40 }, (_, i) => (
  <div key={i} style={{

```



```

    position: "fixed",
    left: `${(i * 137.5) % 100}%`,
    top: `${(i * 97.3) % 100}%`,
    width: i % 3 === 0 ? 3 : 2,
    height: i % 3 === 0 ? 3 : 2,
    borderRadius: "50%",
    background: "white",
    animation: `starAnim ${2 + (i % 4)}s ease-in-out infinite`,
    animationDelay: `${(i * 0.3) % 3}s`,
    opacity: 0.3,
    pointerEvents: "none",
  }} />
)))

{/* — HEADER — */}
<header style={{
  position: "sticky", top: 0, zIndex: 100,
  background: "rgba(7,12,26,0.92)",
  backdropFilter: "blur(16px)",
  borderBottom: "1px solid rgba(255,215,0,0.12)",
  padding: "0 24px",
  height: 64,
  display: "flex", alignItems: "center", justifyContent: "space-between",
}}>
  <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
    <div style={{ fontSize: 28 }}>🔴</div>
    <div>
      <div style={{
        fontFamily: "'Bangers', cursive", fontSize: 22, letterSpacing: "0",
        color: "#FFD700",
        animation: "headerGlow 3s ease-in-out infinite",
      }}>
        BRAWL TOURNAMENTS
      </div>
      <div style={{ fontSize: 10, color: "rgba(255,255,255,0.4)", letterSpacing: 1 }}>
        3v3 • RANKED MAPS • BEST OF 5
      </div>
    </div>
  </div>
  <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
    {hasLive && <LiveBadge />}
    <div style={{
      background: "rgba(255,255,255,0.05)", border: "1px solid rgba(255,255,255,0.1)",
      borderRadius: 8, padding: "6px 14px", fontSize: 13, color: "rgba(255,255,255,0.8)",
    }}>
      Alle 2 Stunden neu
    </div>
  </div>

```

```

    </div>
</header>

{/* — HERO — */}
<div style={{ textAlign: "center", padding: "52px 24px 40px", position: "
  <div style={{
    position: "absolute", left: "50%", top: "50%", transform: "translate(
      width: 400, height: 200, borderRadius: "50%",
    background: "radial-gradient(ellipse, rgba(255,215,0,0.06) 0%, transp
    pointerEvents: "none",
  }} />
  <div style={{
    fontFamily: "'Bangers', cursive", fontSize: "clamp(36px, 8vw, 72px)",
    letterSpacing: "0.07em", lineHeight: 1.05,
    background: "linear-gradient(135deg, #FFD700, #FF9900, #FFD700)",
    WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
    animation: "headerGlow 3s ease-in-out infinite",
  }}>
    WERDE DER BESTE BRAWLER!
  </div>
  <div style={{ color: "rgba(255,255,255,0.5)", marginTop: 12, fontSize:
    Melde dein Team an und kämpfe um den Turniersieg. Jede 2 Stunden star
  </div>
  <div style={{
    display: "flex", justifyContent: "center", gap: 24, marginTop: 24, fl
  }}>
    {[["🏆", "Turniere", "Alle 2 Std."], ["⚔️", "Format", "3v3 Best of 5"], ["📅",
      <div key={label} style={{
        background: "rgba(255,255,255,0.04)", border: "1px solid rgba(255
        borderRadius: 12, padding: "12px 20px", minWidth: 110, textAlign:
      }}>
        <div style={{ fontSize: 22 }}>{icon}</div>
        <div style={{ fontSize: 10, color: "rgba(255,255,255,0.4)", fontW
        <div style={{ fontSize: 13, color: "#FFD700", fontWeight: 800 }}>
      </div>
    )]}
  </div>
</div>

{/* — SECTION TITLE — */}
<div style={{ padding: "0 24px 16px", display: "flex", alignItems: "cente
  <div style={{ fontFamily: "'Bangers', cursive", fontSize: 22, color: "w
    KOMMENDE TURNIERE
  </div>
  <div style={{ flex: 1, height: 1, background: "linear-gradient(90deg, r
    {hasLive && <LiveBadge />}
  </div>
</div>

```

```

    { /* — TOURNAMENT GRID — */ }
    <div style={{
      display: "grid",
      gridTemplateColumns: "repeat(auto-fill, minmax(340px, 1fr))",
      gap: 20, padding: "0 24px 60px",
      maxWidth: 1200, margin: "0 auto",
    }}>
      { tournaments.map((t, i) => (
        <div key={t.id} className="card-enter" style={{ animationDelay: `${i}ms` }}>
          <TournamentCard
            t={t}
            onRegister={setRegTournament}
            onMapClick={setMapModal}
            onBracket={setBracketTournament}
          />
        </div>
      )) }
    </div>

    { /* — FOOTER — */ }
    <div style={{
      textAlign: "center", padding: "20px 24px",
      borderTop: "1px solid rgba(255,255,255,0.06)",
      fontSize: 12, color: "rgba(255,255,255,0.25)",
    }}>
      Brawl Tournaments – Fanseite • Nicht offiziell mit Supercell verbunden
      <br />
      Map-Daten: Brawlify.com
    </div>
  </div>

  { /* — MODALS — */ }
  { regTournament && (
    <RegisterModal tournament={regTournament} onClose={() => setRegTournament} />
  ) }
  { mapModal && (
    <MapModal map={mapModal} onClose={() => setMapModal(null)} />
  ) }
  { bracketTournament && (
    <BracketModal tournament={bracketTournament} onClose={() => setBracketTournament} />
  ) }
</>
);
}

```

