

Operation Contracts (Iteration 1)

Contract: Buy Object

Operation: buy(Object object)

Cross References: none for now

Preconditions:

- Object must not already be owned by the institution
- Object must be up for auction

Postconditions:

- The Object is added to the right art area catalog
- Object.Price is instantiated and value is updated
- Object.isOwned is updated to “true”
- Object.isAuctioned is updated to “false”

Contract: Sell Object

Operation: sell(Object object)

Cross References: none for now

Preconditions:

- Object must be up for auction, so Object.isAuctioned should be “true”
- Object must be owned by the institution, so Object.isOwned should be “true”

Postconditions:

- The Object is removed from the catalog
- All values stored concerning object are removed from the database

Contract: add Auction

Operation: addAuction(location: string, Date: String, StartTime: time, EndTime: time,
Speciality: string)

Cross References: none for now

Preconditions:

- No other auction should take place at the same time in the same location

Postconditions:

- A new Auction object is instantiated
- The new auction is added to the catalog
- Auction.location is instantiated and value is updated
- Auction.date is instantiated and value is updated
- Auction.startTime is instantiated and value is updated
- Auction.endTime is instantiated and value is updated
- Auction.Speciality is instantiated and value is updated

Contract: Sign Up

Operation: addClient(username: string, password: string, affiliation: string, info: string,
intent: string)

Cross References: none for now

Preconditions:

- The administrator must approve the information concerning the new client

Postconditions:

- A new Client object is instantiated
- The new auction is added to the catalog
- Client.username is instantiated and value is updated
- Client.password is instantiated and value is updated
- Client.affiliation is instantiated and value is updated
- Client.info is instantiated and value is updated
- Client.intent is instantiated and value is updated

Contract: Retrieve information

Operation: retrieved(Object object)

Cross References: none for now

Preconditions:

- Object from which operation wants to retrieve information must be existing
- User must be signed in as either administrator or expert

Postconditions:

- Object's instances and their values are returned

Contract: Offer Availabilities

Operation: addAvailability(Date: String, StartTime: time , EndTime: time)

Cross References: none for now

Preconditions:

- User must be signed in with an expert account
- User must not have any meeting scheduled at the same time
- No auctions in which the user is supposed to attend should be taking place at the same time as that availability

Postconditions:

- A new Availability object is instantiated
- The new availability is added to the catalog
- Availability.date is instantiated and value is updated
- Availability.startTime is instantiated and value is updated
- Availability.endTime is instantiated and value is updated