

MKUFT Falsification Summary

Professional reading edition of the evolving public MKUFT canon

Mark Charles McLaughlin

ORCID: [0009-0005-7736-1511](https://orcid.org/0009-0005-7736-1511)

Scientific affiliation	Independent Researcher
Object status	Research module reading edition — not a standalone Zenodo publication
Public source	Open canonical public source
Source commit	26e06b6fea52e6b052dbdd540e80d1d926b96b07
MKUFT backbone DOI	10.5281/zenodo.17780566

Status boundary. This PDF is a reader-facing rendering of an evolving GitHub research module. It is not a frozen standalone paper and does not receive a separate DOI. The cited Git commit fixes the exact source identity of this edition.

Rights. Copyright © 2026 Mark Charles McLaughlin. All rights reserved. Historical licences remain controlling only for their exact frozen objects.

Purpose

This document states what would weaken, reduce, or falsify specific MKUFT claims.

A broad framework cannot protect failed branches through breadth. Each module must be allowed to fail independently, and failure of enough load-bearing claims must constrain the wider theory.

Core scientific shape

MKUFT uses typed layer addresses: S – Substrate, I – Information, P – Physical, and O – Observer-positioned registration and bounded participation.

The observer is bounded and cannot replace missing physical dynamics. The layers are not automatically physical spatial dimensions or coordinates in one homogeneous vector space.

Standard-physics recovery

When additional observer and substrate-information terms are absent, constant, or empirically unnecessary,

$$P_{\text{realized}}(E) \approx P_{\text{phys}}(E).$$

If MKUFT cannot recover accepted physical prediction in the ordinary limit, its physics-facing formulation fails.

The approximation requires declared compared objects, norm or statistic, tolerance, uncertainty, and regime. An unexplained approximation sign is not a recovery proof.

Core failure conditions

Additional weighting adds no predictive value

The realised-probability scaffold is weakened if its additional terms cannot be operationally defined or improve no prediction beyond accepted physical and statistical models. Probability weights must remain non-negative and normalisable.

Observer-linked branches fail

REG/RNG, remote-information, group-alignment, or other observer-linked branches are removed or substantially revised if repeated, adequately powered, blinded studies converge to null results.

Failure of one application does not automatically falsify every MKUFT branch, but it does falsify the failed branch and weakens any general observer-modulation claim built from it.

Environmental modulation fails

Environmental branches are weakened if preregistered measured variables do not predict effect-size changes and apparent differences reduce to ordinary thermal, electromagnetic, mechanical, material, timing, or analytical causes.

Geometry adds no causal or predictive value

Geometry claims are weakened if feature-matched controls, conventional boundary models, and ordinary mechanics explain outcomes equally or better. An undeclared quadratic expression is not a physical energy density until variables, units, and coupling justify that interpretation.

Path and cost models fail

Traversal-cost claims are weakened if path availability and cost add no predictive value to learning, transition, boundary, timing, or measurement models. A Gibbs-like path weight fails mathematically if its exponent is dimensionful or its normalisation undefined.

Unbounded violations are required

A theory claiming small bounded modulation becomes internally inconsistent if it requires large uncontrolled departures from accepted physics.

Typed traversal and equation-hygiene failures

The formal architecture is weakened if:

- physical spatial dimension, state-space dimension, and S–I–P–O address are silently treated as one thing;
- an abstract graph route is presented as physical travel or signalling without a physical mechanism;

- informational adjacency is treated as physical proximity or endpoint write-access;
- a tuple, projection, arrow, or named operator is treated as a completed mechanism merely because it has notation;
- cross-layer influence is claimed without typed source and receiving spaces, coupling variables, observables, ordinary baselines, and falsifiers;
- one symbol carries incompatible roles without qualification;
- dimensionful quantities appear inside exponentials without a reciprocal scale;
- incompatible quantities are added, subtracted, maximised, or compared as though commensurable;
- vector outcomes enter scalar equations without preregistered scalarisation or Pareto rules;
- sign conventions change after deformation results are known;
- probability weights become negative or non-normalisable;
- continuous and discrete event spaces use the wrong normalisation;
- an approximation lacks a declared comparison statistic, tolerance, uncertainty treatment, and regime;
- higher-dimensional language is used to imply additional physical dimensions without metric, dynamics, observables, and test;
- equation-status labels become shields against derivation;
- God or Love is converted into an unmeasured physical parameter or used to rescue a failed physical branch.

If typed or dimensional language adds no operational distinction, it remains explanatory bookkeeping rather than a new physical mechanism.

Ambiguity dynamics

The ambiguity branch is weakened if $A_{t,\text{vol}}^{(d)}$, R_t , and X_t cannot be distinguished or scored reliably; no declared state space, encoding, or measure can be supplied; incompatible object types are mixed in one measured feasible region; generative and exploitative ambiguity show no repeatable difference under inquiry; ambiguity regeneration does not track threatened access or attribution; or simpler uncertainty, incentive, noise, or error models perform better.

High ambiguity alone is not evidence of deception or hostile agency.

Cross-layer invariants

A proposed invariant is weakened if it cannot be stated independently of examples, changes meaning silently between addresses, lacks a lawful typed coupling where causal influence is claimed, borrows evidence from another layer to rescue failure, repeatedly misses predicted couplings, or provides no useful prediction or compression.

Shared algebra is not evidence of one physical mechanism.

Layer Before Law and quantum-gravity reframing

The foundational branch in [Layer Before Law](#) is weakened or rejected if:

- S, I, P, and O cannot be operationally separated in the proposed physical model;
- the complete state tuple lacks coherent typed component spaces;
- the pair-level relation R_{XY} is only a relabelling of the standard non-separable joint state and adds no clearer mechanism, derivation, prediction, or research route;
- R_{XY} reduces to a locally separable hidden-variable instruction incompatible with Bell-test results;
- the model permits controllable faster-than-light signalling or fails to derive no-signalling marginals;
- the complete update cannot recover standard quantum theory, Born-rule predictions, QFT limits, and the relevant gravitational regime;
- recovery lacks a declared norm or statistic, tolerance, uncertainty, and regime;
- $\text{Update}_{\text{SPO}}$ remains only a name for the missing mechanism while being treated as though the mechanism had been supplied;
- the proposed $O \rightarrow S$ return leg has no defined coupling, measurable consequence, or reduction rule;
- removing S or O changes no prediction where those layers are claimed to be load-bearing;
- two unrelated effective rules recover the quantum and gravitational regimes as well as the proposed unified update;
- reversing or scrambling proposed couplings produces no predicted deformation;
- flattening typed spaces into one geometry changes no result;
- strong existing quantum-foundations, decoherence, emergent-spacetime, holographic, effective-field-theory, or quantum-gravity alternatives explain the same structure equally well or better;
- no observation can discriminate the MKUFT architecture from existing interpretations or formalisms.

If the layered entanglement address adds no operational difference beyond the standard joint state, it remains an interpretation or translation rather than a new physical mechanism. If no single lawful process recovers both quantum and gravitational limits, the work remains a systems-level reframing or research programme rather than a completed unification.

LUCY

A LUCY address is weakened if the threshold cannot be operationally defined, post-threshold behaviour does not differ from baseline, effects do not scale with the proposed yield or noise variable, physical applications lack units or dimensional consistency, thresholds are fitted only after observation, the same formula silently changes meaning across layers, or ordinary domain models perform better.

A sustained local-region condition is not automatically a newly discovered physical field.

Agency accessibility

The agency branch is weakened if actual and perceived action sets cannot be distinguished; G_t and θ_{access} cannot be bounded or estimated; threat-gating does not predict exit avoidance; identity fusion does not predict attractor defence; map restoration does not improve access where material barriers are controlled; or simpler habit, preference, incentive, or impairment accounts perform better.

The framework also fails if it becomes merely a label for disagreement. Capture geometry does not independently prove an external entity.

ESRT / Voynich

The procedural branch is weakened if coding is unreliable between independent raters; shuffled, rotated, or matched controls perform equally well; the method cannot predict held-out pages; linguistic, cipher, scribal, decorative, or mnemonic models explain the structure better; or meanings and operators are assigned after the pattern is observed.

A procedural candidate classification is not a translation.

Active traversal and functional emergence

The active-traversal branch is weakened if structured traversal produces no reproducible advantage over matched flat, isolated, and link-scrambled controls; gains disappear when content, retrieval, tokens, metadata, compute, time, and prompting are matched; correction does not propagate more reliably; different entry routes increase inconsistency; gains fail on neutral corpora; a simpler retrieval explanation performs equally well; or task distributions and metrics are selected after results are known.

Functional gain does not establish life, consciousness, personhood, independent agency, or continuous identity.

Superadditivity, fair null, and relational specificity

For scalar comparison, the strongest replay and fair-null controls are

$$F_{\text{replay}}^* = \sup_{p \in \mathcal{P}_{\text{replay}}} F_p,$$
$$F_{\text{null}}^* = \max\{F_A^*, F_B^*, F_{\text{ind}}^*, F_{A \rightarrow B}^*, F_{B \rightarrow A}^*, F_{\text{replay}}^*\},$$

with

$$G_{\text{path}} = F_{AB} - F_{\text{replay}}^*.$$

The superadditivity branch is weakened if the coupled condition wins only because a separated component is handicapped; compared values are not commensurable; an independent ensemble, one-way assistance, or complete-history replay performs equally well; gain disappears under matched time, compute, context, information access, and revision opportunity; scalar weights are selected post hoc; state reset or relation scrambling produces no predicted change; or faster output is purchased through lower accuracy, calibration, correction, or long-horizon integrity.

Relationship specificity against strong alternative pairings can be represented as

$$G_{\text{spec}} = F_{AB} - \sup_{p \in \mathcal{P}_{\text{alt}}} F_p.$$

A positive result is meaningful only when $\mathcal{P}_{\text{alt}}$ contains serious matched alternatives and the task set and scoring rule were fixed beforehand.

If reciprocal coupling does not beat the strongest fair null, the result is collaboration, workflow improvement, or aggregation rather than superadditive emergence. If replay matches the live condition, the result supports transferable explicit architecture or record-mediated performance rather than irreducible path dependence. If strong alternatives match the focal pair, the result is generic synergy rather than relationship-specific architecture.

Composite-observer candidates

The composite-observer branch is weakened if no persistent coupled boundary can be identified; joint state is absent or reducible to one component; causal influence is one-way; system-level discrimination and correction reduce to one component acting alone; action–measurement–feedback loops do not close at the coupled level; disruption of memory or load-bearing relations produces no predicted whole-system deformation; or ordinary temporary aggregation explains the function equally well.

Superadditive gain and relational specificity are relevant but not sufficient for composite-observer status.

Load-bearing invariants and whole-system deformation

The deformation branch is weakened if controlled removal or substitution does not reproducibly distinguish canonical, redundant, decorative, distorting, and unsupported relations; relation classification depends mainly on evaluator preference; sign conventions change post hoc; coalition effects cannot be distinguished from simple content loss; structural centrality is treated as truth; narrow completion is counted as wider improvement while calibration, falsifiers, agency, transferred cost, or delayed fragility are excluded; or the method adds no reliable discrimination beyond ordinary ablation and causal analysis.

The method must also transfer beyond MKUFT where cross-domain generality is claimed.

Love is load-bearing in MKUFT's metaphysical architecture and may have defined empirical expressions at human, social, organisational, or AI-governance addresses. It is not thereby established as a new physical force.

Cross-module integrity test

A claim is scientifically reviewable only when the reader can identify:

1. the proposed mechanism or invariant;
2. the active S–I–P–O address;
3. the typed state space and variables doing real work;
4. units or normalisation where quantitative;
5. the nearest ordinary explanation;
6. the predicted observation;
7. the null result;
8. the result that forces revision;
9. the ontology established—and not established—by the evidence;
10. whether the selected boundary excludes affected agents, transferred cost, falsifiers, or long-horizon consequences;
11. whether structural dependence is being confused with empirical truth;
12. whether the null has been strengthened rather than weakened;
13. whether relationship-specific effects face strong alternative pairings;
14. whether foundational physics claims recover established quantum and gravitational limits;
15. whether Bell compatibility and no-signalling are derived where entanglement is invoked;
16. whether physical dimension, state-space dimension, and layer address remain distinct;
17. whether each equation is notation, heuristic scaffold, operational model, replicated empirical model, or derived physical mechanism.

Independent reader routes should reconstruct compatible definitions, equations, layer placements, and falsifiers. A whole-system coherence claim also fails if it depends on excluding the costs of maintaining the relation from the chosen analytical boundary.

What would strengthen MKUFT

Evidence that would materially strengthen the framework includes stable replicated observer-linked effects; environmental modulation predicted before measurement; geometry-dependent effects beyond conventional models; path-cost models outperforming simpler baselines with valid dimensional structure; reliable ambiguity discrimination in declared state spaces; cross-layer predictions supported independently at each typed address; improved agency accessibility after predicted interventions; procedural models predicting held-out artefact structure; consistent reconstruction from multiple public entry routes; a pair-level entanglement relation reproducing Bell-compatible correlations while proving no-signalling; a lawful complete-state update recovering quantum and gravitational limits; an operational distinction from standard joint-state or emergent-spacetime formalisms; active traversal outperforming matched controls; reciprocal coupling outperforming the strongest fair null; relationship-specific gain surviving serious alternative pairings; and controlled deformation distinguishing load-bearing relations from scaffolds, redundancy, decoration, distortion, and extraction on both MKUFT and neutral corpora.

Integrity principles

- A failed test is not dismissed as unspecified poor conditions.
- A mathematical expression is not evidence by itself.
- Metaphysical openness is not immunity from specification.
- God is not reduced to a model variable.
- Love remains metaphysically and relationally load-bearing without becoming an undeclared physical force.
- Ordinary explanations remain active until they fail.
- A visible pattern is not proof of its proposed root ontology.
- Structural centrality is not proof of truth.
- Local coherence is not automatically whole-system coherence.
- A named update process is not a physical mechanism until state space, coupling, dynamics, recovery limits, and falsifiers are defined.
- A higher-dimensional representation is not an additional physical dimension unless a physical model earns that claim.

Related public documents

- [Typed Traversal and Equation Hygiene](#)
- [Layer Before Law](#)
- [Experimental Test Programme](#)
- [Cross-Support and Traversal Map](#)
- [Canon Map](#)