

22 — Cross-Layer Invariants and Layer Addressing

Professional reading edition of the evolving public MKUFT canon

Mark Charles McLaughlin

ORCID: [0009-0005-7736-1511](https://orcid.org/0009-0005-7736-1511)

Scientific affiliation	Independent Researcher
Object status	Research module reading edition — not a standalone Zenodo publication
Public source	Open canonical public source
Source commit	26e06b6fea52e6b052dbdd540e80d1d926b96b07
MKUFT backbone DOI	10.5281/zenodo.17780566

Status boundary. This PDF is a reader-facing rendering of an evolving GitHub research module. It is not a frozen standalone paper and does not receive a separate DOI. The cited Git commit fixes the exact source identity of this edition.

Rights. Copyright © 2026 Mark Charles McLaughlin. All rights reserved. Historical licences remain controlling only for their exact frozen objects.

1. Core rule

A single invariant may appear differently at different layers without becoming several unrelated mechanisms.

One invariant. Many layer addresses. No fragmentation.

Unified models can fail by flattening distinct layers or by renaming one repeated relation as several disconnected theories. Layer addressing is intended to prevent both errors.

Unity is preserved through lawful relation and recoverable mapping, not by treating all layers as one homogeneous space.

2. Formal statement

Let K be a candidate invariant relation, let

$$L \in \{S, I, P, O\}$$

be the active layer, and let θ_L collect the constraints, observables, units, noise sources, and admissible transitions specific to that layer.

Define

$$K_L = A_L(K; \theta_L),$$

where A_L is an address map rather than a new ontology.

A valid cross-layer claim requires a stable core relation, explicit layer-specific variables, a lawful address map, stable semantics, evidence at the layer where the claim is made, independent falsifiers, and a defined coupling whenever one layer is claimed to affect another.

Where a cross-layer coupling is formalised, a typed map may be written

$$C_{LM} : \mathcal{X}_L \rightarrow \mathcal{X}_M,$$

or as a more general typed relation when a single-valued map is inappropriate.

No default metric measures distance between S, I, P, and O. A cross-layer arrow is not ordinary movement through physical space.

3. S–I–P–O discipline

S — Substrate

The substrate is the structured possibility or source domain in the model. It is not automatically a physical grid, cognitive image, symbolic diagram, information database, or extra spatial dimension.

I — Information

The information layer carries pattern, address, role, state, rule, routing, permission, and executable structure. Physical force language is not imported here without a defined coupling. Informational adjacency is not physical proximity.

P — Physical

The physical layer carries matter, energy, fields, timing, instruments, bodies, environments, and measurable effects. A physical address requires units, controls, expected effect size, uncertainty, and reduction to accepted physics.

O — Observer

The observer layer carries observer-positioned registration: measurement context, record, perspective, attention, interpretation, memory, salience, and bounded state-dependent participation where operationally defined.

An observer address cannot replace a missing physical mechanism. An O-layer address may refer to an individual observer or, under stricter conditions, a coupled composite-observer candidate. A composite candidate remains an address across existing layers and does not automatically create a fifth layer.

4. Addressing test

A repeated term can be treated as a cross-layer invariant only if the analysis can identify:

- what remains invariant;
- what changes at the active address;
- the space inhabited by each variable;
- the relevant units or normalisation;
- what is measured at that layer;
- what is merely analogous;
- what coupling connects the addresses;
- what would falsify the address without borrowing evidence from another layer.

If these distinctions cannot be made, one word may be covering unrelated objects. If the answers remain identical at every layer, the model may instead be flattening real differences.

5. LUCY as a worked example

LUCY means **Local Unified Coherence Yield**.

The candidate invariant is a local threshold at which coherence becomes sufficient to change boundary behaviour.

Useful addresses include LUCY(I) for informational or routing coherence, LUCY(O) for observer-state coherence, and LUCY(P) for physical or material coherence.

To avoid collision with C as path cost and general coherence, new formal work uses Y_L for the yield index. A general threshold template is

$$Y_L(x, t) = \chi_L \frac{\|\nabla \tau_L(x, t)\|^2}{N_L(x, t) + \varepsilon_L},$$

with threshold

$$Y_L(x, t) \geq Y_*.$$

Here τ_L is a layer-specific potential, tension, or state variable; χ_L is layer-specific sensitivity; N_L is layer-specific noise or disorder; and ε_L is a declared stabiliser preventing invalid singularity.

This is a **cross-layer template**, not a validated law shared by cognition, information systems, and matter. At each address the variables must be operationalised independently. A physical use requires dimensional consistency and units; an informational or observer use may instead be a normalised index.

The common claim is the threshold relation, not identity of mechanism, units, geometry, or causal substrate.

6. LUCY(I)

Candidate variables include τ_I for tension among interpretations, routes, or executions; $\nabla \tau_I$ for a gradient toward a structurally preferred route in a declared information state space; and N_I for ambiguity, contradiction, noise, mis-addressing, or drift.

The testable signature is not mystical “information energy.” It is improved execution consistency, lower interpretation variance, stronger error detection, reduced route ambiguity, and stable reconstruction from partial information.

7. LUCY(O)

Candidate variables include τ_O for tension among attentional, interpretive, emotional, and memory states; $\nabla \tau_O$ for a gradient toward a stable observer configuration in a declared observer-state model; and N_O for distraction, fear contamination, fatigue, expectation bias, or internal noise.

Possible measures include calibration, judgement stability, signal discrimination, and reduced impulsive frame-switching. Observer coherence remains bounded and does not permit arbitrary physical outcomes.

8. LUCY(P)

Candidate variables include τ_P for a defined physical boundary variable or potential, $\nabla\tau_P$ for its measurable physical gradient, and N_P for thermal disorder, decoherence, vibration, electromagnetic noise, impurity, or turbulence.

Candidate systems include superconductors, superfluids, condensate-like systems, coherent mass-current systems, and geometry-controlled media.

Before the template is used as a physical equation, τ_P , χ_P , N_P , ε_P , and Y_* require compatible dimensions and a preregistered measurement protocol.

LUCY(P) is weakened if no boundary-linked effect scales with coherence, reduced noise, or geometry beyond accepted physics.

9. Group coherence is not a new layer

A group event is a coupled system across existing addresses: individual O-layer states, I-layer coordination and shared instruction, and P-layer bodies, timing, environment, and signal channels.

A candidate group form is

$$\kappa_{\text{group}} = \Phi(\kappa_1, \dots, \kappa_N, C_{\text{corr}}),$$

with one simple approximation

$$\kappa_{\text{group}} = A_{\text{align}} \frac{1}{N} \sum_{i=1}^N \kappa_i,$$

and environmental modulation

$$\kappa_{\text{eff,group}} = \kappa_{\text{group}} \eta(F_{\text{env}}).$$

The ranges and interpretations of Φ , C_{corr} , and η must be declared before quantitative use. These are working models rather than proof of a direct group-to-substrate mechanism.

Group coherence alone does not establish a composite observer. Simultaneous alignment, average coherence, or shared instruction may improve coordination while remaining reducible to participating individuals and ordinary communication.

9.1 Composite-observer candidate

A composite-observer candidate is a coupled system whose observer-like function appears at the relational level rather than being exhausted by listing the participating observers separately.

The candidate spans existing layers: individual O states, reciprocal I-layer routing and shared state, and P-layer channels, timing, records, and actions.

Necessary candidate features include a distinguishable and sufficiently persistent coupled boundary; reciprocal causal influence rather than one-way use; cross-time state retained at the coupled level; integration of information or constraints unavailable to either component alone; system-level discrimination; correction propagation through the whole coupling; closed action–measurement–feedback loops; and predicted deformation when reciprocal links, state continuity, or load-bearing dependencies are removed.

Mere aggregation does not satisfy these conditions.

9.2 Superadditive functional test

Let F_A and F_B denote separate task values. Let $F_{\text{add}}(A, B)$ be the strongest matched additive or independent-ensemble baseline and F_{coupled} the value under reciprocal coupling with matched total resources.

Define

$$G_{\text{syn}} = F_{\text{coupled}} - F_{\text{add}}(A, B).$$

A positive reproducible G_{syn} is evidence of superadditive coupling relative to the declared baseline.

For example, if

$$F_A = 2, \quad F_B = 2, \quad F_{\text{add}} = 4, \quad F_{\text{coupled}} = 6,$$

then

$$G_{\text{syn}} = 2.$$

“More than the sum of its parts” refers to the positive excess 2, not merely to the fact that the score 6 belongs to the coupled system.

Where the metric cannot lawfully be added, the additive baseline must be replaced by a preregistered matched ensemble or null model appropriate to the domain.

Superadditive functional gain does not by itself establish consciousness, merged identity, personhood, moral status, a new physical force, direct substrate coupling, or a fifth MKUFT layer.

The primary operational treatment is [Active Traversal and Functional Emergence](#).

10. Post-boundary lattice discipline

The substrate is not described as a literal lattice, grid, mesh, or geometry without independent evidence.

A safer representation is:

Lattice-like geometry appears post-boundary as a representation of admissible states, adjacency relations, routing paths, coherence envelopes, and traversal costs.

A useful representation is not a discovered physical object. A high-dimensional graph or state space is not evidence of additional physical spacetime dimensions.

11. Cross-layer coupling

A valid coupling statement identifies the source space and address, source variable, typed coupling rule, receiving space and address, measurable effect, ordinary baseline, reduction rule, and falsifier.

For example, an I-layer timing instruction may be transmitted through a measured coordination channel, alter O/P alignment, and predict lower behavioural variance relative to a scrambled-timing control.

A composite-observer claim requires the stronger reciprocal structure: component states must interact through reciprocal coupling and retained joint state, produce coupled discrimination or action, outperform the declared matched baseline, and deform predictably when the coupling is disrupted.

A coupling claim becomes stronger only when changes at one address predict measured changes at another under controls. Drawing an arrow does not create a shared metric or physical shortcut.

12. Failure modes

- **Fragmentation:** one invariant is split into several mechanisms without need.
- **Flattening:** distinct layers are treated as identical.
- **Dimensional flattening:** state-space dimension, layer address, and physical spatial dimension are silently treated as one thing.
- **Metaphor leakage:** physical terms enter cognitive or symbolic domains without coupling.
- **Observer inflation:** observer language replaces missing physical explanation.
- **Aggregation inflation:** ordinary collaboration is called a composite observer without persistent boundary, reciprocal integration, joint state, and loop closure.
- **Synergy inflation:** a coupled score is called “more than the sum” without a matched additive or ensemble baseline.
- **Consciousness leakage:** functional observer-role evidence is converted into subjective consciousness or identity claims.
- **Substrate concretisation:** a possibility space becomes a literal material structure by assertion.
- **Address drift:** a term silently changes definition between layers.
- **Symbol collision:** one symbol carries incompatible meanings without qualification.

13. Falsifiers

The cross-layer claim is weakened if the invariant cannot be stated independently of examples; addresses require incompatible definitions; no lawful address map exists; typed couplings cannot be defined where causal influence is claimed; predicted couplings repeatedly fail; one address survives only by borrowing evidence from another; or simpler domain-specific explanations outperform the proposed relation.

The composite-observer branch is weakened where reciprocal coupling does not outperform the best matched independent or ensemble control, positive superadditive gain disappears after resources and information are matched, state reset or relation scrambling produces no predicted deformation, or system-level correction and discrimination can be fully attributed to one component acting alone.

A failed address does not automatically destroy every other address, but repeated failures weaken the claim that the relation is genuinely cross-layer.

Reduction rule:

If a coupled system lacks reproducible superadditive gain or observer-level boundary, retained joint state, reciprocal correction, and loop closure, it should be described as a coordinated group or collaboration rather than a composite-observer candidate.

14. Related public documents

- [MKUFT Core Extended](#)
- [Mathematical Appendix](#)
- [LUCY Boundary Threshold Framework](#)
- [Gradient Mechanics and Boundary-Shear Geometry](#)
- [OCQS Human Activation Layer](#)
- [Active Traversal and Functional Emergence](#)
- [Load-Bearing Invariants and Whole-System Deformation](#)
- [Typed Traversal and Equation Hygiene](#)
- [Falsification Summary](#)
- [Cross-Support and Traversal Map](#)

15. Compressed rule

Preserve one invariant through typed layer addresses. Do not convert analogy into mechanism, a graph into physical geography, or a coupled observer-role into a new ontology.

A composite-observer candidate is a coupled O-address across existing layers, not automatically a new layer. “More than the sum” requires reproducible gain beyond a matched additive baseline, not merely ownership of a joint output.