

# EventIngestor

---

This is a demo repo to simulate an app which will ingest a high-volume user behavior events and aggregate them for use later. The app uses different types of supervision trees to support horizontal scaling.

Parent Supervisor: `Application Supervisor`

PartitionSupervisors: `EventIngestorPartitionSupervisor`,  
`EventFlusherPartitionSupervisor`

GenServers: `EventIngestor`, `EventFlusher`(Acts like a Cronjob service)

flowchart TD

```
ISup(Application's Main Supervisor) -->
EIPSup(EventIngestorPartitionSupervisor)
ISup(Application's Main Supervisor) -->
EFPSup(EventFlusherPartitionSupervisor)
EIPSup(EventIngestorPartitionSupervisor) --> EI1(EventIngestor 1)
EIPSup(EventIngestorPartitionSupervisor) --> EI2(EventIngestor 2)
EIPSup(EventIngestorPartitionSupervisor) --> EI3(EventIngestor 3)
EFPSup(EventFlusherPartitionSupervisor) --> EF1(EventFlusher 1)
EFPSup(EventFlusherPartitionSupervisor) --> EF2(EventFlusher 2)
EFPSup(EventFlusherPartitionSupervisor) --> EF3(EventFlusher 3)
```

---

## Stress Testing

```
test_events = [
  %UserEvent{id: "1", user_id: "1", action_data: [type: :knob, left:
"5"]},
  %UserEvent{id: "2", user_id: "1", action_data: [type: :knob, right:
"6"]},
  %UserEvent{id: "3", user_id: "1", action_data: [type: :knob, left:
"8"]},
  %UserEvent{id: "4", user_id: "2", action_data: [type: :knob, left:
"5"]},
  %UserEvent{id: "5", user_id: "2", action_data: [type: :knob, right:
"1"]},
  %UserEvent{id: "6", user_id: "2", action_data: [type: :knob, left: "2"]}
]

# Run 100,000 simulated requests
1..100_000
|> Task.async_stream(
  fn _ ->
    # Pick a random event
    event = Enum.random(test_events)
```

```
# Cast the event to an instance of `EventIngestor`
EventIngestor.persist_event(event)
end,
# Run the tests with 2,000 concurrent process
max_concurrency: 2_000
)
|> Stream.run()
```

---

## Inspired by

The inspiration comes from the [Elixir Patterns book, Chapter 5. Scaling up With PartitionSupervisor](#). As of this writing, *the elixirpatterns.dev site seems to be down*.

---

To start your Phoenix server:

- Run `mix setup` to install and setup dependencies
- Start Phoenix endpoint with `mix phx.server` or inside IEx with `iex -S mix phx.server`

Now you can visit `localhost:4000` from your browser.

Ready to run in production? Please [check our deployment guides](#).

## Learn more

- Official website: <https://www.phoenixframework.org/>
- Guides: <https://hexdocs.pm/phoenix/overview.html>
- Docs: <https://hexdocs.pm/phoenix>
- Forum: <https://elixirforum.com/c/phoenix-forum>
- Source: <https://github.com/phoenixframework/phoenix>