

- Page 05 of 26C :: Wednesday #39.73 Date: 260923
 - Appointments
 - Meeting Notes
 - Action Items
 - Thoughts | Notes
- Page 06 of 26C :: Thursday #39.73 Date: 260924
 - Appointments
 - Action Items
 - Thoughts | Notes
- Page 07 of 26C :: Friday #39.73 Date: 260926
 - Appointments
 - Meeting Notes
 - Thoughts | Notes
- Page 08 of 26C :: Monday #40.72 Date: 260928
 - Appointments
 - Meeting Notes
 - Action Items
 - Thoughts | Notes
 - Workout Results
- Page 09 of 26C :: Tuesday #40.72 Date: 260929
 - Appointments
 - Meeting Notes
 - Action Items
 - Thoughts | Notes
 - Workout Results
- Page 10 of 26C :: Wednesday #40.72 Date: 260930
 - Appointments
 - Meeting Notes
 - Action Items
 - Thoughts | Notes
 - Workout Results
- Page 16 of 26C :: Thursday #41.71 Date: 261008
 - Appointments
 - Meeting Notes
 - Action Items
 - Thoughts | Notes
 - Stock Trades

- [Workout Results](#)
- [Page 11 of 26C :: Thursday #40.72 Date: 261001](#)
 - [Appointments](#)
 - [Meeting Notes](#)
 - [Action Items](#)
 - [Thoughts | Notes](#)
 - [Workout Results](#)
- [Page 16 of 26C :: Thursday #41.71 Date: 261008](#)
 - [Appointments](#)
 - [Meeting Notes](#)
 - [Action Items](#)
 - [Thoughts | Notes](#)
 - [Stock Trades](#)
 - [Workout Results](#)

Page 05 of 26C :: Wednesday #39.73 Date: 260923

Appointments

- 11 • NPD
- 12 • V&V Wave#63492
- 6 • Michele Bday Dinner

Meeting Notes

12 Discussion on When DFMEA needed to be completed for Wave#63492. [Link to OneNote](#)

Action Items

- Get with Yeti on performing DFMEA. Concerns about Thread direction on screw holding in fan.

Thoughts | Notes

- [Learning GITHUB](#)
 - STOPPED AT <https://docs.github.com/en/get-started/start-your-journey/planning-your-work>
-
-

Page 06 of 26C :: Thursday #39.73 Date: 260924

Appointments

- 4 ○ Update DFMEA: EnerSync - Software Controls eDragon

Action Items

Thoughts | Notes

Page 07 of 26C :: Friday #39.73 Date: 260926

Appointments

- 10 ○ A90 Inducer Assembly Wave#64756 Team Discussion
- 1 ● Reliability Team Meeting

Meeting Notes



Action Items

1. Fill in Planisware
2. Need to get Lexi a NDA for Project East:: email to Neil sent
3. Setup meeting with Jona on Software Controls update

Thoughts | Notes

Page 08 of 26C :: Monday #40.72 Date: 260928

Appointments

- 10 ○ Wave#63492 Redesign Inducer Wheel
- 01 ○ Wave#64756 Inducer Assembly
- 03 ● Romulus DFMEA

Meeting Notes

Action Items

- Received an email from Ron Butcher on a Component Supplier request to create an AI generated DFMEA on a Schematic. I responded that the component level schematic will not get us a Carrier Level needs by our Passport reviews. Placed into my *Relyence email category*. [Link to OneNote](https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/_layouts/Doc.aspx?sourcedoc={CD5978D4-FE59-43BE-B0FB-777EA8688D6D}&wd=target%28Relyence.one%7CBEEC4E0E-36CB-4D99-9ABB-14CAA7289B2F%2FDFMEA%20Request%20for%20Electronic%20Suppliers%7

C4FF0F156-E4FA-4070-8F1D-BD2D019E1ACD%2F%29&wdpartid={2447E380-C758-0A54-1684-DBC1054509A6}{1}&wdsectionfileid={E3A429A8-144C-49B6-A0EF-F4B825D9FDD3}&end onenote:https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/Documents/RES/Relyence.one#DFMEA%20Request%20for%20Electronic%20Suppliers§ion-id={BEEC4E0E-36CB-4D99-9ABB-14CAA7289B2F}&page-id={4FF0F156-E4FA-4070-8F1D-BD2D019E1ACD}&end "One")

- Received an email from Ron Butcher on a Component Supplier request to create an AI generated DFMEA on a Schematic. I responeded that the component level schematic will not get us a Carrier Level needs by our Passport reviews. Placed into my *Relyence email catergory*. [Link to OneNote](https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/_layouts/Doc.aspx?sourcedoc={CD5978D4-FE59-43BE-B0FB-777EA8688D6D}&wd=target%28Relyence.one%7CBEEC4E0E-36CB-4D99-9ABB-14CAA7289B2F%2FDFMEA%20Request%20for%20Electronic%20Suppliers%7C4FF0F156-E4FA-4070-8F1D-BD2D019E1ACD%2F%29&wdpartid={2447E380-C758-0A54-1684-DBC1054509A6}{1}&wdsectionfileid={E3A429A8-144C-49B6-A0EF-F4B825D9FDD3}&end onenote:https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/Documents/RES/Relyence.one#DFMEA%20Request%20for%20Electronic%20Suppliers§ion-id={BEEC4E0E-36CB-4D99-9ABB-14CAA7289B2F}&page-id={4FF0F156-E4FA-4070-8F1D-BD2D019E1ACD}&end "One")

Thoughts | Notes

Workout Results

Activity	Calories	Minutes	Heart Rate
Workout#3	675	60	144
Workout#4	490	60	131

Appointments

- 11 • Field Trial Sync
- 1 • Romulus Team Meeting
-

Meeting Notes

Action Items

- Received email from Ron on evaluating a Fuse removal. Meeting setup for Thursday October 1. [Fuse Remvoal discussion](https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/_layouts/Doc.aspx?sourcedoc={CD5978D4-FE59-43BE-B0FB-777EA8688D6D}&wd=target%28Robin%20Hood.one%7C499BCBD9-148E-424A-82C3-3F6C3FA3DEFA%2FQuestion%20from%20Visemann%20on%20Removing%20Fuse%7C99961C35-6F58-41DE-93C4-3B26A386B3AE%2F%29&wdpartid={7D0C60A0-C0C1-045C-1F3B-2C9252A8A4F3}{1}&wdsectionfileid={B4893D09-6CC3-4112-94AB-3F1A6055383F}&end onenote:https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/Documents/RES/Robin%20Hood.one#Question%20from%20Visemann%20on%20Removing%20Fuse§ion-id={499BCBD9-148E-424A-82C3-3F6C3FA3DEFA}&page-id={99961C35-6F58-41DE-93C4-3B26A386B3AE}&end "email")

Thoughts | Notes

- Querried Co-pilot to generate a month to month bond interest stream. Added to my stock spreadsheet. Also found out that Fidelity has a page where I calculate this.

Workout Results

Activity	Calories	Minutes	Heart Rate
Row(4,6))	249	32:18	140
Ride(3,5)	203	17:35	149
Strength	44	5:13	141

[Link to OneNote](#)

Page 10 of 26C :: Wednesday #40.72
Date: 260930

Appointments

- 11 • NPD
- 1 • Communications Meeting

Meeting Notes

Action Items

1. Ken Wayne:: Sent over a DFEMA from GE for the Blue Ocean. Asked me to evaulate. Setup meeting to discuss Octboer 5, 2026

[Link to GE DFMEA](https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/_layouts/Doc.aspx?sourcedoc={CD5978D4-FE59-43BE-B0FB-777EA8688D6D}&wd=target%28Blue%20Ocean.one%7C2127A3F2-7B5F-477A-9F4A-BADEB3B28580%2FFMEA%20provided%20by%20GE%7C207AED3F-84B4-45A2-8105-7114F7B36273%2F%29&wdpartid={D9D546D8-D05E-415D-A087-97C64DC6D13C}{1}&wdsectionfileid={E188CDF6-F02F-4FE4-84E9-76F0C375A547}&end onenote:https://carcgl-

my.sharepoint.com/personal/mark_a_bender_carrier_com/Documents/RES/BLue%20Ocean.one#FMEA%20provided%20by%20GE§ion-id={2127A3F2-7B5F-477A-9F4A-BADEB3B28580}&page-id={207AED3F-84B4-45A2-8105-7114F7B36273}&end)

Thoughts | Notes

Workout Results

Page 16 of 26C :: Thursday #41.71 Date: 261008

Appointments

- 7 • NextGen Reliability Airflow DFMEA (GASPOT#731)
- 10 • Wave#63492
- 2 ○ Samsung Compressor (GASPOT#425)
- 3 ○ Wave#64756 A90 Inducer

Meeting Notes

- 731 - Discussed the situation whereby A Mitigation Event Occurs and then a Call for Heating after 10 minutes the heat will be cooler than what was tested. This will cause condensation in the Airflow.

Action Items

- 731 - Setup Meeting with Paul, Damaris and Ross to further develop DFMEA
- Run Testing on a known Bug that might prevent the furnace to come on the second mitigation attempt. To see if this Bug will force Customer to call into service tech for repair thereby avoiding the reliability issue

Thoughts | Notes

Stock Trades

Workout Results

Activity	Calories	Minutes	Heart Rate
Value A	Value B	Value C	Value C1
Value D	Value E	Value F	Value F1

Page 11 of 26C :: Thursday #40.72 Date: 261001

Appointments

- 3 ◦ Vissemenn Review Electric circuit

Meeting Notes

Action Items

Thoughts | Notes

Workout Results

Activity	Calories	Minutes	Heart Rate
Value A	Value B	Value C	Value C1

Activity	Calories	Minutes	Heart Rate
Value D	Value E	Value F	Value F1

Page 16 of 26C :: Thursday #41.71 Date: 261008

Appointments

1. 07 • NextGen Reliability Airflow DFMEA (GASPOT#731)
2. 10 • Wave#63492
3. 20 ○ Samsung Compressor Discussion with Adolfo Benitez (GASPOT#425)
4. 30 ○ Wave#64756 A90 Inducer Assembly

Meeting Notes

- 731:: We discussed the Airflow Reliability. If we have a Mitigation Event + We have Call for Heating after 10 minutes the system will operate but be 10F cooler then we tested for. This means that water will condene and reduce the reliability of the system
- 731:: In my view the acceptability is based on rather the customer will detect. We know that a sensor mitigation is detected by the system. But the failure may not be identified by the customer

Action Items

1. 731::There is a Bug in the system currently identified by Drew Ober that prevents the system from operating on the subsequwuent cycle after the initial Mitigation. Therby preventing heating and guarnteing that the customer will find the failure by lack of heat. Drew Ober will test to verify by 10/15/26
2. 731::Review the FMEA with Paul Haydock , Damaris and Ross to further clairify the failure modes. Mark Bender 10/9/26
3. Link to 731: [731](https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/_layouts/Doc.aspx?

sourcedoc={CD5978D4-FE59-43BE-B0FB-777EA8688D6D}&wd=target%28Next%20GenA2L.one%7C044A07E5-8D77-45C2-B44A-04E22D1C78C0%2FNextGen%20Reliability%20Airflow%20DFMEA%7C0E4840F9-2BAC-48DA-B7AE-4F57200598BA%2F%29&wdpartid={077F6973-1BCA-03C3-2CBA-6836360B6070}{1}&wdsectionfileid={B5715E1D-32F8-4127-A020-617C1E9B64A2}&end onenote:https://carcgl-my.sharepoint.com/personal/mark_a_bender_carrier_com/Documents/RES/Next%20GenA2L.one#NextGen%20Reliability%20Airflow%20DFMEA§ion-id={044A07E5-8D77-45C2-B44A-04E22D1C78C0}&page-id={0E4840F9-2BAC-48DA-B7AE-4F57200598BA}&object-id={1DBCC646-D995-09E4-320D-181C087A3EB9}&4F)

Thoughts | Notes

Stock Trades

- 1. SHOP Sell all. 96.167@167.34.16,092.24
- 2. TQQQ Sell 180.255 @ 83.22 \$14,999.92
- 3. NVDA Sell 63.341 @ 236.81 , \$14,999.78

Workout Results

Activity	Calories	Minutes	Heart Rate
Value A	Value B	Value C	Value C1
Value D	Value E	Value F	Value F1