



# Create the JSON configuration file

XCP 1.6.2

Ciaran McNamara, Amanda Stroman  
October 26, 2020

This PDF was generated from <https://docs.netapp.com/us-en/xcp/xcp-create-the-json-configuration-file.html> on November 10, 2020. Always check docs.netapp.com for the latest.

# Table of Contents

Create the JSON configuration file .....	1
--	---

# Create the JSON configuration file

If you want to enable event log messages, the syslog client, or customer logging, complete the following steps.

## Steps

1. Open any text editor, such as notepad or vi.
2. Create a new file with the following JSON template.

```
{
  "logConfig": {
    "level": "INFO",
    "maxBytes": 52428800,
    "name": "xcp.log"
  },
  "eventlog": {
    "isEnabled": false,
    "level": "INFO"
  },
  "syslog": {
    "isEnabled": false,
    "level": "INFO",
    "serverIp": "10.234.219.87",
    "port": 514
  },
  "sanitize": false
}
```

3. For any features you want to enable, change the `isEnabled` value to `true`.
4. Name the file `xcpLogConfig.json` and save it to the file location mentioned in **Error! Reference source not found.**

Default configuration	Example json configuration file
<pre data-bbox="138 161 797 531">{   "logConfig": {     "level": "INFO",     "maxBytes": 52428800,     "name": "xcp.log"   },   "sanitize": false }</pre>	<pre data-bbox="826 161 1485 921">{   "logConfig": {     "level": "INFO",     "maxBytes": 52428800,     "name": "xcp.log"   },   "eventlog": {     "isEnabled": false,     "level": "INFO"   },   "syslog": {     "isEnabled": false,     "level": "INFO",     "serverIp": "10.234.219.87",     "port": 514   },   "sanitize": false }</pre>

## Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.