


AfricaAI: Runbook - OIRS - OECD

Summary	We are collecting data from the Organisation for Economic Co-operation and Development annual report
Source name	Organisation for Economic Co-operation and Development- OECD
Link to the source	https://www.oecd-ilibrary.org/industry-and-services/financing-smes-and-entrepreneurs_23065265
Dataset name	OECD - SME Borrowing Rate Spread to Large Corporates - OIRS
Frequency	Annual
SLA	Data may be published twice a year, in June and October. Start checking for new releases every day from October 1 and June 1.
Expected Time	N/A

Instructions:

1. Navigate to the source URL - https://www.oecd-ilibrary.org/industry-and-services/financing-smes-and-entrepreneurs_23065265
2. For each country **Australia, Canada, France, Italy, Spain, United Kingdom, United States** go to “Read” bottom:



3. Then find timeseries named “Interest rate spread” and collect value for each available period.

Table 3.1. Scoreboard for Australia

Indicator	Unit	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Debt																	
Outstanding business loans, SMEs	AUD billion	189	204.6	204.7	225.2	235.9	239.9	243.1	251.4	261.5	271.4	281.4	283.7	426.6	421.3	436	476.2
Outstanding business loans, total	AUD billion	629	690.8	653.3	636.4	665.5	685.7	694.5	723.5	764.1	800.4	820.1	861.3	873.0	877.6	941.3	1056
Share of SME outstanding loans	% of total outstanding business loans	30.0	29.62	31.33	35.38	35.46	35.00	35.01	34.75	34.22	33.91	34.31	32.94	48.86	48.01	46.33	45.09
New business lending, total	AUD billion	375	336.1	265.5	265.8	310.7	273.8	292.4	360.5	391.7	341.8	346.0	346.9	..	517.3	426.8	612.9
New business lending, SMEs	AUD billion	77.5	79.9	69.6	82.5	81.6	73.7	79.1	85.4	91.2	86.7	79.7	76.7	..	80	104.4	116.1
Share of new SME lending	% of total new lending	20.7	23.77	26.20	31.04	26.25	26.91	27.06	23.69	23.27	25.37	23.03	22.11	..	15.50	24.46	18.94
Non-performing loans, total	% of all business loans	0.50	2.07	3.27	3.55	3.16	2.68	2.03	1.39	1.01	1.13	0.78	0.81	0.92	1.08	0.98	0.90
Interest rate, SMEs	%	8.66	8.04	7.60	8.40	8.02	7.13	6.54	6.27	5.63	5.36	5.28	5.33	4.18	3.40	3.10	5.48
Interest rate, large firms	%	7.95	6.34	5.94	7.02	6.74	5.50	4.77	4.60	3.90	3.49	3.43	3.72	2.48	1.63	1.50	4.50
Interest rate spread	% points	0.71	1.70	1.66	1.38	1.28	1.62	1.77	1.67	1.73	1.86	1.85	1.61	1.70	1.77	1.60	0.99

Source: Bank of Australia

Use the mapping below:

CODE	Country
OIRS.IRS.AUS.A	Australia
OIRS.IRS.CAN.A	Canada
OIRS.IRS.FRA.A	France
OIRS.IRS.ITA.A	Italy
OIRS.IRS.ESP.A	Spain
OIRS.IRS.GBR.A	United Kingdom
OIRS.IRS.USA.A	United States

If there is no data in the table (missing the data for a period), leave the cells in the DATA file empty.

If the source page does not load, try turning off the VPN if it is enabled.

Please inform the DataOps and DataEngineering teams in case of changes in the source tables.

4. Save data to the OIRS_DATA_YYYYMMDD.xls file.

Requirements to the data provided by AfricaAI

Data files format

For on-boarding new datasets and processing new releases the following requirements are applied:

- there should be one archive in .ZIP format that contains 2 files provided in .XLS format per one release - one file with DATA and one file with METADATA (both files are mandatory). Archive name should be as "**DATASET_YYYYMMDD.ZIP**", where "DATASET" - specified abbreviation for a dataset, "YYYYMMDD" - timestamp when the file was created, where YYYY - year, MM - month number, DD – day;
- the files format is strictly defined and cannot be changed by AfricaAI team.

File with DATA

Template for file name: "DATASET_DATA_YYYYMMDD.xls", i.e." MEXPENFND_DATA_20220601.xls"

Requirements to the file with DATA:

1. format - XLS, encoding - Unicode (UTF-8);
2. file name: should follow pattern "**DATASET_DATA_YYYYMMDD.xls**", where "DATASET" - specified abbreviation for a dataset, "YYYYMMDD" - timestamp when the file was created, where YYYY - year, MM - month number, DD - day;
3. file content:
 - a. for data with daily/ weekly frequency: **YYYY-MM-DD**, where YYYY - year, MM - month, DD – day;
 - b. for data with weekly frequency: **YYYY-WW**, where YYYY - year, WW - week number (should be two-digits, i.e. 2022-01, 2022-02, etc.). Week number is defined based on the reporting date: reporting date is considered the end of the week, i.e. if reporting date is Wednesday the week is calculated from Thursday till Wednesday – based on that rule the number of the week is defined;
 - c. for data with monthly frequency: **YYYY-MM**, MM - month number (should be two-digits, i.e. 2022-01, 2022-02, etc.);
 - d. for data with quarterly frequency: **YYYY-QX**, where YYYY - year, X - quarter number;
 - e. for data with annual frequency: **YYYY**, where YYYY – year;
 - f. if provider specifies for reported period that data is Not Available (that could be provided in corresponding notes or other way) - fill in that data point with "NA" value;
 - g. if provider does not specify that data is Not Available and report Empty value for reported period - leave Empty cell;
 - h. if provider skips some of reporting period - skip it also in the file with data as well;
 - i. data is provided on one sheet only (multiple sheets are forbidden);
 - j. two-dimensional format where rows represent reported periods and columns contain timeseries values;
 - k. reported period(s) should be provided in the following format:
 - l. values to be provided in decimal format with "." as delimiter (number of digits after "." is limited only by provided value by the source). In order to interpret data correctly the following requirements are applied:
 - m. column names to be provided in two first rows: in the first row - timeseries ID (CODE), in the second row – timeseries description (description in DATA file is identical to description in file with METADATA).

NB! Timeseries with different frequencies could be provided within the same file as there are different patterns for providing reported periods

File with METADATA

Template for file name: "DATASET_META_YYYYMMDD.xls", i.e." MEXPENFND_META_20220601.xls"

Requirements to the file with METADATA:

1. format - XLS, encoding - Unicode (UTF-8);
2. file name: should follow pattern "**DATASET_META_YYYYMMDD.xls**", where "DATASET" - specified abbreviation for a dataset, "YYYYMMDD" - timestamp when the file was created, where YYYY - year, MM - month number, DD - day;
3. file content: specified metadata attributes that are static unless provider changes something or new timeseries should be added. In case of new timeseries should be added/ updated/ changed - escalate that to Data Engineering team Special BWAT-DFAC Data Engineering <SpecialBWAT-DFACDataEngineering@epam.com> at and Cc: Data Operations team at Special BWAT-DFAC DataOps <SpecialBWAT-DFACDataOps@epam.com>

Notes on METADATA fields from file "DATASET_META_YYYYMMDD.xls"

1. *With every data release attach file with METADATA*
2. *With every release change only on attribute in the file with METADATA in column "NEXT_RELEASE_DATE" – set "YYYY-MM-DDThh:mm:ss" (YYYY – year, MM – month, DD – day, hh – hour, mm – minutes, ss – seconds. Time should be provide in UTC time) to the time when the next release is going to be processed.*

Saving ZIP archive on SFTP

Save the releases in specified per "DATASET" folder (you may create new folder for new DATASET in case of absence of such folder).

Details on SFTP are the following:

1) *Dev env*

Host: africaai.datadev.dfac.io

2) *PRODVAL env*

Host: africaai.prodval.data-factory.io

3) *PRODHA env*

Host: africaai.prodha.data-factory.io

Port: 22