


Configure Geo Blocking Conditional Access Policy


1 Navigate to <u>entra.microsoft.com</u>









5 Click "+ Country location" Search resources, services, and docs (G+/) Home > Conditional Access Conditional Access | Named locations Azure Active Directory + Countries location Overview (Preview) Policies 🚺 IPv6 is coming to Azure Active Directory! Update Named Locations today with IPv6 ranges. L Insights and reporting × Diagnose and solve problems Named locations are used by Azure AD security reports to reduce false positives and Azure A Manage Location type : All types Trusted type : All types Named locations P Search names Custom controls (Preview) Name Terms of use HQ Office VPN connectivity



Authorization contact





9 Type "united"

Ure AD Conditional Access policies. Learn more

Determine location by IP address (IPv4 only)

Include unknown countries/regions ○

Punited


Name

1P ranges


United Kingdom

United States







13 Click "New Policy"





14 Enter "Block Access Outside USA" in the "Name" field.







16 Include "All users" and exclude your Break Glass Admin. Home > Conditional Access | Policies > New ... Conditional Access policy Control access based on Conditional Access Control access based on who the policy will policy to bring signals together, to make apply to, such as users and groups, workload identities, directory roles, or external guests. decisions, and enforce organizational policies. Learn more Learn more Name * Include Block Access Outside USA O None Assignments All users Select users and groups Users ① All users Cloud apps or actions ① ⚠ Don't lock yourself out! This policy will affect all of your users. We recommend No cloud apps, actions, or authentication applying a policy to a small set of users first to verify it behaves as expected. contexts selected Learn more Conditions (i)









21 Include "Any location" Control access based on signals from conditions Control user access based on their physical al Access make. like risk, device platform, location, client apps, or location. Learn more nal policies. device state. Learn more Configure ① Device platforms ① Yes Not configured Include Exclude Locations ① Any location Any location All trusted locations Client apps ① Selected locations ers excluded Not configured Filter for devices ① Not configured

