


## How to Create a Conditional Access Policy to Require MFA for Administrators


In this guide, we walk through the process of creating a conditional access policy, specifically targeted at administrative roles, to require MFA for all applications.


1 Navigate to <u>entra.microsoft.com</u>




















Include: 9 Global Administrator Application administrator **Authentication Administrator** Billing administrator Cloud application administrator Conditional Access Administrator Exchange administrator Helpdesk administrator Password administrator Privileged authentication administrator Privileged Role Administrator Security administrator SharePoint administrator User administrator Specific users included Select users and groups Select users and groups" must be configured Guest or external users ① Cloud apps or actions ① Directory roles ① No cloud apps, actions, or authentication contexts selected 0 selected Conditions ① 0 conditions selected Built-in directory roles pplication administrator Access controls Application developer Grant ① Attack payload author 0 controls selected Attack simulation administrator Session ① 0 controls selected Attribute assignment administrator Attribute assignment reader Attribute definition administrator Attribute definition reader


## 10 Click "Exclude" New Conditional Access policy Control access based on Conditional Access Control access based on who the policy will policy to bring signals together, to make apply to, such as users and groups, workload decisions, and enforce organizational policies. identities, directory roles, or external guests. Learn more Learn more What does this policy apply to? Name \* Users and groups Require MFA for Admins Include Assignments O None Users or workload identities ① All users Specific users included Select users and groups Cloud apps or actions ① Guest or external users ① All cloud apps Directory roles ① Conditions ① 13 selected 0 conditions selected Heart and around









## 14 Click the link under "Grant" NOT configured Conditional Access Cloud apps or actions ① Filter for devices (i) Identity Protection All cloud apps Not configured Security Center Conditions ① 0 conditions selected Identity Secure Score Multifactor authentication Access controls Grant ① Authentication methods 0 controls elected Password reset Session ① Custom attributes 0 controls selected Risky activities Identity Governance External Identities & User experiences










Alerti

If you want to see how a rule would perform before enforcing it, choose "Report-only"



19 You should see a notification that the policy was created successfully.

