GCSS Data Model Entity-Relationship Diagram including GCSS User-Administration Data Model

Version date: 2010-02-17

This version reflects:

Completed release up to: GCSS Release 17.0

Under development releases: GCSS Release 18.0

GCSS Release 19.0

 Transition detail of which data model objects are altered for which on-going development releases is described in the other document,


"GCSS DM Data Model Update Log.doc"

- Text description of entity types and attributes are found in the other document, "GCSS DM Entity Attribute Description.doc"
- Complete list of static reference data values (light-green boxes in this diagram) are found in the other documents,

"GCSS DM Static Reference Data Rx.xls" and


"GCSS User-Adm DM Static Reference Data Rx.xls"

where Rx denotes GCSS major release number, like R9, R10, R11, etc.





GCSS DM ERWIN72 R18.0 -- Attribute View / 01 Shipment Transport Exception Route Update History Cargo Route Update Category Route Update Reason Shipment Ref Route ⇒instance id: CHAR(13) Instance Id: CHAR(13) Instance id: CHAR(13) instance id: CHAR(13) (IE4.2) →Instance id: CHAR(13) ⇒Instance Id: CHAR(13) FK Shipment Version: CHAR(13) Name: VARCHAR(50) ⇒FK Shipment: CHAR(13) (AK1.1) →FK Route Update Category ⇒FK Shipment Domain: CHAR(13) →FK Route: CHAR(13) FK Route Type: CHAR(13) TsOperational Route Change Time: TIMEST/ Description: VARCHAR(Reason Code: VARCHAR Free Text: VARCHAR(500) ransport Stage ETA POD Deviate Hours: NUMBER(4) Create Time: TIMESTAN →FK Shipment Class: CHAR(13 Description: VARCHAR(2 Create Time: TIMESTAMP(6) ◆FK Gleo Statistic: CHAR(13) Create User: VARCHAR instance id: CHAR(13) ⇒instance id: CHAR(13) Activity Task FK U-Adm Operator Owner: INTEGER (IE Free Text Mandatory: Ch Create User: VARCHAR(20) Reason Code: VARCHAR(2) 💆 Update Time: TIMESTAN FK BKSTVSA Part VSA Owner: VABCHA Create Time: TIMESTAM TSUpdate Time: TIMESTAMP(6) ⇒instance id: CHAR(13) (IE11.9.IE Name: VARCHAR(30) Name: VARCHAR(30) Route Update Time: TIMESTAMP Update User: VARCHAF TeStatus Undate Time: TIMESTAMP (IE1.1) Create User: VARCHAR •Update User: VARCHAR(20) ◆FK Operator Unit Ref Owner: CH Route Update User: VARCHAR(2 ■ FK Shipment: CHAR(13) (IF11.7 Update Time: TIMESTAN Shipment Struc Update Time: TIMESTAM →FK Shipment Domain: CHAR(13) <mark>U</mark>igShipment Struc Update User: VARCHAR(├── -Update User: VARCHAR Receipt-Delivery Mod V Is Active: CHAR(1) (IE10.3,IE11.2 Shipment Status →instance id: CHAR(13) ⇒instance id: CHAR(13) instance id: CHAR(13) Name: VARCHAR(30) Receipt-Delivery Mode: VARCHAR(30 Display Name: VARCHAR(30 Name: VARCHAR(30) Shipment Version instance id: CHAR(13) instance id: CHAR(13) TeTime Freeze: TIMESTAMP ⇒instance id: CHAR(13) VIs Current: CHAR(1) ✓Is Consistent: CHAR(1) FK Shipment Version: CHAR(13 ⇒FK Business System Source: CHAB(13). → Shipment Version Id: CF →FK Snapshot Purpose: CHAR(13) Instance Id: CHAR(13) →FK Communication Media Type: CHAR(13) Contact Name: VARCHAR(72) →FK Communication Media Type SI: CHAR(1) Route Id: VARCHAR(15) Job Title: VARCHAR(36) Name: VARCHAR(100) Snanshot Purpose Shipment Linkage hone: VARCHAR(15) SCV VIPCLASS Locked: VARCHAR(2) Cargo Ready Time Local: DATETIME Shipment Linkage Contex ⇒instance id: CHAR(13) Fax: VARCHAR(15) instance id: CHAR(13) instance id: CHAR(13) (AK1.2) ⇒instance id: CHAR(13) instance id: CHAR(13) Email: VARCHAR(100) ✓Is Cargo Ready Date Only: CHAR(1) →FK Shipment Version Origin: CHAR(1: Name: VARCHAR(30) →FK Shipment Version: CHAR(13) Name: VARCHAR(30) Cell Phone: VARCHAR(15) Name: VARCHAR(30) Cargo Delivery Time Local: DATETIM FK Shipment Version Target: CHAR(1 Initials: VARCHAR(6) ✓Is Cargo Delivery Date Only: CHAR(1) Snapshot Linkage Context →FK Shipment Linkage Context: CHAR Sex: VARCHAR(1) Party Role Type FK Receipt-Delivery Mode Rec: CHAR(13) ⇒instance id: CHAR(13) Home Phone: VARCHAR(15) FK Receipt-Delivery Mode Del: CHAR(13) Snapshot Linkage Reasor Shipment Snapshot Linkage →instance id: CHAR(13) Home Email: VARCHAR(100) →FK Transport Bill Type: CHAR(13) →FK Price Aggregate Type Invo: CHAR(13) Name: VARCHAR(30) ⇒instance id: CHAR(13) instance id: CHAR(13) instance id: CHAR(13) Name: VARCHAR(40) Price Calc Base Date Local: DATE SC Identified By MARS: CHAR(1) →FK Shipment Snapshot Linkage: CHAR(→FK Shipment Version Trigger: CHAR(FK Transport Stage: CHAR(13) Generic Site Address →FK Snapshot Linkage Context: CHAR(1 Party Role Special Text FK Shipment State Type: CHAR ✓ Price Based On Tariff: CHAR(1) Instance Id: CHAR(13) Name: VARCHAR(30) ⇒Instance Id: CHAR(13) Shipment Description ✓ Price Must Based SC: CHAR(1) Shipment Description Type ✓ Is Conference Priced: CHAR(1) ⇒instance id: CHAR(13) Name: VARCHAR(36) → FK Party Role Type: CHAR(1: instance id: CHAR(13) Address Name: VARCHAR(36) Complete Price Shipment: CHAR(1) FK MARS RATEBASES Prorate: VARCHAR Presentation Sequence: NUMBER State Event Detail Define →FK Shipment Version: CHAR(13) Street No: VARCHAR(36) Name: VARCHAR(30) Name: VARCHAR(30) ⇒instance id: CHAR(13) Ready Invoice Details Prepaid: CHAR(1) Text Print: VARCHAR(30) Address 1: VARCHAR(36) Presentation Sequence: NUMBER(4) Address 2: VARCHAR(36) Ready Invoice Details Collect: CHAR(1) Shipment State Event →FK State Event Define: CHAR(13 Time Valid From: DATETIME Text: VARCHAR(500) Address 3: VARCHAR(36) State: VARCHAR(2) ✓Invoice Cancellation Charge: CHAR(1) instance id: CHAR(13) Presentation Sequence: NUMBER Time Valid To: DATETIME Reconciliation Status Time: TIMESTAMP (IE2 Description: VARCHAR(50) Zip Code: VARCHAR(10) FK Shipment Version: CHAR(13) **Shipment Party Contact** Shipment Note Reconciliation Collect Status: CHAR(1) Shipment Note Type ⇒instance id: CHAR(13) Country: VARCHAR(36) ⇒instance id: CHAR(13) Event Time: TIMESTAMP (IE1.1) Shipment Note Type Class Previously Rolled: CHAR(1) PO Box: VARCHAR(10) instance id: CHAR(13) ✓ Is Short Shipped: CHAR(1) →Instance Id: CHAR(13) →FK Shipment Version: CHAR(13) (IE1.1) Phone: VARCHAR(15) Presentation Sequence: NUMBER(4 Partial Shipment Allowed: CHAR(1) Comment Text: VARCHAR(100) System Entry: CHAR(1) Fax: VARCHAR(15) FK Shipment Note Type: CHAR(Name: VARCHAR(40) Presentation Sequence: NUMBER(4) Contact Person Name: VARCHAR(6) Phone Nr: VARCHAR(30) Import Fax: VARCHAR(15) Import Fax: VARCHAR(100) MARS ROE Date: DATE FK Shipment Class: CHAR(13) ✓ Is General Note: CHAR(1) Shipment Note Type: CHAR(13) (IE1.2,IE Transport Start Date: TIMESTAMP (IE1.1) Note Title: VARCHAR(400) URL: VARCHAR(300 Fax Nr: VARCHAR(30) FK Receipt Delivery Mode P REC Model Text: VARCHAR(800) →FK Shipment Note To Attach: CHAR(13) Shipment Note Text Printable Address 1: VARCHAR(3 FK Receipt Delivery Mode P DEL: CHAR(13) Entity Identifier Subject: CHAR(13) instance id: CHAR(13) Printable Address 2: VARCHAR(3 Is Import Shipment: CHAR(1) instance id: CHAR(13) SOriginal Create Time: TIMESTAMP Line Code: VARCHAR(2) Printable Address 3: VARCHAR(3 instance id: CHAR(13) User: VARCHAR(20) →FK Shipment Note: CHAR(1 →FK Shipment Version: CHAR(13) Transport Handler Type intable Address 4: VARCHAR(3 #Nr Original BL: NUMBER(2 #Text Block Sequence: NUMBER ✓ Is OnceConfirmed: CHAR(1) →FK Transport Handler Role: CHAF →FK Shipment Party: CHAR(13) DODAAC ID: VARCHAR(6) ⇒instance id: CHAR(13) Time Commenced: TIMESTAMP →FK Communication Media Type: CHAR(ZIPCITY: VARCHAR(36) Shipment Ver Struc Update Time: TIMESTAM Name: VARCHAR(30) FK U-Adm Team Ass ►FK Task Definition For: CHAR(13 Shipment Ver Struc Update User: VARCHAR(User Assigned: VARCHAR(20) →FK Haulage Site: CHAR(13) Media Address: VARCHAR(60) Shipment Party instance id: CHAR(13) EXTIF Message Text →FK Shipment Version: CHAR(13) (IE2.3) →Instance Id: CHAR(13) FK Transport Doc Version Ex: CHAR(13) (IE2 FK SCV ORG DETAIL: VARCHAR(11) (IE1.1. →FK EXTIF Message: CHAR(13) (Party Role Type: CHAR(13) (IE1.3,IE2.2) Text Block Sequence: NUMBER Entity Type Reference Type →FK Payment Term Type Auto Pop: CHAR(13) Shipment Prop Type Object Text: VARCHAR(4000) Name: VARCHAR(60) ⇒instance id: CHAR(13) Hi-Level Party Instance Id: CHAR(13) Address: VARCHAR(200) **EXTIF Message** Shipment Reference Name: VARCHAR(50) →instance id: CHAR(13) Doc Address: VARCHAR(1024) →FK Shipment Property Type: CHAR instance id: CHAR(13) ⇒Instance Id: CHAR(13) Name: VARCHAR(30) Presentation Sequence: NUMBER(4 ✓ Is Internal: CHAR(1) →FK Shipment Version Trst Date: CHAR(13) FK Shipment Version: CHAR(13) →FK Shipment Version: CHAR(13) →FK Entity Type Object: CHAR(13) Transport Start Date: TIMESTAMP (IE1.2) →FK Transport Doc Version Ex: CHAR(13) →FK Shipment Party Owner: CHAR(13) →FK Hi-Level Party Owner: CHAR(13) ssue Reference String: CHAR(30) (AK1 Document Issue Sequence In Owner Object: NUMBER(4) →instance id: CHAR(13) Document Recipient Shipment Property EDI Inbound Message ⇒instance id: CHAR(13) →Instance Id: CHAR(13) →instance id: CHAR(13) Reference Entity Identifier: CHAR(13) (IE1.2) →FK Shipment Version: CHAR(13) Military Cargo Info FK Transport Doc Version Ex: CHAR(13) Reference String: VARCHAR(4000) (IE2.2) →FK Document Issue: CHAR(13) →FK Shipment Version: CHAR(13) →FK Shipment Version: CHAR(13) Instance Id: CHAR(13) →FK Document Type: CHAR(13) (IE1.1,IE2. →FK Transport Doc Version Ex: CHAR(13) →FK Shipment Prop Type Object: CHAR(1 →FK Shipment Party Receive: CHAR(13) → FK Transport Doc Version Ex. CHAR. Reference Entity Identifier: CHAR(13) (IE1.2 FK Cont Announce Receiver: CHAR(1 OrgEncoding: VARCHAR(13) FK Shipment Version: CHAR(13) Time Issue: TIMESTAMP REDI VOYDOC: VARCHAR(5) SCV CLISTNO Recir →Property Object Identifier: CHAR(13) (IE1. EDISenderID: VARCHAR(35) Issue Reference String: VARCHAR(30) (IE2 EDISenderQu: VARCHAR(4) Receiving System: VARCHAR(1026) Transaction Type: VARCHAR(30) Recipient Alt Text: VARCHAR(30) TsValue Date Time: TIMESTAMP EDIReceiverID: VARCHAR(35) RDD: DATE ▶FK Document Type Media: CHAR(13) ✓ Value Boolean: CHAR(1) EDIReceiverQu: VARCHAR(4) CRDD: DATE ⇒instance id: CHAR(13) Internal Comment: VARCHAR(30) Recipient Attention: VARCHAR(30) EDIMsgName: VARCHAR(6) Customer RDD: DATE Reason Text: VARCHAR(300) E-Mail Address: VARCHAR(1026) →FK Shipment Version: CHAR(13) →FK GEO SITE Scope: CHAR(13) EDIMsgRel: VARCHAR(12) ¥RDD Locked: CHAR(1) Amendment Outstanding: CHAR(1) FK Route Point Role Type Scope: CHAR Fax Number: VARCHAR(15) FK Approval Type: CHAR(13 EDIDate: VARCHAR(6) →FK Receipt-Delivery Mode Rec E: CHAR(→ Approval Object Entity: CHAR(13) Transaction Type: VARCHAR(30) ✓is Value To Be Specified: CHAR(1) EDITime: VARCHAR(4) →FK Receipt-Delivery Mode Del E: CHAR(1) Y Is External Approval: CHAR(1) #FK U-Adm Team Approver: INTEGER Domain: VARCHAR(20) Act As Domain: VARCHAR(20) EDICntlRefNumber: VARCHAR(14) EDIMsgRefNumber: VARCHAR(14) ⇒FK GEO SITE POE: CHAR(13) →FK GEOGRAPHIC AREA POE: CHAR(13) Taiwan Unique Hack: CHAR(16) (AK1.1) Shipment Cargo Type FK Approval Party Type: CHAR(1 Create Time: TIMESTAMP EDIAckRequest: VARCHAR(1) → EK GEO SITE POR EDI: CHAR(13) ⇒instance id: CHAR(13) External Approver Name: VARCHAR(30) Status Timestamp: TIMESTAMP FK GEOGRAPHIC AREA POR EDI: CHAI EDITestFlag: VARCHAR(1) Cargo Type Define →FK GEO SITE POD EDI: CHAR(13 →Instance Id: CHAR(13) **RKDS Transport Doo** instance id: CHAR(13) →FK GEOGRAPHIC AREA POD EDI: CHAF →FK Cargo Type Define: CHAR(1 Time Due Approval: DATETIME →FK Shipment Property: CHAR(13 ⇒instance id: CHAR(13) ✓ Applies: CHAR(1) Name: VARCHAR(30) Note To External Approver: VARCHAR(200 Presentation Sequence: NUMBER V Is Current: CHAR(1) Value String: VARCHAR(4000) (IE1 Data Release Date: DATETIME BL Issue Date: DATETIME


GCSS_DM_ERWIN72_R18.0 -- Attribute View / 01.1 Transport Document





GCSS_DM_ERWIN72_R18.0 -- Entity View / 01.2 Transport Doc Zoom














Quote Container Type [□]#Quote Container Type Key: NUMBER Container Size: VARCHAR(2) Container Type: VARCHAR(10) Description: VARCHAR(100) Date Valid From: DATE Date Valid To: DATE **Quote Container Property** Container Type EQST □ Quote Container Prop Key: NUMBER →instance id: CHAR(13) ☐#Quote Container Type Key: NUMBER ■ FK Quote Container Type: NUMBER Container Property Type: VARCHAR(30) EQTYPE: CHAR(4) EQSTYPE: CHAR(4) COSIZE: CHAR(2) ¥Value Numeric: NUMBER EQSTPDSC: VARCHAR(30) Value Numeric Low: NUMBER ¥Value Numeric High: NUMBER ISO Code: CHAR(4) Value Boolean: VARCHAR(1) EQOUTHGT: NUMBER(10) Average Tare Weight Kg: NUMBER(5) Select Eligible: VARCHAR(1) ls Default: VARCHAR(1) Conversion Remark: VARCHAR(50) kels Chargeable: VARCHAR(1) **Is**Create Time: TIMESTAMP ls Quantifiable: VARCHAR(1) User: VARCHAR(20) Is Update Time: TIMESTAMP Date Valid From: DATE ■Date Valid To: DATE Use User: VARCHAR(20) **Quote Container Property Type** Container Property Type: VARCHAR(30)

Description: VARCHAR(100)

Date Valid From: DATE

Date Valid To: DATE

Value Type String: VARCHAR(1)


Value Type Numeric: VARCHAR(1)


Value Type Numeric Range: VARCHAR(1


Value Type Numeric Scale: NUMBER(2)


Sevalue Type Numeric Unit: VARCHAR(50)


ReValue Type Boolean: VARCHAR(1)

















PD_LAST_NAME

PD_FIRST_NAM

PD INITIALS

 $\Rightarrow \hspace{-0.5em} \bigcirc$

Uses Struc Update User

7SCreate Time

Un Create User

15Update Time

Undate User

→SYSTEM GENERAT

#CONTENTS INDICA


5VALID DATE FROM


VALID DATE TO


BDA NAME


STATUS


GCSS_DM_ERWIN72_R18.0 -- Attribute View / 08 Space Allocation
































SAFTMAN ARCHARGO
SAFTMA I JECOCGAL: NUMBER(10)
JECOCLA: NUMBER(10)
JECOCLA: POVARCHAR(1)
JECOCLA: POVARCHAR(1)
JECOCLA: POVARCHAR(1)
JECOSTANIO: VARCHAR(1)
JECOSTANIO: VARCHAR(1)
JECOSTANIO: VARCHAR(1)
JECOSTANIO: VARCHAR(1)
JECOSTANIO: VARCHAR(1)
JECOTALIO: VARCHAR(1)
JECOTALIO: VARCHAR(2)
JECOCOSZ: VARC Seconary: VARCHAR(1)
Seconary: HOOGREARU: VARCHAR(I HRNDEPD05: VARCHAR(1 HOOGRGHT: NUMBER(10) #JOOGLEFT: NUMBER(10)
#JOOGLEFT: VARCHAR(1
#JOOGLEFT: VARCHAR(1
#JOOGTOP: NUMBER(10)
#JOOGTOP: VARCHAR(1)
#JOOGTOP: VARCHAR(1)
#JOOGTOP: VARCHAR(15)
#JOOGLEFT: VARCHAR(15)
#JOOGLEFT: VARCHAR(15)
#JOOGLEFT: VARCHAR(15)
#J

SACTTM: DATE

"GACTIM: DATE

#JACIDAT: DATE

#JACIDAT: DATE

#JACIDAT: DATE

#JACIDATION: VARCHARIS

#JACIT: VARCHARIS

#JACIT: GARCHARIS

#JACIT: GARCHARIS

#JACIT: GARCHARIS

#JACIT: VARCHARIS


#J


TOUCHINE DATE


AGCHLISER: VARCHAR(8)


TAGCHLISER: VARCHAR(8)


TAGCHLIST: VARCHAR(8)











Coloring Standard for Model Objects Not Part of GCSS Data

