Risk Assessment Report

Site: **Example Site**

Company: **The Technology Studio**

Risk assessment by: **Mark Short**

Task:	Example Task
Report Identifier:	ddfbbd12

Site:	Example Site (The Technology Studio)		**Assessor:**	Mark Short			**Created Date:**	02 May 2013		
				Risk Rating (L * S)				**New Risk Rating**		
Hazard	**Who might be harmed**	**How might they be harmed**	**Existing Controls**	L	S	R	**Further Controls/Actions**	L	S	R
ENV-Gases/Fumes/Vapours	Working Party	Land	• Medium Risk - Ensure existing controls are maintained and monitored • Emission monitoring (e.g. CEMS) • Stack height • In stack heaters • Electrostatic precipitators • SO3 injection • Ventilation of work area • Venting of storage vessels • Incineration • Absorption • Condensers • Wet scrubbers • Dry scrubbers • BAT • Flame arresters	5	5	**25**	• Emission monitoring (e.g. CEMS) • In stack heaters • Low nox burners • Ventilation of work area • Incineration • Adsorption • Filtration • Operating regime • Metering to check levels	2	5	**10**
Chemical	Working Party	Absorption	• Clean tools after use with COSHH assessed cleaning chemicals • PPE - Chemical resistant overalls to be worn (Standard BS EN 465)	4	5	**20**	• PPE - Safety glasses to be worn (Standard BS EN 166, 1F grade) • PPE - Respiratory protective equipment to be worn	4	2	**8**
Electricity	Working Party	Exposure to damaged electrical apparatus	• Insulation of electrical supply • PPE - Electrical Gloves (standard EN 60903) • Use of insulated tools	2	3	**6**		2	3	**6**
	Likelihood 1 = Highly unlikely, 2 = Unlikely, 3 = Possible, 4 = Likely, 5 = Certain						Low = 1 to 4			

Key:	**Severity** 1 = No injury, 2 = Minor injury, 3 = Medical treatment, 4 = Reportable, 5 = Major injury/Fatal	Risk Rating = L X S (Likelihood X Severity)	Medium = 5 to 11
			High = 12 to 25