				ı						
Task:		sdf								
Report Identifier:		d1ab0b2f						î		
Site:	sdf		Assessor:	mark sh			Created Date:		7 Fe 2013	
				Risk Rating (L * S)				New Risk Rating		
Hazard	Who might be harmed	How might they be harmed	Existing Controls	L	S	R	Further Controls/Actions	L	S	R
Confined Space	Others affected by hazard	Diving operations	 Openings barriered off PPE - Safety helmet to be worn (Standard BS EN 397) Medium Risk - Ensure existing controls are maintained and monitored Controlled release of stored energy Dust in work area cleared Emergency eye wash bottles to be carried Plant washed down to control the build up of dust and debris PPE - Eye protection to be worn (Standard BS EN 166) PPE - Safety glasses to be worn (Standard BS EN 166, 1F grade) PPE - Safety goggles to be worn (Standard BS EN 166, 1B grade) 	1	2	2		1	2	2
			 Openings barriered off PPE - Safety helmet to be worn (Standard BS EN 397) Medium Risk - Ensure existing controls are maintained and monitored 							

• Controlled release of stored energy

• Emergency eye wash bottles to be

Plant washed down to control the build up of dust and debris
PPE - Eye protection to be worn

• PPE - Safety glasses to be worn (Standard BS EN 166, 1F grade)

1

2

2

1 2 **2**

• Dust in work area cleared

(Standard BS EN 166)

carried

ENV-Fire

Working Party

Water

_	
 PPE - Safety goggles to be worn 	
(Standard BS EN 166, 1B grade)	