

eRisk Assessment Report

Visit www.eriskapp.co.uk for more information

Task:		sdf				
Report Identifier:		19c636a9				
Site:	sdf		Assessor:	mark sh	Created Date:	17 Feb 2013
				Risk Rating (L * S)		New Risk Rating
Hazard	Who might be harmed	How might they be harmed	Existing Controls	L S R	Further Controls/Actions	L S R
Confined Space	Others affected by hazard	Diving operations	<ul style="list-style-type: none">• PPE - Hearing protection to be worn (Standard BS EN 352)• PPE - Respiratory protective equipment to be worn• PPE - FFP2 disposable face mask to be worn (Standard BS EN 149)• PPE - FFP3 disposable face mask to be worn (Standard BS EN 149)• PPE - Half face mask to be worn (Standard BS EN 140)• PPE - Full face mask to be worn (Standard BS EN 136)• PPE - Eye protection to be worn (Standard BS EN 166)• PPE - Safety glasses to be worn (Standard BS EN 166, 1F grade)• PPE - Safety goggles to be worn (Standard BS EN 166, 1B grade)• PPE - Safety visor to be worn (Standard BS EN 166, 1B grade)	1 2 2		1 2 2
			<ul style="list-style-type: none">• PPE - Hearing protection to be worn (Standard BS EN 352)• PPE - Respiratory protective equipment to be worn• PPE - FFP2 disposable face mask to be worn (Standard BS EN 149)• PPE - FFP3 disposable face mask to be worn (Standard BS EN 149)• PPE - Half face mask to be worn			

ENV-Fire	Working Party	Water	(Standard BS EN 140) ● PPE - Full face mask to be worn (Standard BS EN 136) ● PPE - Eye protection to be worn (Standard BS EN 166) ● PPE - Safety glasses to be worn (Standard BS EN 166, 1F grade) ● PPE - Safety goggles to be worn (Standard BS EN 166, 1B grade) ● PPE - Safety visor to be worn (Standard BS EN 166, 1B grade)	1	2	2		1	2	2
ENV-Noise & Vibration	Working Party	Water	● PPE - Hearing protection to be worn (Standard BS EN 352) ● PPE - Respiratory protective equipment to be worn ● PPE - FFP2 disposable face mask to be worn (Standard BS EN 149) ● PPE - FFP3 disposable face mask to be worn (Standard BS EN 149) ● PPE - Half face mask to be worn (Standard BS EN 140) ● PPE - Full face mask to be worn (Standard BS EN 136) ● PPE - Eye protection to be worn (Standard BS EN 166) ● PPE - Safety glasses to be worn (Standard BS EN 166, 1F grade) ● PPE - Safety goggles to be worn (Standard BS EN 166, 1B grade) ● PPE - Safety visor to be worn (Standard BS EN 166, 1B grade)	1	1	1		1	1	1
Biological Hazard	Working Party	E-coli	● PPE - Hearing protection to be worn (Standard BS EN 352) ● PPE - Respiratory protective equipment to be worn ● PPE - FFP2 disposable face mask to be worn (Standard BS EN 149) ● PPE - FFP3 disposable face mask to be worn (Standard BS EN 149) ● PPE - Half face mask to be worn (Standard BS EN 140) ● PPE - Full face mask to be worn (Standard BS EN 136) ● PPE - Eye protection to be worn (Standard BS EN 166) ● PPE - Safety glasses to be worn	1	1	1		1	1	1

			(Standard BS EN 166, 1F grade) <ul style="list-style-type: none">● PPE - Safety goggles to be worn (Standard BS EN 166, 1B grade)● PPE - Safety visor to be worn (Standard BS EN 166, 1B grade)			
Key:	Likelihood 1 = Highly unlikely, 2 = Unlikely, 3 = Possible, 4 = Likely, 5 = Certain			Risk Rating = L X S (Likelihood X Severity)	Low = 1 to 4	
	Severity 1 = No injury, 2 = Minor injury, 3 = Medical treatment, 4 = Reportable, 5 = Major injury/Fatal				Medium = 5 to 11	
					High = 12 to 25	