| Task: | | е | | | | | | | | |
|--------------------|---|--------------------------|---------------------------------------|---|---|---|-----------------------------|--------------------|---|---|
| Report Identifier: | | 85e6b832 | | | | | | | | |
| Site: | е | | Assessor: | mark short | | | Created Date: | 07 Feb 2013 | | |
| | | | | Risk Rating (L * S) | | | | New Risk Rating | | |
| Hazard | Who might be harmed | How might they be harmed | Existing Controls | L | S | R | Further Controls/Actions | L | S | R |
| ENV Weather | All | Water | Use of sprag Warning signage in place | 1 | 1 | 1 | | 1 | 1 | 1 |
| | Likelihood 1 = Highly unlikely, 2 = Unlikely, 3 = Possible, 4 = Likely, 5 = Certain | | | Risk Rating = L X S (Likelihood X Severity) | | | Low = 1 to 4 | | | |
| Key: | $\mathbf{X} \mathbf{A} \mathbf{V} \mathbf{A} \mathbf{F} \mathbf{I} \mathbf{V} \mathbf{V} \mathbf{I} = \mathbf{N} \mathbf{O} \mathbf{I} \mathbf{D} \mathbf{I} \mathbf{I} \mathbf{F} \mathbf{V} \mathbf{V} \mathbf{I} \mathbf{A} \mathbf{D} \mathbf{D} \mathbf{I} \mathbf{F} \mathbf{V} \mathbf{V} \mathbf{A} \mathbf{A} \mathbf{D} \mathbf{D} \mathbf{D} \mathbf{I} \mathbf{A} \mathbf{D} \mathbf{D} \mathbf{D} \mathbf{D} \mathbf{D} \mathbf{D} \mathbf{D} D$ | | | | | | Medium = 5 to 11 | | | |
| | | | | | | | High = 12 to 25 | | | |