



OPEN *e*CLASS
Course Management System

Open eClass

Asynchronous eLearning Platform

Administrator Manual

The **Open eClass** platform is a complete Course Management System. It is the solution offered by the Greek Academic Network GUnet to support Asynchronous eLearning Services. It is mainly designed, developed and supported by the GUnet Asynchronous eLearning Group and is distributed for free as open-source software.

Title: Administrator Manual (Open eClass 2.4)

Date: May 2011

Copyright: GUnet Asynchronous eLearning group

Table of Contents


TABLE OF CONTENTS.....	3
1. PLATFORM ADMINISTRATION TOOL.....	4
2. USERS' ADMINISTRATION	5
2.1 LIST OF USERS / ACTIONS	5
2.1.1 Search for a User Account.....	5
2.1.2 Inactive users	6
2.2 TEACHER OPEN REQUESTS	7
2.2.1 Teachers' registration	7
2.3 USERS' AUTHENTICATION	8
2.4 MASS USER ACCOUNT CREATION	10
2.5 INFO EMAIL	11
3. COURSE ADMINISTRATION.....	12
3.1 COURSE/ACTIONS LIST	12
3.1.1 Course Search.....	13
3.2 COURSE RESTORE	13
3.3 FACULTIES / DEPARTMENTS ACTIONS	14
4. SERVER ADMINISTRATION	15
4.1 PROCEED WITH CLEAN-UP.....	15
4.2 PHP INFORMATION	15
4.3 DATABASE MANAGEMENT (PHPMYADMIN).....	15
4.4 DATABASE UPGRADE.....	16
5. OTHER TOOLS	17
5.1 ADMINISTRATOR'S ANNOUNCEMENTS	18
5.2 CONFIG FILE ECLASS.....	18
5.3 PLATFORM STATISTICS	19
6. EXTRA SETTINGS.....	20
6.1 CHANGE OF STUDENTS' REGISTRATION MODE.....	ERROR! BOOKMARK NOT DEFINED.
6.2 SECURE CONNECTION THROUGH HTTPS	20
6.3 HOMEPAGE RIGHT AND LEFT EXTRA INFO	21
7. COMMUNICATION.....	22

1. Platform Administration Tool

This manual refers to the Open eClass platform Administrator. It presents all the functionality of the platform's admin tools, in an analytical way. In order to access the Open eClass Admin Tool:

Type the Open eClass administrator's **username and password** on the platform's main page and press Enter.

Click on the **Admin Tool** link on the Administrator's portfolio left menu.



Pic.1. Open eClass Administration Tool

2. Users' administration

The Open eClass administrator can create two different account categories for platform users: **(a)** Student-User account, **(b)** Teacher account

A user account provides its owner the necessary rights to perform all the allowed actions, in accordance to his role in the platform, both in cases of Students and those of Teachers Users. Each user account is created in platform's main Database. **Notice!** that each user account expires after 4 years.

Open eClass platform supports 5 different ways of user account authentication. Through:

- (a)** the Open eClass platform (default)
- (b)** an LDAP Directory Service
- (c)** an IMAP Server
- (d)** a POP3 Server
- (e)** an EXTERNAL MySQL DATABASE
- (f)** Shibboleth server
- (g)** CAS server

Activation and adjustment of alternative user authentication ways in the platform will be analysed in a further section.

2.1 List of Users / Actions

2.1.1 Search for a User Account

There is a search for a user account form based on:

Name, Surname


ID or Username

Email Address

User type (role)

User's Registration Date

User Search

 All Users | Inactive Users


User Personal Data

First Name:





Last Name:

StudentID:

User type:

All Users 

Registration Date:

After   0  0 

Email:

Username:

Search

Pic.4. User Search

It should be noted that typing the full name and surname of the user is not necessary. The first letters of each are enough. If, for example, you want to browse the user "Nick Papadopoulos", typing "Nic" on the "Name" field is enough. Searching procedure will give you all users whose names start with "Nic" letters. It goes the same with the surname if you type "Papa" on the "Surname" field. Then all users whose surname starts with "Papa" will appear.

Notice! You are also given the opportunity to look for inactive users and renew a users' account for six months.

If you click on "Edit", (e.g. the 'pencil' icon) you can see the courses a user participates in. If the user is a student, there is an option of unregister him from the course.

Course code	Course Name	Course Registration Date	Property	Actions
» GNOSI106	Συνεργασία 22-2-2011	2011-02-22	Teacher	---
» GNOSI108	fhh	2011-04-05	Teacher	---
» TESTGU242	Γνωριμία με το Διαδίκτυο	2008-10-06	Teacher	---

Pic.3. User editing

In order to delete a teacher account you have to delete first all the courses that he is in charge. If you want to delete a student account, you have to unregister him from all the courses that he is participating. Please notice that if a user account is inactive only the platform's administrator can reactivate it.

Modify password

You can modify a users' password by clicking in 'Modify Password'.


2.1.2 Inactive users

If a user account is inactive, then you can re-activate it by clicking in 'Inactive users'.

2.2 Teacher open Requests

Here you can see a list of all open (pending) teachers' account applications.

TeachersOpen Requests

 Teacher registration Closed Requests Rejected Requests				
Edit (authentication via CAS Single Sign On) Edit (authentication via CAS Single Sign On)				
First Name Last Name	Username	Faculty	Date Request	Actions
» Όνομα Δάσκαλος	teacher10		2007-12-13	Edit
» Όνομα Δάσκαλος	teacher10		2007-12-13	Edit
» User Two	user2		2008-01-15	Edit (using an LDAP account)
» User Two	user2		2008-01-15	Edit (using an LDAP account)
» Φοιτητής Ευτυχισμένος	student		2009-03-23	Edit
» gsdf sdgfsd	dfs	Δοκιμαστικό 2	2010-07-22	Edit
» gsdf sdgfsd	dfs	Δοκιμαστικό 2	2010-07-22	Edit
» gf asgfsd	dsf	Δοκιμαστικό 2	2010-07-22	Edit
» gf asgfsd	dsf	Δοκιμαστικό 2	2010-07-22	Edit
» User Two	user2	Δοκιμαστικό 2	2010-07-22	Edit (using an LDAP account)

Pic.5 Presentation of teachers' open applications

You can perform the following actions:

to register a teacher to the platform,

to reject his applications or

to close the account application

The user-candidate teacher will be informed whatever action you choose and accomplish through an email which will be sent by the platform to inform him for his application status.

What is more, if you click on one of the links for account creation, (clicking on "Register"), the teacher registration operation will be fulfilled with the information the user provided on applying.

If you click on "Rejection", you reject the teacher's application. Fill in a form where you explain the reasons why the teacher application is not accepted. The text you will fill in will be mailed to the teacher's email address. The application is then closed and the teacher account is NOT created.

You are also given the option to ask for a list of all the already closed or rejected account applications in order to reactivate them.

2.2.1 Teachers' registration

With the option "**Teacher Registration**", you can create a new teacher account. In order to do so you have to fill the the account details (first name, last name, username, password, etc), in the refistration form. If

the teacher already has an LDAP, or IMAP or POP3 or an external MySQL account in the institute, he can register with the already existing account. If a teacher doesn't have an account then he needs to apply for a new one through the account application form. (analysed in the next section Teachers' Applications).

Platform Administration Tools

Teacher registration

The screenshot shows a web form titled "New teacher account details". It contains the following fields and controls:

- First Name: (*)
- Last Name: (*)
- Username: (*)
- Password: fue481
- Email: (*)
- Telephone:
- Faculty: ▼
- StudentID:
- Language: ▼

A "Registration" button is located at the bottom right of the form.

Pic.6. Teacher Registration form for administrators

2.3 Users' Authentication

This operation allows the platform administrator to designate alternative ways of user account authentication. More specifically, the available alternatives are through:

- (a) the Open eClass platform, (default)
- (b) an LDAP Directory Service
- (c) an IMAP Server
- (d) a POP3 Server
- (e) an External MySQL Database
- (f) a Shibboleth Server
- (g) a CAS Server

User Authentication

Activated Authentication Modes:

- using Open eClass
- using a POP3 mail account
- using an IMAP mail account
- using an LDAP account
- Authentication via Shibboleth

Select the user authentication Method and define its method settings		
POP3:	[Inactivation]	Authentication Settings
IMAP:	[Inactivation]	Authentication Settings
LDAP:	[Inactivation]	Authentication Settings
External DB:	[Activation]	Authentication Settings
Shibboleth:	[Inactivation]	Authentication Settings
CAS:	[Activation]	Authentication Settings

Pic 7. Activation – Adjustment of users' configuration modes

By default user's account is created on the Open eClass platform database, while other user account authentication services (e.g. LDAP, IMAP, POP3, external DATABASE, Shibboleth, CAS) may also undertake the user account authentication. When a student or a teacher is about to register to the platform, they will view all the activated ways of user account authentication.

The steps in activating an alternative authentication method are the following:

1. You select the method you want to activate
2. You insert the authentication settings (server name and login account)
2. then click on "Activation" from the initial list for the method chosen

For authentication via CAS you must know some settings like CAS server url, port number, url of login page, url of logout page (if exists), certificates file (if exists) and some attributes required for accessing eClass like user email ,user first name and user surname. Note that none of them are required

Also for shibboleth authentication you will be asked for shibboleth variable names e.g. \$_SERVER["mail"], \$_SERVER["uid" and \$_SERVER["givenName"]. These variables names are mapped to attributes email, username and canonical name. If shibboleth canonical name includes user first name and user surname then you must define a separator character between first name and surname. All of these will be written to file (path of eClass)/secure/index.php

So, if you don't know some of them, you can modify the above file later.

2.4 User e-mail Verification

A list of users who have their email verified or not is displayed. Note that you can modify email verification status by clicking in "modify".

Εργαλεία Διαχείρισης Πλατφόρμας

Επιβεβαίωση E-mail χρηστών

Ρυθμίσεις επιβεβαίωσης e-mail διεύθυνσης χρηστών		
Να είναι υποχρεωτικό το email του χρήστη:		Όχι
Να είναι υποχρεωτική η επιβεβαίωση του e-mail του χρήστη:		Ναι
Να μην γίνεται αποστολή e-mail σε χρήστες που δεν έχουν επιβεβαιώσει την e-mail διεύθυνση τους:		Ναι
Χρήστες που έχουν επιβεβαιώσει το e-mail τους	1427	Αλλαγή
Χρήστες που δεν έχουν επιβεβαιώσει το e-mail τους	0	Αλλαγή
Χρήστες που εκκρεμεί η επιβεβαίωση του e-mail τους	1	Αλλαγή
Σύνολο χρηστών	1428	

**Σημείωση:**

Εάν είναι υποχρεωτική η επιβεβαίωση του e-mail του χρήστη και η επιβεβαίωση εκκρεμεί, τότε ισχύουν τα παρακάτω μέχρι να ολοκληρωθεί η επιβεβαίωση:


- η πλατφόρμα θα παραπέμπει τον χρήστη στη σελίδα επιβεβαίωσης του e-mail
- ο χρήστης δεν θα λαμβάνει e-mail με ανακοινώσεις από τα μαθήματα που παρακολουθεί

2.5 Mass user account creation

You enter in the area below a list of user details, one line per each new user account. The order of the user information is defined in the field before the area, where possible labels are:

- first: First name
- last: Last name / surname
- email: e-mail address
- id: Student ID
- phone: Phone number
- username: Username

To have the users automatically registered to some courses, please add the course codes after the user details in the end of each line. The e-mail address is optional - you can use a hyphen (-) in its place if you want to omit it. Lines beginning with # are ignored. If you don't specify usernames, they will be automatically creating by appending a serial number to the user prefix entered below.




The 'Usernames' form is used for mass user account creation. It includes the following fields and options:

- Field order definition:** A text input field containing 'first last id email phone'.
- Users Data:** A large, empty text area for pasting user data.
- Account type:** A dropdown menu set to 'students'.
- Username prefix:** A text input field containing 'user'.
- Faculty:** A dropdown menu set to 'Δοκιμαστικό 2'.
- StudentID:** A text input field.
- Language:** A dropdown menu set to 'English'.
- Info email:** A checkbox labeled 'E-mail account information to users'.
- Submit:** A button at the bottom right.

Pic 8. Mass user account creation

2.6 Info email

You can send an informational email to all users or to teachers solely, who are registered to the Open eClass platform. Fill in your message in the text field that appears and select where you will address it to from the list (to all users or to teachers solely).



The 'Send information e-mail to teachers' form is used to send informational emails. It includes the following fields and options:

- When you remove the test forum, it will remove all messages in that forum too.** A warning message.
- Type your message below:** A large text area for composing the message.
- Send mail:** A dropdown menu set to 'to teachersonly'.
- Submit:** A button at the bottom right.

Pic.9. Sending an Informational e-mail

2.7 Administrators

You can assign to users three different roles of administration. The first role is "Administrator" who have full access and can administrate all aspects of the platform. The second role is "Co-administrator" who can administrate only courses and users. Finally, the third role "Users administrator" can administrate only users.

Διαχειριστές

Συμπλήρωση στοιχείων

Όνομα χρήστη (username)

Ανάθεση ρόλου

☒ Διαχειριστής (Ο διαχειριστής μπορεί να διαχειριστεί όλη την πλατφόρμα)

☐ Βοηθός διαχειριστή (Ο βοηθός διαχειριστή διαχειρίζεται τα μαθήματα και τους χρήστες)

☐ Διαχειριστής Χρηστών (Ο διαχειριστής χρηστών διαχειρίζεται τους χρήστες)

Προσθήκη

ID	Όνοματεπώνυμο	Όνομα χρήστη (username)	Ρόλος	Ενέργειες
1.	Ασύγχρονος Τηλεκαπαίδευσης Ομάδα	admin	Διαχειριστής	---

[Επιστροφή](#)

3. Course Administration

In this section you can see the tools available in platform for courses administration.

3.1 Course/Actions List

You are presented a list of all eCourses, open, open in registration and closed.

[illegible]

Pic.10. List of courses

There is basic information about the courses, as well as the several actions (operations) concerning them.

If you click on **"Users"** you will be able to see all the users, students and teachers, who are registered to the course.

You can delete a course (after confirming it) by clicking on **"Delete"**.

Finally, you can click on **"Edit"** to get more information on the course. This information appears on a new page, like course details, storage limits (Quotas) and course status. If you click on **"Edit"**, you can change the information provided for each course. What is also very helpful is the additional operations offered:

Users List: it has exactly the same function as the "Users" option .

Quick Registration – deleting teachers – students: in this point you can delete users or add new ones with a student or teacher role, through an efficient environment.


Security copy reception: with this option, you can get a course backup, which you can return to the course afterwards.

Total course deletion: it deletes the whole course after the relevant confirmation page.

3.1.1 Course Search

Use this page to search for Open eClass courses. The research can be done based on the titles of the courses (you need to fill in the relevant field), the course code (you need to fill in the relevant field), and the type of access for each course (choosing from the list) or the faculty/department (choosing from the list).

Search for Courses



Search Criteria	
Title:	<input type="text"/>
Code:	<input type="text"/>
Access type:	<input type="text" value="(all access types)"/>
Faculty:	<input type="text" value="All faculties"/>
<input type="button" value="Search"/>	

[Back](#)

Pic.11. Course Search

In order to do an extensive search, you have to fill in more than one field in the form. The results are presented in a list of Courses, as analysed before.

3.2 Course Restore

Restore an Open eClass Course presupposes that the teacher in charge has got a backup file of the course.

Course Retrieval

The screenshot displays two distinct methods for course retrieval. The 'First Way Method' section includes a text instruction to click 'Browse' to search for a backup file and then 'Submit'. It features a text input field, a 'Browse...' button, and a 'Submit' button. The 'Second Way' section provides an instruction for restoring large files by entering a server directory path, followed by a text input field and a 'Submit' button.

Pic.12. Course Retrieval

1st Mode: You will be asked the backup file name.

Search for the backup file name through the "**Browse**" option.

Click on the "**Sent**" option.

After the decompression, a list of courses included in the backup file will be presented to you.

Select the course you want to retrieve and Click on "**Retrieval**".

On the next page you will have to fill in the new course details for the course to be created through retrieval.

Change the course code (if there is an already existing code, you will be shown the relevant message).

Change the rest of the details if necessary (e.g. Teacher, description etc).

You may wish to check the "Course Users will be added" option, to notify if you want any (old) course users to be added. This option is related to the next one, «A prefix will be added to the names of users", so as to add a prefix to the already existing usernames. This is done with an aim at avoiding technical obstacles (double user ids), in case of some users having the same username, already existing on the platform. In case you click on the above options, it is advisable that all users are informed concerning their usernames and make sure they change them themselves as well. It should be noted that the above DO NOT stand for the course teacher. That is to say that the teacher's username is NOT altered, not added a prefix either.

2nd Mode: In case that the file is too big to be uploaded to the server, you can ftp the file into server's filesystem and then you can use the second mode, giving the server the file path. The rest of the process follows as described above.

3.3 Faculties / Departments Actions

You will be presented a list of all Open eClass schools/departments.

If you click on "Add", you can add a new school / faculty. You will be transferred to a form where you will be asked to enter the name and code of your school. For example, if you want to enter the "English Literature"

school, you can enter "ENL" as a code and "English Literature" as a name. You will have to be sure that the code includes ONLY Latin characters. As you have finished with details input, click on the "Add" button.

You can also delete a school from the list. This can be done by clicking on "Delete". It should be stressed that deletion of a school can take place ONLY if there are no courses related to that school.

List of Faculties/Departments - Actions

add

There are: 3 Faculties		
Faculty	Course code	Action
» Διευκρινιστικό 1	TEST01	✗ [
» Διευκρινιστικό 2	COURSE01	✗ [
» ΓΕΩΓΡΑΦΙΑ, κοινή αξιολόγηση με το σύστημα διδασκαλίας	CH01	✗ [

B

Pic.13 List of Schools

4. Server Administration

In this unit one can see the tools available for administrating the platform server.

4.1 Proceed with clean-up


This operation will clean up old files from the "temp", "archive", "garbage", and "tmpUnzipping" directories.

4.2 PHP Information

Technical information about PHP (its edition, the supported modules, parameters and regulations it runs with etc.) of the operating system that hosts eClass.

4.3 Database Management (phpMyAdmin)

You are provided with the phpMyAdmin tool, which is an open source software available for managing the Open eClass platform Database.



Pic.14 Database Administration


4.4 Database Upgrade

With this tool, you can upgrade the system Database in case of a system upgrade to a more recent edition. After having read the instructions and the changes of the new edition, click on "Database Upgrade". Database upgrade will be done automatically, while analytical information on the changes having taken place will be presented as well.

Open eClass - Asynchronous Teleteaching Platform

Database upgrade

WARNING!
The upgrade script will modify configuration file *config.php*. Please make sure that web server have access to *config.php*. For security reasons, current configuration of *config.php* will remain in file *config_backup.php*.

 **Also for security reasons make sure that you have backedup all the databases.**

To review all the new features and changes of eClass new version click [here](#). If you haven't done that, please read carefully **upgrade instructions** before continue.
To continue upgrade process, please enter platform administrator username / password:

Username / Password

Username:
Password:

Database upgrade

Pic.15 Database Upgrade

Note: Database upgrade can be done directly through:

[http://\(eclass_url\)/upgrade/index.php](http://(eclass_url)/upgrade/index.php)

You can use this alternative in case you cannot log in to the system as an admin after the upgrade.

5. Other Tools

Here you can see some additional tools that are available to you. These tools cover:

Administrator's Announcements

Open eClass config file


Platform statistics












Platform's version

5.1 Administrator's Announcements

Here, you can insert announcements concerning the platform, which appear on the Open eClass main page. Choose to add an announcement and fill the form fields (title, announcement, comments) in all the languages supported by the platform.

Admin Announcements

 Add Admin Announcement

Title	Announcement	Actions
» Platform's design principles Thu June 23, 2011	The Open eClass platform is available as open source software. Its design principles include ease of use by end users without specialized technical skills, multilingual support, adaptability to current and future demands, and simple software upgrade and extension. The service is accessible via any web browser.	  
» Φιλοσοφία Πλαφόρμας Thu June 23, 2011	Ακολουθεί τη φιλοσοφία του λογισμικού ανοικτού κώδικα και υποστηρίζει την υπηρεσία Ασύγχρονης Τηλεκπαίδευσης χωρίς περιορισμούς και δεσμεύσεις. Η πρόσβαση στην υπηρεσία γίνεται με τη χρήση ενός απλού φυλλομετρητή (web browser) χωρίς την απαίτηση εξειδικευμένων τεχνικών γνώσεων. Ακολουθεί τη φιλοσοφία του λογισμικού ανοικτού κώδικα και υποστηρίζει την υπηρεσία Ασύγχρονης Τηλεκπαίδευσης χωρίς περιορισμούς και δεσμεύσεις. Η πρόσβαση στην υπηρεσία γίνεται με τη χρήση ενός απλού φυλλομετρητή (web browser) χωρίς την απαίτηση εξειδικευμένων τεχνικών γνώσεων.	   
» Στόχος Δράσης Τηλεκατάρτισης Thu June 23, 2011	Στόχος είναι η ενίσχυση της εκπαιδευτικής διαδικασίας, προσφέροντας στους συμμετέχοντες ένα δυναμικό περιβάλλον αλληλεπίδρασης και συνεχούς επικοινωνίας εκπαιδευτή εκπαιδευόμενου. Ειδικότερα, επιτρέπει στον εκπαιδευτή την ηλεκτρονική οργάνωση, αποθήκευση και παρουσίαση του εκπαιδευτικού υλικού και παρέχει στον εκπαιδευόμενο ένα εναλλακτικό κανάλι εξατομικευμένης μάθησης ανεξάρτητο από χωροχρονικές δεσμεύσεις.	   

Pic.16 Administrator's Announcements

5.2 Config file eClass

You can view the basic Open eClass configuration file (*config.php*). In this file, are stores all the platform setting from the installation procedure.

All these settings (*config.php*) are presented in a form, so you can alter them (BEING VERY CAREFUL) and store them again in a new config file. If you tick the Substitution option of the *config_backup.php*, you save the old setting in the homonym file (deleting the old file, if any). If something failed during substitution of the *config.php* variables, you can retrieve the variables of the last config file by clicking on "Restore values from backup". The form will retrieve the old prices automatically, so you will be able to proceed with saving the old config settings.

Settings of table `config`

During installation of eClass table config is created. Each row of table is a (optional) setting of platform. Installation program asks for these settings. If you don't know what to do, leave it as they are. All of them have a default value. You can change them later in via the admin tool. These settings are:

- *disable_eclass_stud_reg*: Student registration is disabled
- *disable_eclass_prof_reg*: Teacher registration is disabled
- *close_user_registration*: Registration of users with 'student' rights will not be free anymore. Users will have to follow a process similar to the teacher account creation process, namely filling in a student account application form, in order to obtain a platform account. The application will be examined by the administrator who either approves of it and opens an account, or rejects it.
- *durationAccount*: Duration of users account.
- *alt_auth_student_req*: Activation of users account request through alternative authentication methods.
- *email_required*: During user registration, email is required.
- *am_required*: During user registration student ID is required.
- *dropbox_allow_student_to_student*: In dropbox module, users can send files to each other.
- *dont_display_login_form*: Login form will not be visible in home page. A link to it, will be appeared.
- *block_username_change*: Users will not be able to change their usernames.
- *betacms*: Activates the OpeneClass Beta CMS bridge. Beta CMS is a platform used in the LGAF infrastructure.
- *Display_captcha*: Users must supply a secure code during their registration (also known as 'captcha')
- *Insert_xml_metadata*: Teacher can create a metadata file (according to LOM) in "Documents".


By default, none of them is enabled. Also administrator can define the default quota for modules 'Documents', 'Video', 'Group' and 'Drobox' for a new course. Keep in mind that you can modify them for a course only by clicking in "Courses List / Actions". The default theme of platform is 'classic'. You can change it to "modern" or "ocean" by clicking in "Theme". Note the change will be visible to users after next login to platform. Also you can define the available course languages. Spanish and German are available.

5.3 Platform Statistics


One of the strongest parts of the administration tool is the visiting, participation and platform use statistics.

Special emphasis has been given to the statistics use observation, both by admins and external users, so that evaluations of the value of platform services can be processed easily. To be more specific, some details concerning the educational process, participation and evaluation are presented in a systematic way (briefly for example, in charts), so that they can be used variously, if desirable.

Several statistics around eClass, like login number, number of students, number of teachers etc. The ones supported are briefly categorised as: a) General Statistics, b) Visitation Statistics, c) Course pages visitations, d) Monthly Reports



Pic.17 General Open eClass Platform Statistics



Pic.18 Callings statistics

6. Extra Settings

Below you can see some more settings supported by the Open eClass platform and available to its administrator.

6.1 Secure Connection through HTTPS

During platform users' login, the username - password are transferred through the non-secure HTTP connection and may be intercepted if someone is watching the network used. The solution to this problem is the use of secure HTTP connection. For that to happen, the web server will need to support secure SSL connections of the <https://openecclass.gunet.gr/> type. If you want all users' connections to be done through a secure connection, you only have to change the urlServer variable on config.php with having an https prefix. Otherwise, you can use HTTPS only during the connection and users' profile change that is when codes are

transferred (proper solution). In that case, you will have to define the `urlSecure` variable in `config.php` as follows:

```
$urlServer    =    "http://openeclass.gunet.gr/";  
$urlSecure    =    "https://openeclass.gunet.gr/";
```

In order for the web server to accept HTTPS connections, it has to go further than this manual. However, you should notice that the HTTPS support in the 1.3 Apache version demands a special web server edition; while 2.x editions have this support intergraded.

6.2 Homepage Right and Left Extra Info

This platform edition allows the admin to publish informational texts on the platform homepage. They are usually texts of general interest or links to other relevant services. Publication of those texts is done by introducing a plain html hypertext to the **`eclass_home_extras_left.html`** and **`eclass_home_extras_right.html`** documents in the platform's root directory.

If you want to modify any message of platform then proceed with the following actions: Create a file of type `.php` with name `english.inc.php` (or `greek.inc.php`) and place it in directory `(eclass path)/config/`. Find the variable name which contains the message you wish to change and assign it the new message. e.g. If you want to change message `$langAboutText = "The platform version is";` create the file `english.inc.php` in the directory `(eclass path)/config/` with the following contents:

```
<?php  
$langAboutText = "Version is";
```

This way, you will preserve custom messages in future upgrades of the platform.

You can modify the names of the basic roles of the users of the platform by redefining in these files the message variables found in `(eClass_path)/modules/lang/greek/common.inc.php`.

You can add text (e.g. information, links, etc.) to the left and right sidebars of the platform homepage by assigning the variables `$langExtrasLeft` and `$langExtrasRight` respectively.

Open eClass supports mathematical symbols in the Exercises, Forums and Announcements subsystems. In Exercises you can add math symbols in the "Exercise Description" field when creating or modifying a new exercise, and in "Comment" when adding or modifying a question, in Forums when you compose a new message or reply to an existing one, and in Announcements when a new announcement is created. Math symbols must be enclosed in `[m]` and `[/m]` tags. E.g. when you type

```
[m]sqrt{x-1}[/m]
```

the square root of $x-1$ will appear. Mathematical symbols syntax can be found in the `PhpMathPublisher` help file. Older versions used the `<m>` and `</m>` which are still supported, although using the newer tags in brackets is recommended.

7 . C o m m u n i c a t i o n

The Open eClass platform has been designed and is actively supported by the GUnet Asynchronous eLearning Group. For more information on the Open eClass platform, as well as for technical advice and reporting problems or errors, you can contact the GUnet Asynchronous eLearning Group (admin@openeclass.org)