MACHINERY & PRODUCTION LINES · LULEÅ, SWEDEN

Automotive Press Hardening Plant

Every machine of the plant grouped into halls, equipment categories and complete process lines. Each station shows the machine placed from the listing with its original photograph, or NOT AVAILABLE where the listing has nothing.







Automotive Press Hardening Plant
Luleå, Sweden · Hot stamping · body-in-white parts
1 hall · 4 lines · 28 stations · 31 lots · 93 photographs · 0 not available

CONTENTS

What is in this brochure

1	Automotive Press Hardening Plant	Plant overview and site plan, 1 halls with 4 production lines and areas, one page per line with its 3D view, machines and photographs
2	Equipment catalogue by category	Category-wise machinery summary and every lot with its catalogue sheet or photographs
3	Not available	Stations with no machine in the listings, to be sourced separately

Station key

- Machine placed
- Alternate machine
- With press / line
- Suggested reuse
- Shared
- NOT AVAILABLE

LULEÅ, SWEDEN · HOT STAMPING · BODY-IN-WHITE PARTS

Automotive Press Hardening Plant

A complete press hardening (hot stamping) plant for structural and safety-critical car body parts. 30 machines form four lines from blanking through furnace, hydraulic press, 3D laser trimming, shot blasting and CMM inspection, plus the deep drawing press, the tool shop and the robot grinding cell.

1	4	28	19	31	31	93	0
Halls	Lines & areas	Stations	Machines placed	Catalogue lots	Units	Photographs	Not available








Machines and photographs from the plant listings; line groupings and station assignments are an engineering assessment. Availability, condition and terms are to be confirmed with the seller.

AUTOMOTIVE PRESS HARDENING PLANT · SITE PLAN

Plant layout

Every hall as a plan view from its 3D model, with the number of lines and the approximate footprint. Halls are arranged for overview and are not to scale between each other.



Machines and photographs from the plant listings; line groupings and station assignments are an engineering assessment. Availability, condition and terms are to be confirmed with the seller.

AUTOMOTIVE PRESS HARDENING PLANT · HALLS

Halls and departments

Hall / department	Lines / areas	Stations	Not available	What it covers
Press Hardening Hall	4	28	0	Four hot-stamping lines with support departments

AUTOMOTIVE PRESS HARDENING PLANT · HALL


Press Hardening Hall

Blanking, furnace heating with atmosphere control, hydraulic press hardening, 3D laser trimming, shot blasting and CMM inspection, with tool shop and robot grinding along the aisle.



Plan view from the 3D model

Line	Process	Stations	Not available
Press Hardening Line 1	Schuler SHC 1200-3.2x1.4 1,200 t	7	0
Press Hardening Line 2	Schuler HPDZB 500-2150/500 500 t	7	0
Press Hardening Line 3	Cavenaghi CRH12 000KNKM 1,200 t	7	0
Press Hardening Line 4	Cavenaghi CRCK 15001 1,200 t	7	0
Support	Schuler SML4-1000-3,6x2,6-1100 deep drawing press (HF-2); Deckel Maho DMU 80P duoBlock 5-axis machining center (TS-1); Deckel Maho DMU 100 monoBlock 5-axis machining center (TS-2); Deckel Maho DMU 125 P hi-dyn 5-axis machining center (TS-3); Matsuura FX-10 3-axis high-speed machining center (TS-4); Danobat RMT-1600 CNC-1 surface grinding machine (TS-5); Zayer KPU/AR 5-axis machining center (TS-6);	11	



AUTOMOTIVE PRESS HARDENING PLANT · PRESS HARDENING HALL

Press Hardening Hall — 7 process steps

Step	Station	What happens
S01	**Blanking**	Steel coil is uncoiled, straightened and cut into flat blanks on a mechanical blanking press, then stacked for the furnace.
S02	**Furnace heating**	Blanks run through a continuous furnace and are heated to austenitizing temperature (typically around 900–950 °C for boron steel) so they can be formed hot.
S03	**Furnace atmosphere control**	A central system controls the protective gas atmosphere in the furnaces, which limits scale and decarburization on the hot blanks.
S04	**Hot forming & die quenching**	The hot blank is moved into the hydraulic press, formed in one stroke and held closed while the water-cooled die quenches it, turning it into ultra-high-strength martensitic steel.
S05	**3D laser trimming**	Hardened parts are too hard for trim dies, so 5-axis 3D laser cells cut the outline, holes and slots. Each line has two cells to keep up with the press.
S06	**Shot blasting**	Steel shot blasts the parts to remove furnace scale before welding and painting.
S07	**Quality inspection (CMM)**	A coordinate measuring machine checks part geometry, trim lines and hole positions against the CAD model.

Machines and photographs from the plant listings; line groupings and station assignments are an engineering assessment. Availability, condition and terms are to be confirmed with the seller.

AUTOMOTIVE PRESS HARDENING PLANT · PRESS HARDENING HALL · LINE 01

Press Hardening Line 1

Schuler SHC 1200-3.2x1.4 1,200 t · 7 stations · 7 machines placed



#	Station	Status	Machine / lot
01	**Blanking**	Machine placed	HF-3 Müller-Weingarten HUQ 630.28 blanking line · 1996/2012 · 630 t · 15–60 strokes/min Mechanical blanking line, rebuilt 2012. Serves Lines 1 and 2.
02	**Furnace heating**	With press / line	HF-1 Continuous furnace (part of the press hardening line) · 2007 The furnace ships with the press hardening line HF-1.
03	**Furnace atmosphere control**	Machine placed	HF-8 ITSAB central furnace atmosphere control system · 2025 · Central gas atmosphere control for all furnaces New in 2025. One central system serves all four press hardening lines.
04	**Hot forming & die quenching**	Machine placed	HF-1 Schuler SHC 1200-3.2x1.4 hydraulic press hardening line · 2007 · 1,200 t · stroke 1,200 mm · 360 mm/s Newest and fastest press hardening line in the plant.
05	**3D laser trimming**	Machine placed	LC-1 + LC-2 2 × Trumpf TruLaser Cell 8030 L45 · 2015 · 5-axis 3D laser · TruDisk 3001 · 3 kW each Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
06	**Shot blasting**	Machine placed	SF-1 Schlick Roto-jet shot blasting system · 1988 · Roto-jet blast machine Serves Lines 1 and 2.
07	**Quality inspection (CMM)**	Machine placed	QC-2 Carl Zeiss Contura G2 RDS CMM · 2007 · 3-axis CMM with RDS articulating probe head Serves Lines 1 and 2.



Blanking



Furnace heating



Furnace atmosphere control



3D laser trimming



Shot blasting




Quality inspection (CMM)

Machines and photographs from the plant listings; line groupings and station assignments are an engineering assessment. Availability, condition and terms are to be confirmed with the seller.

AUTOMOTIVE PRESS HARDENING PLANT · PRESS HARDENING HALL · LINE 02

Press Hardening Line 2

Schuler HPDZB 500-2150/500 500 t · 7 stations · 7 machines placed



#	Station	Status	Machine / lot
01	**Blanking**	Shared	HF-3 Müller-Weingarten HUQ 630.28 blanking line · 1996/2012 · 630 t · 15–60 strokes/min One unit shared with Line 1; it is placed in the 3D hall on Line 1.
02	**Furnace heating**	With press / line	HF-5 Continuous furnace (part of the press hardening line) · 2002 The furnace ships with the press hardening line HF-5.
03	**Furnace atmosphere control**	Shared	HF-8 ITSAB central furnace atmosphere control system · 2025 · Central gas atmosphere control One unit shared with Line 1; it is placed in the 3D hall on Line 1.
04	**Hot forming & die quenching**	Machine placed	HF-5 Schuler HPDZB 500-2150/500 hydraulic press hardening line · 2002 · 500 t · stroke 1,200 mm · 110 mm/s Smallest press hardening line, suited to smaller parts.
05	**3D laser trimming**	Machine placed	LC-3 + LC-4 2 × Trumpf TruLaser Cell 8030 L45 · 2014 / 2015 · 5-axis 3D laser · TruDisk 3001 · 3 kW each Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
06	**Shot blasting**	Shared	SF-1 Schlick Roto-jet shot blasting system · 1988 · Roto-jet blast machine One unit shared with Line 1; it is placed in the 3D hall on Line 1.
07	**Quality inspection (CMM)**	Shared	QC-2 Carl Zeiss Contura G2 RDS CMM · 2007 · 3-axis CMM One unit shared with Line 1; it is placed in the 3D hall on Line 1.


Blanking


Furnace heating


Furnace atmosphere control


3D laser trimming


Shot blasting



Quality inspection (CMM)

Machines and photographs from the plant listings; line groupings and station assignments are an engineering assessment. Availability, condition and terms are to be confirmed with the seller.

AUTOMOTIVE PRESS HARDENING PLANT · PRESS HARDENING HALL · LINE 03

Press Hardening Line 3

Cavenaghi CRH12 000KNKM 1,200 t · 7 stations · 7 machines placed



#	Station	Status	Machine / lot
01	**Blanking**	Machine placed	HF-4 Benelli blanking line · 1962 · 250 t · stroke 150 mm Oldest machine in the plant (1962). Serves Lines 3 and 4; check condition before relying on it.
02	**Furnace heating**	With press / line	HF-6 Continuous furnace (part of the press hardening line) · 1994 The furnace ships with the press hardening line HF-6.
03	**Furnace atmosphere control**	Shared	HF-8 ITSAB central furnace atmosphere control system · 2025 · Central gas atmosphere control One unit shared with Line 1; it is placed in the 3D hall on Line 1.
04	**Hot forming & die quenching**	Machine placed	HF-6 Cavenaghi CRH12 000KNKM hydraulic press hardening line · 1994 · 1,200 t · stroke 720 mm · 120 mm/s
05	**3D laser trimming**	Machine placed	LC-5 + LC-6 2 × Trumpf TruLaser Cell 8030 L45 / TruLaser Cell 7040 L31 · 2014 / 2010 · 5-axis 3D laser · TruDisk 3001 · 3 kW / TruDisk 4001 · 4 kW Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
06	**Shot blasting**	Machine placed	SF-2 Spencer & Halstead 12-wheel monorail shot blasting system · 1995 · 12 blast wheels · monorail hanger Serves Lines 3 and 4.
07	**Quality inspection (CMM)**	Machine placed	QC-1 Carl Zeiss Prismo 10 CMM · 2001 · 3-axis CMM Serves Lines 3 and 4.



Blanking



Furnace heating




Furnace atmosphere control



3D laser trimming



Shot blasting



Quality inspection (CMM)

Machines and photographs from the plant listings; line groupings and station assignments are an engineering assessment. Availability, condition and terms are to be confirmed with the seller.

AUTOMOTIVE PRESS HARDENING PLANT · PRESS HARDENING HALL · LINE 04

Press Hardening Line 4

Cavenaghi CRCK 15001 1,200 t · 7 stations · 7 machines placed



#	Station	Status	Machine / lot
01	**Blanking**	Shared	HF-4 Benelli blanking line · 1962 · 250 t · stroke 150 mm One unit shared with Line 3; it is placed in the 3D hall on Line 3.
02	**Furnace heating**	With press / line	HF-7 Continuous furnace (part of the press hardening line) · 1989 The furnace ships with the press hardening line HF-7.
03	**Furnace atmosphere control**	Shared	HF-8 ITSAB central furnace atmosphere control system · 2025 · Central gas atmosphere control One unit shared with Line 1; it is placed in the 3D hall on Line 1.
04	**Hot forming & die quenching**	Machine placed	HF-7 Cavenaghi CRCK 15001 hydraulic press hardening line · 1989 · 1,200 t · stroke 800 mm · 60 mm/s Oldest and slowest press hardening line.
05	**3D laser trimming**	Machine placed	LC-7 + LC-8 2 × Trumpf TruLaser Cell 7040 L31 · 2010/2021 · 5-axis 3D laser · TruDisk 4001 · 4 kW each Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
06	**Shot blasting**	Shared	SF-2 Spencer & Halstead 12-wheel monorail shot blasting system · 1995 · 12 blast wheels One unit shared with Line 3; it is placed in the 3D hall on Line 3.
07	**Quality inspection (CMM)**	Shared	QC-1 Carl Zeiss Prismo 10 CMM · 2001 · 3-axis CMM One unit shared with Line 3; it is placed in the 3D hall on Line 3.



Blanking



Furnace heating




Furnace atmosphere control



3D laser trimming



Shot blasting



Quality inspection (CMM)

Machines and photographs from the plant listings; line groupings and station assignments are an engineering assessment. Availability, condition and terms are to be confirmed with the seller.

AUTOMOTIVE PRESS HARDENING PLANT · EQUIPMENT CATALOGUE

Category-wise machinery summary

Units follow the quantities stated in the plant catalogue. Each lot is listed with its catalogue sheet or photographs on the following pages.

Equipment category	Group	Lots	Units
Press Hardening Lines & Furnaces	Plant equipment	5	5
Blanking Lines & Cold Forming	Plant equipment	3	3
3D Laser Cutting Cells	Plant equipment	9	9
Machine Tool Shop	Plant equipment	9	9
Robotics & Automation	Plant equipment	1	1
Surface Finishing	Plant equipment	2	2
CMM & Quality Inspection	Plant equipment	2	2
TOTAL		31	31

AUTOMOTIVE PRESS HARDENING PLANT · PLANT EQUIPMENT

Press Hardening Lines & Furnaces — 5 lots · 5 units



Schuler SHC 1200-3.2x1.4 hydraulic press hardening line
Lot HF-1 · 2007
1,200 t · stroke 1,200 mm · 360 mm/s · Newest and fastest press hardening line in the plant.
Used in: Line 1 · Furnace heating; Line 1 · Hot forming & die quenching



Schuler HPDZB 500-2150/500 hydraulic press hardening line
Lot HF-5 · 2002
500 t · stroke 1,200 mm · 110 mm/s · Smallest press hardening line, suited to smaller parts.
Used in: Line 2 · Furnace heating; Line 2 · Hot forming & die quenching



Cavenaghi CRH12 000KNKM hydraulic press hardening line
Lot HF-6 · 1994
1,200 t · stroke 720 mm · 120 mm/s
Used in: Line 3 · Furnace heating; Line 3 · Hot forming & die quenching



Cavenaghi CRCK 15001 hydraulic press hardening line
Lot HF-7 · 1989
1,200 t · stroke 800 mm · 60 mm/s · Oldest and slowest press hardening line.
Used in: Line 4 · Furnace heating; Line 4 · Hot forming & die quenching



ITSAB central furnace atmosphere control system
Lot HF-8 · 2025
Central gas atmosphere control for all furnaces · New in 2025. One central system serves all four press hardening lines.
Used in: Line 1 · Furnace atmosphere control; Line 2 · Furnace atmosphere control; Line 3 · Furnace atmosphere control; Line 4 · Furnace atmosphere control

AUTOMOTIVE PRESS HARDENING PLANT · PLANT EQUIPMENT

Blanking Lines & Cold Forming — 3 lots · 3 units



Müller-Weingarten HUQ 630.28 blanking line
Lot HF-3 · 1996/2012
630 t · 15–60 strokes/min · Mechanical blanking line, rebuilt 2012. Serves Lines 1 and 2.
Used in: Line 1 · Blanking; Line 2 · Blanking



Benelli blanking line
Lot HF-4 · 1962
250 t · stroke 150 mm · Oldest machine in the plant (1962). Serves Lines 3 and 4; check condition before relying on it.
Used in: Line 3 · Blanking; Line 4 · Blanking



Schuler SML4-1000-3,6x2,6-1100 deep drawing press
Lot HF-2 · 2007
1,000 t · stroke 1,200 mm · 400 kJ at 9 strokes/min · Cold forming press for deep-drawn parts, separate from the hot forming lines.
Used in: Support · Cold forming

AUTOMOTIVE PRESS HARDENING PLANT · PLANT EQUIPMENT

3D Laser Cutting Cells — 9 lots · 9 units



2 × Trumpf TruLaser Cell 8030 L45
Lot LC-1 · 2015
5-axis 3D laser · TruDisk 3001 · 3 kW each · Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
Used in: Line 1 · 3D laser trimming



2 × Trumpf TruLaser Cell 8030 L45
Lot LC-2 · 2015
5-axis 3D laser · TruDisk 3001 · 3 kW each · Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
Used in: Line 1 · 3D laser trimming



2 × Trumpf TruLaser Cell 8030 L45
Lot LC-3 · 2014 / 2015
5-axis 3D laser · TruDisk 3001 · 3 kW each · Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
Used in: Line 2 · 3D laser trimming



2 × Trumpf TruLaser Cell 8030 L45
Lot LC-4 · 2014 / 2015
5-axis 3D laser · TruDisk 3001 · 3 kW each · Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
Used in: Line 2 · 3D laser trimming



2 × Trumpf TruLaser Cell 8030 L45 / TruLaser Cell 7040 L31
Lot LC-5 · 2014 / 2010
5-axis 3D laser · TruDisk 3001 · 3 kW / TruDisk 4001 · 4 kW · Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
Used in: Line 3 · 3D laser trimming



2 × Trumpf TruLaser Cell 8030 L45 / TruLaser Cell 7040 L31
Lot LC-6 · 2014 / 2010
5-axis 3D laser · TruDisk 3001 · 3 kW / TruDisk 4001 · 4 kW · Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
Used in: Line 3 · 3D laser trimming



2 × Trumpf TruLaser Cell 7040 L31
Lot LC-7 · 2010/2021
5-axis 3D laser · TruDisk 4001 · 4 kW each · Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
Used in: Line 4 · 3D laser trimming



2 × Trumpf TruLaser Cell 7040 L31
Lot LC-8 · 2010/2021
5-axis 3D laser · TruDisk 4001 · 4 kW each · Two laser cells per line. Laser source per cell is as listed in the seller brochure (TruDisk 3001 = 3 kW, TruDisk 4001 = 4 kW).
Used in: Line 4 · 3D laser trimming



Trumpf TruLaser Cell 8030 L45 (additional listing)
Lot LC-9
Ninth TruLaser cell listed by the seller in addition to the eight on the plant list.
Not placed in a production line

AUTOMOTIVE PRESS HARDENING PLANT · PLANT EQUIPMENT

Machine Tool Shop — 9 lots · 9 units



Deckel Maho DMU 80P duoBlock 5-axis machining center
Lot TS-1 · 2008
5-axis · 1,250 / 710 / 710 mm · 12,000 rpm · Travels as listed in the seller brochure.
Used in: Support · Tool shop



Deckel Maho DMU 100 monoBlock 5-axis machining center
Lot TS-2 · 2007
5-axis · 800 / 800 / 800 mm · 18,000 rpm · Travels as listed in the seller brochure.
Used in: Support · Tool shop



Deckel Maho DMU 125 P hi-dyn 5-axis machining center
Lot TS-3 · 2004
5-axis · 1,250 / 880 / 800 mm · 12,000 rpm
Used in: Support · Tool shop



Matsuura FX-10 3-axis high-speed machining center
Lot TS-4 · 1997
3-axis · 2,000 / 1,500 / 400 mm · 27,000 rpm
Used in: Support · Tool shop



Danobat RMT-1600 CNC-1 surface grinding machine
Lot TS-5 · 1993
Grinding length 1,600 mm · wheel 1,150 rpm
Used in: Support · Tool shop



Zayer KPU/AR 5-axis machining center
Lot TS-6 · 2004
5-axis · 3,700 / 3,050 / 1,100 mm · 6,000 rpm · Large die machining center. Travels paired to this machine by inference from the seller brochure.
Used in: Support · Tool shop



Nicolas Correa CF 20 20 CNC horizontal milling machine
Lot TS-7 · 1996
1,800 / 800 / 800 mm · 2,500 rpm · Travels paired to this machine by inference from the seller brochure.
Used in: Support · Tool shop



Pilous ARG 300 plus F automatic band saw
Lot TS-8 · 2025
Automatic band saw
Used in: Support · Tool shop

Machines and photographs from the plant listings; line groupings and station assignments are an engineering assessment. Availability, condition and terms are to be confirmed with the seller.



Jakobsen 1032 surface grinding machine
Lot TS-9
Surface grinder
Used in: Support · Tool shop

AUTOMOTIVE PRESS HARDENING PLANT · PLANT EQUIPMENT

Robotics & Automation — 1 lots · 1 units



ABB automated grinding robot cell (4 robots)
Lot RA-1 · 2019
4 grinding robots · Robotic grinding cell, used for die and part finishing.
Used in: Support · Robot grinding

AUTOMOTIVE PRESS HARDENING PLANT · PLANT EQUIPMENT

Surface Finishing — 2 lots · 2 units




Schlick Roto-jet shot blasting system
Lot SF-1 · 1988
Roto-jet blast machine · Serves Lines 1 and 2.
Used in: Line 1 · Shot blasting; Line 2 · Shot blasting



Spencer & Halstead 12-wheel monorail shot blasting system
Lot SF-2 · 1995
12 blast wheels · monorail hanger · Serves Lines 3 and 4.
Used in: Line 3 · Shot blasting; Line 4 · Shot blasting

AUTOMOTIVE PRESS HARDENING PLANT · PLANT EQUIPMENT

CMM & Quality Inspection — 2 lots · 2 units



Carl Zeiss Prismo 10 CMM
Lot QC-1 · 2001
3-axis CMM · Serves Lines 3 and 4.
Used in: Line 3 · Quality inspection (CMM); Line 4 · Quality inspection (CMM)



Carl Zeiss Contura G2 RDS CMM
Lot QC-2 · 2007
3-axis CMM with RDS articulating probe head · Serves Lines 1 and 2.
Used in: Line 1 · Quality inspection (CMM); Line 2 · Quality inspection (CMM)

NOT AVAILABLE

Stations to source separately

Plant	Hall	Station	Qty	Lines

0 stations have no machine in the listings. Every station of the press hardening plant has a listed machine.