


NEUROLOGY


MEDICAL PRODUCTS

INDEX



Needle Electrodes

Concentric	3
Monopolar	4
Accessories	5



Surface Electrodes

4-disk	7
Ground	7
Tab	7



EEG CUP Electrodes

Disposable	9
Reusable	10



IONM Electrodes

Twisted EP	12
Subdermal EP	12



Ordering Information


Ordering Information	13
----------------------	----

Needle Electrodes

Concentric

Monopolar

Accessories





NEUROLOGY

Needle/Concentric

Disposable Concentric Needle Electrode

- Silver electrode core wire for optimal signal quality and noise reduction
- Computer controlled sharpened to ensure smooth penetration, reduce patient discomfort
- Smooth stainless steel cannula provides lowest possible friction
- Color-coded hub for ease of needle gauge and length selection
- Hub has an indicator of recording position
- Designed for use in Electromyography,
- Sterile, single patient use peel pack for patient and practitioners safety.
- Re-usable cable for easy one touch connection to concentric and monopolar needles.



Specifications			Packaging 1pc/Pack, 25 pcs/Box	
Model	Length	Diameter	Recording Area	Hub Color
Non-wired				
BC2530	25mm	0.30mm (30G)	0.02mm ²	White
BC2526	25mm	0.45mm (26G)	0.07mm ²	Gray
BC3028	30mm	0.36mm (28G)	0.02mm ²	Blue
BC3826	38mm	0.45mm (26G)	0.07mm ²	Green
BC5026	50mm	0.45mm (26G)	0.07mm ²	Yellow
BC7523	75mm	0.65mm (23G)	0.07mm ²	Red



Non-Wired type



NEUROLOGY

Needle/Monopolar

Disposable Monopolar Needle Electrode

“Cutting Edge Sharpness Technology”



- Superior sharpness and ultra thin PTFE coating ensure smooth penetration with minimal patient discomfort.
- Firm Hub grip with color-coding for ease of identification.
- Stainless Steel construction ensure strength and flexibility
- Suitable application for Electromyography (EMG) only.
- Sterile, peel pack for individual patient use.
- Reusable cable for easy one touch connection to concentric and monopolar needles.

Specifications				Packaging 1pc/Pack, 25 pcs/Box	
Model		Length	Diameter	Recording Area	Hub Color
Non-wired	Prewired				
BM2528	BM2528P	25mm	0.36mm (28G)	0.30mm ²	White
BM2526	BM2526P	25mm	0.45mm (26G)	0.30mm ²	Gray
BM3728	BM3728P	37mm	0.36mm (28G)	0.30mm ²	Blue
BM3726	BM3726P	37mm	0.45mm (26G)	0.30mm ²	Green
BM5026	BM5026P	50mm	0.45mm (26G)	0.30mm ²	Yellow
BM7526	BM7526P	75mm	0.45mm (26G)	0.30mm ²	Red



Non-Wired type



Prewired type



NEUROLOGY

Needle/Accessories

Cables for Disposable Concentric Needle Electrode

- Orientation-free connection, Shielded wire for low noise quality signal.
- 5 pin 2700 DIN connector for equipment.
- Available cables in lengths of 1m and 2 m.
- Flexible cable, durable for repeated applications.

Model	Length	Type
RCC100	1m	5 Pole DIN
RCC200	2m	5 Pole DIN

PACKAGING | 1 pc/Pack



Cables for Disposable Monopolar Needle Electrode

- Safety DIN 42 802 connector for major manufacturers equipment.

Model	Length	Type
RMC80	80cm	1.5mm (DIN 42 802)
RMC100	1m	1.5mm (DIN 42 802)

PACKAGING | 1 pc/Pack




Cables for Disposable Surface Electrodes

- 1.5m long Alligator Clip leads with touchproof connector.
- Neatly clips onto electrodes, avoiding contact with gel.
- Alligator Clip Lead Wire Set Complete (1 red-1black-1 green).

Model	Length	Type
RNC150	1.5m	1.5mm (DIN 42 802)

PACKAGING | 3pcs/set, 1 set/Pack



Surface Electrodes

4-disk

Ground

Tab






NEUROLOGY

Surface Electrode

Disposable Surface Electrode

- Pre-gelled, easy to reposition without leaving gel residue
- Color-coded flexible PVC wires with TP Safety DIN connector
- Biocompatible soft, low impedance hydro-gel
- Silver-Silver Chloride conductive layers insure optimal signal acquisition
- Designed for application in EP, NCS, EMG, PSG, ENG and EOG
- Single patient use only.




SG15R



SG15G



NCS-1334




NCS-SG15

Specifications						
Product	Model	Backing Material	Pad Size	Wire Length	Wire Color	Packaging
4-disk electrode	SG15R	Cloth	Dia. 19mm	1m , 1.5m	■ ■ ■ ■	4pcs/Pack, 100pcs/Box
Ground electrode	SG15G	Cloth	40x48mm	1m , 1.5m	■	1pc/Pack, 25pcs/Box
NCS surface	NCS-1334	PET	13x34mm	-	-	100pcs/Pack, 500pcs/Box
NCS Trio	NCS-SG15	Cloth	22x22mm	1m , 1.5m	■ ■ ■	3pcs/Pack, 75pcs/Box

EEG CUP Electrodes

Disposable

Reusable





NEUROLOGY

EEG Cup Electrode

Disposable EEG Cup Electrodes

PROEEG has been specially designed for clinical EEG, EP and PSG examinations as a non-invasive procedure.

Superior Signal Quality


PROEEG have been specifically designed for clinical EEG, EP and PSG examinations as a non-invasive procedure.
10mm diameter & light weight cup electrode
Silver-Silver Chloride plated disk

Low Impedance

PROEEG electrode advanced construction assure low impedance that minimizes noise generated by the electrode to improve overall signal quality.

Quick Preparation Time

PROEEG electrodes are designed with pre-attached, tangle free lead wires with DIN 42802 connector assuring a proper fit to most EEG, EP and EMG systems.
Easy tracing : 5 colors coding on the lead wires



Specifications		Packing 10 pcs/Pack, 250 pcs/Inbox, 25 pcs/Pack, 625 pcs/Inbox		
Model	Wire Length	Disk	Lead Wire	Wire Colors
DEEG-A-10	1.0m	Ag/AgCl Plated Plastic Dia. (Out - 10.0mm, In - 2.0mm)	Copper fiber + PVC sheath	
DEEG-A-12	1.2m			
DEEG-A-15	1.5m			
DEEG-A-20	2.0m			
DEEG-A-25	2.5m			



NEUROLOGY

EEG Cup Electrode

Reusable EEG Cup Electrodes

Disk : Gold plated silver / Silver

Material of Lead wires : PTFE - tangle resistant, Silicon - high flexibility

10 colors coding on the lead wires.

Long life and strong durability.



Features

Silicone, PTFE coated lead wires provide tangle free, superior flexibility during procedures and helps ensure a long life.

10 color-coded lead wires available for accurate identification.

Gold plated silver provide superior EEG signal acquisition and performance, flexible durable lead wire assure superior performance.

Recommended applications

Electroencephalography (EEG)

Evoked potentials (EP)

Polysomnography (PSG)


Specifications			Packing 10 pcs/Hard case, 100pcs/Inbox	
Model	Length	Disk	Lead Wire	Wire Colors
RGEEG-05	0.5m	Gold plated 92.5% Silver Dia. (Out - 10.0mm, In - 2.0mm)	Silver plated copper fiber + PTFE or silicon sheath	
RGEEG-10	1.0m			
RGEEG-12	1.2m			
RGEEG-15	1.5m			
RGEEG-20	2.0m			
RSEEG-05	0.5m	92.5% Silver Dia. (Out - 10.0mm, In - 2.0mm)		
RSEEG-10	1.0m			
RSEEG-12	1.2m			
RSEEG-15	1.5m			
RSEEG-20	2.0m			

IONM

Electrodes

Twist EP

Subdermal EP






NEUROLOGY


IONM Electrodes

Disposable Subdermal EP Needle Electrode

- Ultra-sharp needle for flexibility and low noise, impedance levels.
- Prewired, color-coded lead wire.
- Suitable application for EP, IONM, EEG.
- Sterile, individual peel pack to guarantee patient safety
- Optimized twisted, disposable subdermal needle electrode
- Corkscrew needle electrode available in several configurations
- Single use only



Subdermal EP



Twisted EP
(BE1227P-15T)

Twisted EP
with **SAFETY CAB**

Specifications		Packing I Subdermal EP : 1 pc/Pack, 25 pcs/Box			Twisted EP : 1 pair/Pack, 15 pairs/Box	
Description	Model	Needle Length	Diameter	Wire Length	Wire Color	Connector
Subdermal EP	BE1227P-05	12mm	0.40mm (27G)	50cm		1.5mm female TP
	BE1227P-10	12mm	0.40mm (27G)	100cm		1.5mm female TP
	BE1227P-15	12mm	0.40mm (27G)	150cm		1.5mm female TP
	BE1227P-20	12mm	0.40mm (27G)	200cm		1.5mm female TP
	BE1227P-25	12mm	0.40mm (27G)	250cm		1.5mm female TP
Twisted EP	BE1227P-15T	12mm	0.40mm (27G)	150cm		1.5mm female TP
	BE1227P-20T	12mm	0.40mm (27G)	200cm		1.5mm female TP
	BE1227P-25T	12mm	0.40mm (27G)	250cm		1.5mm female TP
	BE1527P-15T	15mm	0.40mm (27G)	150cm		1.5mm female TP
	BE1527P-20T	15mm	0.40mm (27G)	200cm		1.5mm female TP
	BE1527P-25T	15mm	0.40mm (27G)	250cm		1.5mm female TP



Ordering Information

Needle Electrodes							
Model		Length		Diameter	Pack _(pc)	Box _(pcs)	Case _(pcs)
Non-wired		Prewired	Concentric				
	BC2530	-	25mm	0.30mm (30G)	1	25	200
	BC2526	-	25mm	0.45mm (26G)	1	25	200
	BC3028	-	30mm	0.36mm (28G)	1	25	200
	BC3826	-	38mm	0.45mm (26G)	1	25	200
	BC5026	-	50mm	0.45mm (26G)	1	25	200
	BC7523	-	75mm	0.65mm (23G)	1	25	200
Non-wired		Prewired	Monopolar				
	BM2528	BM2528P	25mm	0.36mm (28G)	1	25	200
	BM2526	BM2526P	25mm	0.45mm (26G)	1	25	200
	BM3728	BM3728P	37mm	0.36mm (28G)	1	25	200
	BM3726	BM3726P	37mm	0.45mm (26G)	1	25	200
	BM5026	BM5026P	50mm	0.45mm (26G)	1	25	200
	BM7526	BM7526P	75mm	0.45mm (26G)	1	25	200

Cables for Needle Electrodes				
Model	Length	Type	Pack _(pcs)	Case _(pcs)
RCC100	1m	5 Pole DIN	1	200
RCC200	2m	5 Pole DIN	1	200
RMC80	80cm	1.5mm (DIN 42 802)	1	200
RMC100	1m	1.5mm (DIN 42 802)	1	200

Cables for Surface Electrodes				
Model	Length	Type	Pack _(pcs)	Case _(pcs)
RNC150	1.5m	1.5mm (DIN 42 802)	3	300



Ordering Information

Surface Electrodes

Product	Model	Backing Material	Pad Size	Gel	Pack(pcs)	Box(pcs)	Case(pcs)
4-Disk	SG15R	Cloth	Dia. 19mm	Hydrogel	4	100	1000
Ground	SG15G	Cloth	42x60mm	Hydrogel	1	25	250
NCS surface	NCS-1334	Pet Film	13x24mm	Hydrogel	100	500	5000
NCS Trio	NCS-SG15	Cloth	22x22mm	Hydrogel	3	75	750

EEG Cup Electrodes

Model	Length	Lead Wire	Disk	Pack(pcs)	Box(pcs)	Case(pcs)
DEEG-A-10 DEEG-A-12 DEEG-A-15 DEEG-A-20	1.0m 1.2m 1.5m 2.0m	Copper fiber + PVC sheath	Ag/AgCl Plated Plastic Dia. (Out - 10.0mm, In - 2.0mm)	10 25	250 625	1000 2500
RGEEG-05 RGEEG-10 RGEEG-12 RGEEG-15 RGEEG-20	0.5m 1.0m 1.2m 1.5m 2.0m	Silver plated copper fiber + PTFE or silicon sheath	Gold plated 92.5% Silver Dia. (Out - 10.0mm, In - 2.0mm)	10	100	500
RSEEG-05 RSEEG-10 RSEEG-12 RSEEG-15 RSEEG-20	0.5m 1.0m 1.2m 1.5m 2.0m	Silver plated copper fiber + PTFE or silicon sheath	92.5% Silver Dia. (Out - 10.0mm, In - 2.0mm)	10	100	500

IONM Electrodes

Description	Model	Length	Diameter	Leadwire	Pack(pc)	Box(pcs)	Case(pcs)
Subdermal EP	BE1227P-05	12mm	0.40mm (27G)	50cm	1	25	200
	BE1227P-10	12mm	0.40mm (27G)	100cm	1	25	200
	BE1227P-15	12mm	0.40mm (27G)	150cm	1	25	200
	BE1227P-20	12mm	0.40mm (27G)	200cm	1	25	200
	BE1227P-25	12mm	0.40mm (27G)	250cm	1	25	200
Twisted EP	BE1227P-15T	12mm	0.40mm (27G)	150cm	1pair	15pairs	75pairs
	BE1227P-20T	12mm	0.40mm (27G)	200cm	1pair	15pairs	75pairs
	BE1227P-25T	12mm	0.40mm (27G)	250cm	1pair	15pairs	75pairs
	BE1527P-15T	15mm	0.40mm (27G)	150cm	1pair	15pairs	75pairs
	BE1527P-20T	15mm	0.40mm (27G)	200cm	1pair	15pairs	75pairs
	BE1527P-25T	15mm	0.40mm (27G)	250cm	1pair	15pairs	75pairs



Note



Sales office

Address | Orange County Room 1010~1011, 993, Seongnam-daero, Jungwon-gu, Seongnam-si,
Gyeonggi-do, 13438 Republic of Korea

Mail | info@protechsite.com **Phon** | +82-33-735-7720 **Fax** | +82-70-4896-5483

About Us [Copyright © 2025 Bio-Protech inc. All right reserved.](#)

Head Office | 151-3, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 Korea

E-mail | info@protechsite.com **Phone** | +82-33-735-7720 **Fax** | +82-33-735-7736

North American Headquarter | 13311-a 166th St. Cerritos, CA 90703, USA

Phone | 909-464-1464 **Fax** | 909-464-2664



NEUROLOGY
MEDICAL PRODUCTS
BIOPROTECH