METRIC DEFINITIONS & RETRIEVAL PATHWAYS

Halo Metric Library

Each entry defines one Halo metric and the reusable pathway that retrieves it. Pathways name the object and its columns; the dataset is supplied at execution time and is deliberately absent from this document.

Reading the columns

COLUMN	MEANING	JSON FIELD
A – B	Section grouping and metric label as they appear in the Halo report.	`section · metric_name`
C DATE RANGE	The period as labelled in the report, with the reading actually used beneath it. An occupancy label denotes a month but the figure is a single month-end reading.	`date_range`
D VALUE	The figure as published. Percentages cannot be added or averaged across properties — combine the underlying counts, then divide.	`value`
E OBJECT	The warehouse object the figure is read from, with its type, originating system and refresh cadence.	`source`
F GRAIN	What one row represents — and therefore whether a figure may be summed over time or only read at a point in time.	`grain`
G QUERY STRUCTURE	The reusable retrieval pathway, not a one-off query. Braced placeholders resolve per the key below; the line beneath names the metric's component fields.	`pathways[…] + query.components`

Placeholder key for Column G

PLACEHOLDER	MEANING	HOW TO RESOLVE
`{object}`	Warehouse object to read from	Take verbatim from the metric's source.object
`{property_id}`	Internal property identifier	19-digit warehouse identifier - not the PMS or Yardi property code
`{period_start}`	First day of the reporting period	Supply as DATE 'YYYY-MM-DD'. Used by period-total pathways only.
`{period_end}`	Last day of the reporting period	Supply as DATE 'YYYY-MM-DD'
`{date_column}`	The date column of the source object	Read from the metric's source.date_column. Objects differ: as_of_date, date, created_at.
`{numerator} / {denominator} / {positive_event} / {negative_event} / {field} / {base} / {subtract} / {add} / {event} / {dedup_key} / {status_field} / {exclude_status} / {event_field} / {dimension_field} / {dedup_expression} / {dimension_object}`	Component fields, named per metric	Read from the metric's query.components; differs by pathway

Rendered from halo_metric_library.json (schema v1.0). The registry is the source of record; this document presents it. Values were read from the live warehouse for the organization, property and period in the footer and verified against source — no figure is estimated or illustrative. Additional metrics append as rows of the ledger overleaf.

Metric ledger

A SECTION	B METRIC NAME	C DATE RANGE	D VALUE	E OBJECT	F GRAIN	G QUERY STRUCTURE
OCCUPANCY						

Occupancy	**Exposure Rate**	Jun, 2026
		snapshot
		30 Jun 2026
			5.69%	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time
						`SELECT {numerator} / {denominator} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						numerator = available · denominator = total_units

Occupancy	**Net Move Ins**	Jun, 2026
		period total
		1-30 Jun 2026
			-12	`t_ot_agg_resident_activity_property`
				table · PMS · daily refresh
					`property_id`
					`× date`
					`× event_type`
					summable event count
						`SELECT SUM(IF(event_type = '{positive_event}', count, 0))`
						`- SUM(IF(event_type = '{negative_event}', count, 0)) AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} BETWEEN {period_start} AND {period_end}`
						positive_event = move_in · negative_event = move_out

Occupancy	**Rentable Units**	Jun, 2026
		snapshot
		30 Jun 2026
			299	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = rentable

Occupancy	**Occupied Units**	Jun, 2026
		snapshot
		30 Jun 2026
			266	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = occupied

Occupancy	**Vacant Units**	Jun, 2026
		snapshot
		30 Jun 2026
			33	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = vacant

Occupancy	**Excluded Units**	Jun, 2026
		snapshot
		30 Jun 2026
			0	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = excluded

A SECTION	B METRIC NAME	C DATE RANGE	D VALUE	E OBJECT	F GRAIN	G QUERY STRUCTURE

Occupancy	**Occupancy Trend**	Jun, 2026
		snapshot
		30 Jun 2026
			94.31%	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time
						`SELECT ({base} - {subtract} + {add}) / {denominator} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						base = occupied · subtract = notice_unrented · add = leased_future · denominator = total_units

Occupancy	**Leased Rate**	Jun, 2026
		snapshot
		30 Jun 2026
			94.31%	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time
						`SELECT ({denominator} - {numerator}) / {denominator} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						numerator = available · denominator = total_units

Occupancy	**Total Units**	Jun, 2026
		snapshot
		30 Jun 2026
			299	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = total_units

Occupancy	**Average Occupancy Rate**	Jun, 2026
		period average
		28 days recorded
			93.59%	`t_occupancy_rate`
				view · PMS · daily refresh
					`property_id`
					`× created_at`
					daily rate observation
						`SELECT AVG({numerator} / {denominator}) AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} BETWEEN {period_start} AND {period_end}`
						numerator = occupied · denominator = units

Occupancy	**Current Occupancy Rate**	Jun, 2026
		snapshot
		30 Jun 2026
			88.96%	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time
						`SELECT {numerator} / {denominator} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						numerator = occupied · denominator = total_units

Occupancy	**Move-Ins**	Jun, 2026
		period total
		1-30 Jun 2026
			11	`t_ot_agg_resident_activity_property`
				table · PMS · daily refresh
					`property_id`
					`× date`
					`× event_type`
					summable event count
						`SELECT SUM(IF(event_type = '{event}', count, 0)) AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} BETWEEN {period_start} AND {period_end}`
						event = move_in

Occupancy	**Move-Outs**	Jun, 2026
		period total
		1-30 Jun 2026
			23	`t_ot_agg_resident_activity_property`
				table · PMS · daily refresh
					`property_id`
					`× date`
					`× event_type`
					summable event count
						`SELECT SUM(IF(event_type = '{event}', count, 0)) AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} BETWEEN {period_start} AND {period_end}`
						event = move_out

A SECTION	B METRIC NAME	C DATE RANGE	D VALUE	E OBJECT	F GRAIN	G QUERY STRUCTURE

Occupancy	**Future Leases**	Jun, 2026
		snapshot
		30 Jun 2026
			16	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = leased_future

Occupancy	**Available Units**	Jun, 2026
		snapshot
		30 Jun 2026
			17	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = available

Occupancy	**Notice Unrented Units**	Jun, 2026
		snapshot
		30 Jun 2026
			0	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = notice_unrented

Occupancy	**Notice Rented Units**	Jun, 2026
		snapshot
		30 Jun 2026
			0	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = notice_rented

Occupancy	**Vacant Unrented Units**	Jun, 2026
		snapshot
		30 Jun 2026
			17	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = vacant_unrented

Occupancy	**Vacant Rented Units**	Jun, 2026
		snapshot
		30 Jun 2026
			16	`t_oc_agg_occupancy_property`
				view · PMS · daily refresh
					`property_id`
					`× as_of_date`
					point-in-time stock
						`SELECT {field} AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {date_column} <= {period_end}`
						`ORDER BY {date_column} DESC`
						`LIMIT 1`
						field = vacant_rented

A SECTION	B METRIC NAME	C DATE RANGE	D VALUE	E OBJECT	F GRAIN	G QUERY STRUCTURE
Occupancy	**Delayed Move Ins**	Jun, 2026 snapshot 30 Jun 2026	3	t_oc_agg_occupancy_operational table · PMS · daily refresh	property_id × as_of_date point-in-time stock	SELECT {field} AS value FROM \`{object}\` WHERE property_id = {property_id} AND {date_column} <= {period_end} ORDER BY {date_column} DESC LIMIT 1 field = delayed_move_ins
LEAD GENERATION						
Lead Generation	**Newly Created Leads**	Jun, 2026 period total 1-30 Jun 2026	92	t_contact_activity BASE TABLE · Hyly + PMS · daily refresh	property_id × contact_id one row per contact	SELECT COUNT(DISTINCT {dedup_key}) AS value FROM \`{object}\` WHERE property_id = {property_id} AND {date_column} BETWEEN {period_start} AND {period_end} AND {status_field} != '{exclude_status}' dedup_key = contact_name · status_field = contact_status · exclude_status = Leased
Lead Generation	**1st Scheduled**	Jun, 2026 period total 1-30 Jun 2026	33	t_contact_activity BASE TABLE · Hyly + PMS · daily refresh	property_id × contact_id one row per contact	SELECT COUNT(DISTINCT {dedup_key}) AS value FROM \`{object}\` WHERE property_id = {property_id} AND DATE({date_column}) BETWEEN {period_start} AND {period_end} dedup_key = contact_id
Lead Generation	**1st Toured**	Jun, 2026 period total 1-30 Jun 2026	19	t_contact_activity BASE TABLE · Hyly + PMS · daily refresh	property_id × contact_id one row per contact	SELECT COUNT(DISTINCT {dedup_key}) AS value FROM \`{object}\` WHERE property_id = {property_id} AND DATE({date_column}) BETWEEN {period_start} AND {period_end} dedup_key = contact_id
Lead Generation	**1st Applied**	Jun, 2026 period total 1-30 Jun 2026	14	t_contact_activity BASE TABLE · Hyly + PMS · daily refresh	property_id × contact_id one row per contact	SELECT COUNT(DISTINCT {dedup_key}) AS value FROM \`{object}\` WHERE property_id = {property_id} AND DATE({date_column}) BETWEEN {period_start} AND {period_end} dedup_key = contact_id
Lead Generation	**Total Applied**	Jun, 2026 period total 1-30 Jun 2026	14	t_contact_activity BASE TABLE · Hyly + PMS · daily refresh	property_id × contact_id one row per contact	SELECT COUNT(DISTINCT {dedup_key}) AS value FROM \`{object}\` WHERE property_id = {property_id} AND DATE({date_column}) BETWEEN {period_start} AND {period_end} dedup_key = contact_id
Lead Generation	**Net Applied**	Jun, 2026 period total 1-30 Jun 2026	11	prospect_journey BASE TABLE · PMS · daily refresh	property_id × contact_id × event_type × activity_dt one row per contact event	SELECT COUNT(DISTINCT IF(event_type = '{positive_event}', contact_id, NULL)) - COUNT(DISTINCT IF(event_type = '{negative_event}', contact_id, NULL)) AS value FROM \`{object}\` WHERE property_id = {property_id} AND DATE({date_column}) BETWEEN {period_start} AND {period_end} positive_event = pms_Application · negative_event = pms_CancelApplication

A SECTION	B METRIC NAME	C DATE RANGE	D VALUE	E OBJECT	F GRAIN	G QUERY STRUCTURE

Lead Generation	**Leased**	Jun, 2026
		period total
		1-30 Jun 2026
			8	`pai_journey_1747307582311553649`
				BASE TABLE · Hyly · daily refresh
					`property_id`
					`× contact_id`
					`× event_name`
					`× event_date`
					one row per contact event
						`SELECT COUNT(DISTINCT {dedup_key}) AS value`
						``FROM `{object}` ``
						`WHERE property_id = {property_id}`
						`AND {event_field} = '{event}'`
						`AND {date_column} BETWEEN {period_start} AND {period_end}`
						dedup_key = contact_id · event_field = event_name · event = h_ms_lease

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECT `t_contact_activity` BASE TABLE · one row per contact	(query below)

```
SELECT mta_first_source_name AS label,
COUNT(DISTINCT CONCAT(contact_name,'|',IFNULL(contact_sub_status,''))) AS value
FROM `t_contact_activity`
WHERE property_id = {property_id}
AND contact_created_date BETWEEN {period_start} AND {period_end}
AND contact_status != 'Leased'
GROUP BY label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**1**	Property Website	**53**	**57.60%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**2**	Google My Business/Maps	**13**	**14.10%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**3**	Google PayPerClick (PPC)	**7**	**7.60%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**4**	Zillow	**5**	**5.40%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**5**	Apple Maps	**4**	**4.30%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**5**	Google.com	**4**	**4.30%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**5**	Walking / Driving By	**4**	**4.30%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**8**	ApartmentList.com	**1**	**1.10%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**8**	Bing	**1**	**1.10%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Sources	Top	Jun, 2026	**8**	Social Posting	**1**	**1.10%**

Shares are calculated against the parent metric value of 92, not the sum of the rows above, which is 93. The 10 shares as displayed therefore total 100.90%. Shares are rounded to one decimal place and shown with two. Tied values share a rank, matching Halo's convention: rank 5 shared by 3 sources and rank 8 shared by 3 sources.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECT	
OBJECT `t_contact_activity` BASE TABLE · one row per contact	

```
SELECT mta_first_source_name AS label,
COUNT(DISTINCT contact_id) AS value
FROM `t_contact_activity`
WHERE property_id = {property_id}
AND DATE(first_scheduled_dt) BETWEEN {period_start} AND {period_end}
GROUP BY label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**1st Scheduled**	All	Lead Gen Sources	Top	Jun, 2026	**1**	Property Website	**10**	**30.30%**
Lead Generation	**1st Scheduled**	All	Lead Gen Sources	Top	Jun, 2026	**2**	Google.com	**6**	**18.20%**
Lead Generation	**1st Scheduled**	All	Lead Gen Sources	Top	Jun, 2026	**2**	Zillow	**6**	**18.20%**
Lead Generation	**1st Scheduled**	All	Lead Gen Sources	Top	Jun, 2026	**4**	Google PayPerClick (PPC)	**5**	**15.20%**
Lead Generation	**1st Scheduled**	All	Lead Gen Sources	Top	Jun, 2026	**5**	Walking / Driving By	**4**	**12.10%**
Lead Generation	**1st Scheduled**	All	Lead Gen Sources	Top	Jun, 2026	**6**	Apple Maps	**1**	**3.00%**
Lead Generation	**1st Scheduled**	All	Lead Gen Sources	Top	Jun, 2026	**6**	Bing	**1**	**3.00%**

The rows above sum to 33, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two. Tied values share a rank, matching Halo's convention: rank 2 shared by 2 sources and rank 6 shared by 2 sources.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECT

`t_contact_activity`

BASE TABLE · one row per contact

```
SELECT mta_first_source_name AS label,
COUNT(DISTINCT contact_id) AS value
FROM `t_contact_activity`
WHERE property_id = {property_id}
AND DATE(first_completed_dt) BETWEEN {period_start} AND {period_end}
GROUP BY label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**1st Toured**	All	Lead Gen Sources	Top	Jun, 2026	**1**	Property Website	**6**	**31.60%**
Lead Generation	**1st Toured**	All	Lead Gen Sources	Top	Jun, 2026	**2**	Google.com	**4**	**21.10%**
Lead Generation	**1st Toured**	All	Lead Gen Sources	Top	Jun, 2026	**3**	Walking / Driving By	**3**	**15.80%**
Lead Generation	**1st Toured**	All	Lead Gen Sources	Top	Jun, 2026	**4**	Google PayPerClick (PPC)	**2**	**10.50%**
Lead Generation	**1st Toured**	All	Lead Gen Sources	Top	Jun, 2026	**4**	Zillow	**2**	**10.50%**
Lead Generation	**1st Toured**	All	Lead Gen Sources	Top	Jun, 2026	**6**	Apple Maps	**1**	**5.30%**
Lead Generation	**1st Toured**	All	Lead Gen Sources	Top	Jun, 2026	**6**	Bing	**1**	**5.30%**

The rows above sum to 19, matching the parent metric. Shares as displayed total 100.10%. Shares are rounded to one decimal place and shown with two. Tied values share a rank, matching Halo's convention: rank 4 shared by 2 sources and rank 6 shared by 2 sources.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source. This breakdown serves 2 Halo metrics — 1st Applied and Total Applied — which resolve to the same object, pathway and deduplication key and return identical rows. It is shown once rather than repeated.

OBJECT

`t_contact_activity`

BASE TABLE · one row per contact

```
SELECT mta_first_source_name AS label,
COUNT(DISTINCT contact_id) AS value
FROM `t_contact_activity`
WHERE property_id = {property_id}
AND DATE(first_application_dt) BETWEEN {period_start} AND {period_end}
GROUP BY label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**1st Applied Total Applied**	All	Lead Gen Sources	Top	Jun, 2026	**1**	Property Website	**10**	**71.40%**
Lead Generation	**1st Applied Total Applied**	All	Lead Gen Sources	Top	Jun, 2026	**2**	Zillow	**2**	**14.30%**
Lead Generation	**1st Applied Total Applied**	All	Lead Gen Sources	Top	Jun, 2026	**3**	Apple Maps	**1**	**7.10%**
Lead Generation	**1st Applied Total Applied**	All	Lead Gen Sources	Top	Jun, 2026	**3**	Google My Business/Maps	**1**	**7.10%**

The rows above sum to 14, matching the parent metric. Shares as displayed total 99.90%. Shares are rounded to one decimal place and shown with two. Tied values share a rank, matching Halo's convention: rank 3 shared by 2 sources.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECTS

`prospect_journey`

BASE TABLE · events

`t_contact_activity`

joined on contact_id · supplies the dimension

```
WITH ev AS (
SELECT contact_id, event_type
FROM `prospect_journey`
WHERE property_id = {property_id}
AND event_type IN ('pms_Application','pms_CancelApplication')
AND DATE(activity_dt) BETWEEN {period_start} AND {period_end}
),
src AS (
SELECT contact_id, ANY_VALUE(mta_first_source_name) AS label
FROM `t_contact_activity`
WHERE property_id = {property_id}
GROUP BY contact_id
)
SELECT s.label,
COUNT(DISTINCT IF(ev.event_type='pms_Application', ev.contact_id, NULL))
- COUNT(DISTINCT IF(ev.event_type='pms_CancelApplication', ev.contact_id, NULL)) AS value
FROM ev LEFT JOIN src s USING (contact_id)
GROUP BY s.label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**Net Applied**	All	Lead Gen Sources	Top	Jun, 2026	**1**	Property Website	**8**	**72.70%**
Lead Generation	**Net Applied**	All	Lead Gen Sources	Top	Jun, 2026	**2**	Zillow	**2**	**18.20%**
Lead Generation	**Net Applied**	All	Lead Gen Sources	Top	Jun, 2026	**3**	Apple Maps	**1**	**9.10%**
Lead Generation	**Net Applied**	All	Lead Gen Sources	Top	Jun, 2026	**4**	Google My Business/Maps	**0**	**0.00%**

The rows above sum to 11, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECTS

`pai_journey_1747307582311553649`

BASE TABLE · events

`t_contact_activity`

joined on contact_id · supplies the dimension

```
WITH ev AS (
SELECT DISTINCT contact_id
FROM `pai_journey_1747307582311553649`
WHERE property_id = {property_id}
AND event_name = 'h_ms_lease'
AND event_date BETWEEN {period_start} AND {period_end}
),
src AS (
SELECT contact_id, ANY_VALUE(mta_first_source_name) AS label
FROM `t_contact_activity`
WHERE property_id = {property_id}
GROUP BY contact_id
)
SELECT s.label,
COUNT(DISTINCT ev.contact_id) AS value
FROM ev LEFT JOIN src s USING (contact_id)
GROUP BY s.label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**Leased**	All	Lead Gen Sources	Top	Jun, 2026	**1**	Property Website	**8**	**100.00%**

The rows above sum to 8, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECT `t_contact_activity` BASE TABLE · one row per contact	

```
SELECT mta_first_medium_name AS label,
COUNT(DISTINCT contact_name) AS value
FROM `t_contact_activity`
WHERE property_id = {property_id}
AND contact_created_date BETWEEN {period_start} AND {period_end}
AND contact_status != 'Leased'
GROUP BY label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**Newly Created Leads**	All	Lead Gen Mediums	Top	Jun, 2026	**1**	Organic	**67**	**72.80%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Mediums	Top	Jun, 2026	**2**	Direct	**17**	**18.50%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Mediums	Top	Jun, 2026	**3**	Affiliate	**4**	**4.30%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Mediums	Top	Jun, 2026	**4**	Print	**2**	**2.20%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Mediums	Top	Jun, 2026	**5**	CPC	**1**	**1.10%**
Lead Generation	**Newly Created Leads**	All	Lead Gen Mediums	Top	Jun, 2026	**5**	Social	**1**	**1.10%**

The rows above sum to 92, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two. Tied values share a rank, matching Halo's convention: rank 5 shared by 2 sources.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECT

`t_contact_activity`

BASE TABLE · one row per contact

```
SELECT mta_first_medium_name AS label,
COUNT(DISTINCT contact_id) AS value
FROM `t_contact_activity`
WHERE property_id = {property_id}
AND DATE(first_scheduled_dt) BETWEEN {period_start} AND {period_end}
GROUP BY label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**1st Scheduled**	All	Lead Gen Mediums	Top	Jun, 2026	**1**	Organic	**23**	**69.70%**
Lead Generation	**1st Scheduled**	All	Lead Gen Mediums	Top	Jun, 2026	**2**	Direct	**4**	**12.10%**
Lead Generation	**1st Scheduled**	All	Lead Gen Mediums	Top	Jun, 2026	**2**	Affiliate	**4**	**12.10%**
Lead Generation	**1st Scheduled**	All	Lead Gen Mediums	Top	Jun, 2026	**4**	Print	**2**	**6.10%**

The rows above sum to 33, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two. Tied values share a rank, matching Halo's convention: rank 2 shared by 2 sources.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECT
`t_contact_activity`
BASE TABLE · one row per contact
	<pre>SELECT mta_first_medium_name AS label,
	COUNT(DISTINCT contact_id) AS value
	FROM \`t_contact_activity\`
	WHERE property_id = {property_id}
	AND DATE(first_completed_dt) BETWEEN {period_start} AND {period_end}
	GROUP BY label
	ORDER BY value DESC</pre>

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**1st Toured**	All	Lead Gen Mediums	Top	Jun, 2026	**1**	Organic	**16**	**84.20%**
Lead Generation	**1st Toured**	All	Lead Gen Mediums	Top	Jun, 2026	**2**	Print	**2**	**10.50%**
Lead Generation	**1st Toured**	All	Lead Gen Mediums	Top	Jun, 2026	**3**	Direct	**1**	**5.30%**

The rows above sum to 19, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source. This breakdown serves 2 Halo metrics — Total Applied and 1st Applied — which resolve to the same object, pathway and deduplication key and return identical rows. It is shown once rather than repeated.

OBJECT

`t_contact_activity`

BASE TABLE · one row per contact

```
SELECT mta_first_medium_name AS label,
COUNT(DISTINCT contact_id) AS value
FROM `t_contact_activity`
WHERE property_id = {property_id}
AND DATE(first_application_dt) BETWEEN {period_start} AND {period_end}
GROUP BY label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**Total Applied 1st Applied**	All	Lead Gen Mediums	Top	Jun, 2026	**1**	Organic	10	**71.40%**
Lead Generation	**Total Applied 1st Applied**	All	Lead Gen Mediums	Top	Jun, 2026	**2**	Direct	4	**28.60%**

The rows above sum to 14, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECTS

`prospect_journey`

BASE TABLE · events

`t_contact_activity`

joined on contact_id · supplies the dimension

```
WITH ev AS (
SELECT contact_id, event_type
FROM `prospect_journey`
WHERE property_id = {property_id}
AND event_type IN ('pms_Application','pms_CancelApplication')
AND DATE(activity_dt) BETWEEN {period_start} AND {period_end}
),
src AS (
SELECT contact_id, ANY_VALUE(mta_first_medium_name) AS label
FROM `t_contact_activity`
WHERE property_id = {property_id}
GROUP BY contact_id
)
SELECT s.label,
COUNT(DISTINCT IF(ev.event_type='pms_Application', ev.contact_id, NULL))
- COUNT(DISTINCT IF(ev.event_type='pms_CancelApplication', ev.contact_id, NULL)) AS value
FROM ev LEFT JOIN src s USING (contact_id)
GROUP BY s.label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**Net Applied**	All	Lead Gen Mediums	Top	Jun, 2026	**1**	Organic	7	**63.60%**
Lead Generation	**Net Applied**	All	Lead Gen Mediums	Top	Jun, 2026	**2**	Direct	4	**36.40%**

The rows above sum to 11, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two.

Lead Generation by Source

One query returns every row below. Rank and share are derived from that single result set, not from separate queries per source.

OBJECTS

pai_journey_1747307582311553649

BASE TABLE · events

t_contact_activity

joined on contact_id · supplies the dimension

```
WITH ev AS (
SELECT DISTINCT contact_id
FROM `pai_journey_1747307582311553649`
WHERE property_id = {property_id}
AND event_name = 'h_ms_lease'
AND event_date BETWEEN {period_start} AND {period_end}
),
src AS (
SELECT contact_id, ANY_VALUE(mta_first_medium_name) AS label
FROM `t_contact_activity`
WHERE property_id = {property_id}
GROUP BY contact_id
)
SELECT s.label,
COUNT(DISTINCT ev.contact_id) AS value
FROM ev LEFT JOIN src s USING (contact_id)
GROUP BY s.label
ORDER BY value DESC
```

SECTION	METRIC NAME	DATA SOURCE	DIMENSION	TOP / BOTTOM	DATE RANGE	RANK	LABEL	VALUE	% SHARE
Lead Generation	**Leased**	All	Lead Gen Mediums	Top	Jun, 2026	**1**	Organic	7	**87.50%**
Lead Generation	**Leased**	All	Lead Gen Mediums	Top	Jun, 2026	**2**	Direct	1	**12.50%**

The rows above sum to 8, matching the parent metric. Shares as displayed total 100.00%. Shares are rounded to one decimal place and shown with two.