بسمه تعالی

لیست نیازمندی ها و مباحث مربوطه برای رسم نمودار های UML

پروژه ی درس مهندسی نرم افزار

گروه مارکت پلاس(K)

اعضای گروه : زهرا عبدی ، روشنک مصطفی طالشی ، زهرا کوهستانی ، شادی مهرانپور

Requirements :

1- صاحب سوپر مارکت که نام کاربری و رمز عبور خود را پس از احراز هویت دریافت کرده است می تواند وارد سیستم شود.

2- کاربر میتواند با وارد کردن اطلاعات خود در سایت ثبت نام کند.

3- کاربر می تواند با استفاده از نام کاربری و رمز عبوری که درایگاه داده ذخیره شده است در سیستم log in کند.

4- صاحب سوپر مارکت اطلاعات محصولات ، موجودی هر کدام و قیمت آن ها را در سایت وارد می کند.

5- صاحب سوپر مارکت می تواند اطلاعات محصولات را ویرایش کند.

6- صاحب سوپرمارکت در صورت عدم سرویس دهی امکان غیر فعال کردن خود را دارد.

7- خریداران می توانند لیست سوپرمارکت های محدوده ی خود را مشاهده کنند.

8- خریداران می توانند سوپرمارکت مورد نظر خود را انتخاب کنند.

9- خریداران می توانند لیست کالا های ارائه شده توسط سوپرمارکت را مشاهده کنند.

10- خریداران می توانند کالا های مورد نظر خود را انتخاب و به سبد خرید خود اضافه کنند.

11- خریدار در صورت تمایل سبد خرید خود را تایید می کند .

12- لیست سفارش خریدار برای سوپرمارکت ارسال می شود.

13- سوپرمارکت در صورت داشتن کالا های مورد نیاز مشتری آن را تایید می کند.

14- پیام تایید یا عدم تایید سوپرمارکت برای خریدار ارسال می شود.

Roles :

1- صاحب سوپر مارکت

2- خریدار

Processes :

1- Log in سوپرمارکت :

- وارد کردن نام کاربری و رمز عبور
- بررسی صحت اطلاعات وارد شده بر اساس اطلاعات DB

2- Sign up خریدار :

- وارد کردن اطلاعات خود
- ذخیره اطلاعات وارد شده در DB

3- Log in خریدار :

- وارد کردن نام کاربری و رمز عبور
- بررسی صحت اطلاعات وارد شده بر اساس اطلاعات DB

4- افزودن اطلاعات کالا ها توسط سوپرمارکت:

- اضافه کردن اطلاعات محصولات ، موجودی و قیمت آنها
- ذخیره اطلاعات وارد شده در DB

5- فعال یا غیر فعال کردن سوپرمارکت :

- سوپرمارکت می تواند در صورت عدم سرویس دهی خود را غیر فعال کند.
- ذخیره اطلاعات وارد شده در DB

6- انتخاب سوپرمارکت :

- کاربر می تواند لیست سوپرمارکت های محدوده ی خود را مشاهده کند.
- کاربر می تواند سوپرمارکت مورد نظر خود را انتخاب کند.

7- انتخاب کالا :

- خریدار می تواند لیست کالاهای ارائه شده توسط سوپرمارکت انتخاب شده ی خود را مشاهده کند.
- خریدار می تواند کالاهای مورد نیاز خود را انتخاب و به سبد خرید خود اضافه کند.

8- نکمیل خرید :

- کاربر پس از کلیک بر گزینه ی سبد خرید لیست کالا های خود را مشاهده می کند .
- در صورت تمایل کاربر گزینه ی تکمیل خرید را انتخاب می کند.

9- تایید خرید :

- پس از تکمیل خرید توسط کاربر پیامی شامل لیست سفارش برای سوپرمارکت ارسال می شود.
- سوپرمارکت در صورت داشتن کالا های مورد نیاز مشتری آن را تایید می کند.
- در صورت تایید سوپرمارکت پیام تاییدی نیز برای خریدار ارسال می شود.
- اطلاعات سفارش در DB ذخیره می شود.

User Story :

1- صاحب سوپر مارکت :

- صاحب سوپر مارکت پس از وارد کردن نام کاربری و رمز عبور خود اگر دکمه ی Log in را کلیک کرد پس از بررسی صحت اطلاعات وارد محیط کاربری می شود.

- اگر فروشنده دکمه ی Add را کلیک کرد اطلاعات محصولات ، موجودی و مبلغ آن ها از او دریافت می شود.
- اگر فروشنده دکمه Edit را کلیک کرد بتواند اطلاعات وارد شده را ویرایش کند.
- پس از دریافت اطلاعات ، اطلاعات در DB ذخیره می شود و پیام موفقیت آمیز را مشاهده می کند.
- اگر فروشنده دکمه Disable را کلیک کرد سوپر مارکت از دسترس خارج شود.
- اگر فروشنده دکمه View Order List را کلیک کرد بتواند اطلاعات لازم برای تحویل سفارش را اضافه کند.
- اگر فروشنده دکمه Approve را کلیک کرد پیام تایید برای خریدار ارسال شود و اطلاعات سفارش در DBذخیره می شود.
- اگر فروشنده دکمه Reject را کلیک کرد پیام عدم تایید برای خریدار ارسال شود.

2- خریدار :

- اگر خریدار دکمه Sign Up را کلیک کرد باید اطلاعات خود را وارد کند.
- پس از دریافت اطلاعات ، اطلاعات در DB ذخیره می شود و پیام موفقیت آمیز را مشاهده می کند.
- خریدار پس از وارد کردن نام کاربری و رمز عبور خود اگر دکمه ی Log in را کلیک کرد پس از بررسی صحت اطلاعات وارد محیط کاربری می شود.
- اگر خریدار گزینه View Supermarket List را کلیک کردباید بتواند سوپر مارکت های محدوده خود را مشاهده کند.
- پس از انتخاب سوپر مارکت کاربر بتواند کالاهای مورد نظر خود را انتخاب کند (اطلاعات همزمان با نمایش کالا نمایش داده می شود)

- کاربر با انتخاب گزینه ی purchase basket لیست کالا های سفارش داده ی خود را مشاهده می کند.
- در صورت تکمیل خرید کاربر میتواند دکمه ی Purchase Completion را انتخاب کند.
- کاربر منتظر پیام تایید خرید توسط سوپر مارکت می شود.

نکته:پیغام ها و خطاهای مرسوم در نمودار ها و use case description نوشته نشده اند و در پیاده سازی اعمال میشوند.

:Use-case description

Use case Name: Authentication	**ID**: 1	**Importance level :**medium
Primary actor: Supermarket's Customer and sales person		**Use case type:** Detailed , Essential

Stakeholders and Interests:
Customer –want to register or log in to the system
Sales person – want to log in to the system

Trigger : Customer or sales person click on log in

Type: External

Relationships:

Association: customer ,sales person
Generalization:
Include: log in , sign up
Extend:

Normal flow of events:

1- The new customer clicks on Sign Up and he enters his name , email address , phone number , user name and password.
2- The information should be saved in database.
3- If the customer has already signed up into the system , he clicks Log In and enters his user name and password. If the information entered is correct he enters the system.
4- The salesperson clicks on Log In and enters his username and password. If the information entered is correct he enters the system.

Exception flow:

1- If the information entered was not in the database show try again message and stay at login page.

Sub flow:

1- **Sign up:**
   - He/she must enter personal information for signing up.
   - This information include name , E-mail , telephone number , username and password .
2- **log in:**
   - He/she must enter some information for log in .
   - This information include username and password .

Use case Name: Maintain	**ID**: 2	**Importance level :** high
Primary actor: sales person		**Use case type:** Detailed, Essential

Stakeholders and Interests:
Sales person – want to add or edit stuffs' properties in system

Trigger : Sales person click add or edit

Type: External

Relationships:

Association: sales person
Generalization:
Include: add, edit
Extend:

Normal flow of events:

1- If sales person clicks add button he/she should enter details of goods.
2- In detail page he/she should enter name, number and cost of stuffs.
3- Changes should be saved in data base.
4- If sales person clicks edit button he/she can edit stuff's properties.
5- Changes should be saved in data base.

Exception flow:

Sub flow:

1- **Add:**
   - Salesperson choose category of goods.
   - Salesperson enter name, number and cost of goods.
   - He clicks approved button and the information will save in data base.
2- **Edit:**
   - If it's necessary he edits name, cost or number of goods.
   - Data base will be update.

Use case Name: Order List	**ID**: 3	**Importance level :** medium
Primary actor: Sales person		**Use case type:** Detailed ,Essential

Stakeholders and Interests:

Customer –want to send order list to sales person and receive notification that means approve or reject list from sales person

Sales person – want to see customers order list and approve or reject their requests(order list)

Trigger : Sales person click on view order list

Type: External

Relationships:

Association: sales person

Generalization:

Include:

Extend:

Normal flow of events:

1- After clicking on Purchase Completion, the list of orders is sent to the salesperson.
2- When the salesperson clicks on View Order List he can see what the customer has ordered.
3- If the salesperson clicks on Approve an approval message is sent to the customer.
4- If the salesperson clicks on Reject a disapproval message is sent to the customer.

Exception flow:

1- If sales person click on reject button, system send a rejected message to customer

Sub flow:

Use case Name: View Supermarkets list	**ID**: 4	**Importance level :** high
Primary actor: Supermarket's Customer		**Use case type:** Detailed ,Essential

Stakeholders and Interests:
Customer –want to see supermarkets that are near him/her and select one of them and observe stuffs in supermarket

Trigger : Customer click on View Supermarket List

Type: External

Relationships:

Association: customer
Generalization:
Include:
Extend:

Normal flow of events:

1- The customer clicks on view supermarket lists.
2- System uses the customer's address in her/him profile to suggest supermarkets nearby him/her.
3- Customer sees the supermarket list and choose one of them.
4- Customer can observe the stuffs in chosen supermarket.
5- He/she can select intended goods .

Exception flow:

Sub flow:

Use case Name: Purchase completion	**ID**: 5	**Importance level :** medium
Primary actor: Supermarket's Customer		**Use case type:** Detailed ,Essential

Stakeholders and Interests:
Customer –want to complete him/her purchase and send it to sales person

Trigger : Customer click on Purchase completion

Type: External

Relationships:

Association: customer
Generalization:
Include:
Extend:

Normal flow of events:

1- when the customer has finished choosing goods , he can click on purchase basket and see what he has chosen.
2- When the customer clicks on Purchase Completion , the list of orders is sent to the salesperson.

Exception flow:

1- If completing the purchase was unsuccessful ,show unsuccessful message and roll back to click Purchase completion
2- If the information doesn't save successfully at data base, back to saving them again.

Sub flow:

Use case Name: Disable	**ID**: 6	**Importance level :** low
Primary actor: Sales person		**Use case type:** Detailed ,Essential

Stakeholders and Interests:
Sales person –want to make supermarket status disable or enable(out of service of servicing)

Trigger : Sales person click on disable

Type: External

Relationships:

Association: Sales person
Generalization:
Include:
Extend:

Normal flow of events:

1- If the sales person clicks the Disable button, the supermarket will be out of reach.
2- On the other hand, supermarket status was disabled , with clicking the button it will be enable.
3- Changes will be saved in data base.

Exception flow:

Sub flow: