

Mark Galesi

Assignment 1:Echo UDP Trace Output

Test One(server responds)-Client:

```
mark@PC-name:/mnt/c/Users/Mark/Desktop/CS356$ python3 client.py 127.0.0.1 12000 10
Sending data to 127.0.0.1, 12000: XXXXXXXXXXXX(10 characters)
Receive data from 127.0.0.1, 12000: XXXXXXXXXXXX
mark@PC-name:/mnt/c/Users/Mark/Desktop/CS356$
```

Test One(server responds)-Server:

```
mark@PC-name:/mnt/c/Users/Mark/Desktop/CS356$ python3 server.py 127.0.0.1 12000
The server is ready to receive on port: 12000
```

```
Receive data from client 127.0.0.1, 58716: XXXXXXXXXXXX
Sending data to client 127.0.0.1, 58716: XXXXXXXXXXXX
```

Test Two(server doesn't respond)-Client:

```
mark@PC-name:/mnt/c/Users/Mark/Desktop/CS356$ python3 client.py 127.0.0.1 12000 10
Sending data to 127.0.0.1, 12000: XXXXXXXXXXXX(10 characters)
no response from server, request timed out
Sending data to 127.0.0.1, 12000: XXXXXXXXXXXX(10 characters)
no response from server, request timed out
Sending data to 127.0.0.1, 12000: XXXXXXXXXXXX(10 characters)
no response from server, request timed out
mark@PC-name:/mnt/c/Users/Mark/Desktop/CS356$
```