Simplifying Interval Notation

A. Simplify the given interval notation.

1)
$$[-9,7] \cup [-3,0]$$

4)
$$[-2,7] \cup [-8,-1]$$

Simpliest Form:

Simpliest Form:

2)
$$(-\infty,7]\cup(-8,\infty)$$

5)
$$(-\infty, 4] \cup [6, 11) \cup (5, \infty)$$

 ${\bf Simpliest\ Form:}$

Simpliest Form:

3)
$$[-6,6] \cup [-7,1]$$

6)
$$(-\infty, 3] \cup [6, 10) \cup (7, \infty)$$

Simpliest Form:

Simpliest Form:

Polynomial Inequality

B. Give the solution set to the given polynomial inequality.

1)
$$-(x-1)^3(x+1) > 0$$

2)
$$-(x-1)^3(x+2) \ge 0$$

Solution Set:

Solution Set:

3)
$$(x-1)(x+1)(x+2)^2 \le 0$$

6)
$$-(x-2)(x-1)^{2}(x+1)(x+2) > 0$$

Solution Set:

 ${\bf Solution \ Set:}$

4)
$$-(x-1)(x+1)^2(x+3) > 0$$

7)
$$-(x-2)(x+1)^2(x+2)(x+3) \ge 0$$

Solution Set:

Solution Set:

5)
$$(x-1)(x+1)^2 \ge 0$$

8)
$$-(x-1)(x+2)(x+3)^2 \le 0$$

Solution Set:

Solution Set:

C. Complete the given table below by converting set representation in different forms.

1	$\{x \in \mathbb{R} \mid x \ge 3 \text{ or } x \le -3 \}$		-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
2		[−6, −1] ∪ [1,5)	-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
3			-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
4	$ \{ x \in \mathbb{R} \mid -1 \le x \le 4 $ $ or \ x < -4 \ \} $		-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
5		(-∞, -3] ∪ (2, ∞)	-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
6			-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
7	$ \{x \in \mathbb{R} \mid x \le -3, x = 0, \\ x > 4 \} $		-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
8		$(-\infty, 0) \cup \{2\}$ $\cup [3,4)$	-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
9			-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
10	$ \begin{cases} x \in \mathbb{R} \mid x < -5, \\ -5 < x < 2, \\ x > 2 \end{cases} $		-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6