Simplifying Interval Notation

A. Simplify the given interval notation.

1)
$$(-\infty,4)\cup(2,\infty)$$

4)
$$(-\infty,2)\cup(1,\infty)$$

Simpliest Form:

Simpliest Form:

2)
$$(-\infty, 2) \cup [-8, 5]$$

5)
$$(-\infty, 3] \cup [4, 11) \cup (5, \infty)$$

Simpliest Form:

Simpliest Form:

3)
$$[-1,2)\cup[2,\infty)$$

6)
$$(-\infty, 3] \cup [2, 10) \cup (7, \infty)$$

Simpliest Form:

Simpliest Form:

Polynomial Inequality

B. Give the solution set to the given polynomial inequality.

1)
$$(x+2)^2 (x+3)^2 > 0$$

2)
$$-(x+1)^{2}(x+2)(x+3) > 0$$

Solution Set:

Solution Set:

3)
$$(x+1)^2 (x+2)^2 \ge 0$$

6) $(x-1)^3 < 0$

Solution Set:

Solution Set:

4)
$$-(x-2)(x+1)^2(x+2) \le 0$$

7)
$$(x+1)(x+2)(x+3) > 0$$

Solution Set:

Solution Set:

5)
$$-(x-1)(x+1)^2(x+2) < 0$$

8)
$$-(x-2)(x-1)(x+1)^3 \le 0$$

Solution Set:

Solution Set:

C. Complete the given table below by converting set representation in different forms.

1	$\{x \in \mathbb{R} \mid x \ge 3 \text{ or } x \le -3 \}$		-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
2		[−6, −1] ∪ [1,5)	-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
3			-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
4	$ \{ x \in \mathbb{R} \mid -1 \le x \le 4 $ $ or \ x < -4 \ \} $		-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
5		(-∞, -3] ∪ (2, ∞)	-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
6			-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
7	$ \{x \in \mathbb{R} \mid x \le -3, x = 0, \\ x > 4 \} $		-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
8		$(-\infty, 0) \cup \{2\}$ $\cup [3,4)$	-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
9			-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
10	$ \begin{cases} x \in \mathbb{R} \mid x < -5, \\ -5 < x < 2, \\ x > 2 \end{cases} $		-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6