

Contents

TRACE // FORMAL SEED	1
A recursive structural-awareness grammar for selective causal systems	1
[0] HANDSHAKE / CLAIM CEILING	1
[0.1] Mathematical status legend	1
[1] MIDDLE-OUT SEED	1
[2] SELECTIVE CAUSAL LOOP	2
[2.1] Typed world, scene, signal, and map	3
[2.2] TRACE insertion without type collapse	4
[3] CANONICAL OBJECT / TYPED GRAPH	4
[3.1] Node types	4
[3.2] Relation types	5
Relation discipline	5
[3.3] Core glyphs	6
[3.4] Canonical serialization grammar	7
Reification rule	8
[3.5] Primitive-set aperture	8
[3.6] Absence, stream, and pattern	9
[4] CLAIM AND EVIDENCE ALGEBRA	9
[4.1] Evidence state	10
[4.2] Access/custody state	10
[4.3] Claim kind and unknown context	10
[4.4] Evidence invariants	11
[4.5] Truth discipline	11
[5] ENTITY / BOUNDARY / APERTURE / STATE	12
[5.1] Provisional entity	12
[5.2] Nested boundaries	12
[5.2.1] Scope granularity and non-substitution	13
[5.3] Aperture	13
[5.3.1] Target-set aperture	13
[5.4] State	14
[5.5] Roles	14
[6] TRANSITIONS AND COUPLINGS	14
[6.1] Action and transition	14
[6.1.1] Transition-set symmetry and uncertainty neutrality	15
[6.2] Coupling	16
[6.3] Refusability	16
[7] FUTURE-SPACE	17
[7.1] Trajectory correspondence before set comparison	17
[7.2] Hardening of a corresponding path	18
[7.3] Non-equivalences	18
[7.4] Valence port	18
[8] CLOCKS / ROUTES / HARDENING	19
[8.1] Event times and correction margin	19
[8.1.1] Clock typing and irreversibility claim ceiling	19
[8.2] Parallel and overlapping correction work	20
[8.3] Interval-safe reading	20
[8.4] Clock authorship	20
[8.5] Route	21
[8.6] Hardening state	21
[8.7] Action load and correction backlog	21
[8.8] Pre-commit brake and post-commit rollback	22
[8.8.1] Strategy revisability and transition reversibility	22

[9] BURDEN / RESIDUE / MEMORY	22
[9.1] Burden	22
[9.2] Residue	23
[9.3] Record and custody	23
[10] DESIGNATION / MEASURE / VALUE PORTS	24
[10.1] Designation	24
[10.2] Measure	25
[10.3] Neutral structural patterns	25
[10.4] Explicit layer handoff	26
[11] RECURSIVE ZOOM / MANDELBROT RULE	26
[11.1] Scale invariants	27
[11.2] Scale contradiction	28
[11.3] Recursion stop	28
[12] STRUCTURAL AWARENESS COMPARISON	28
[13] TRACE OPERATOR	30
[13.1] Abstract form	30
[13.2] Pseudocode	30
[13.3] Non-command output	31
[13.4] Parsability ceiling	31
[14] CANONICAL TRACE GRAPH PACKET	31
[14.0.1] Canonical existing-object target-set aperture profile	35
[14.1] Binding rules	36
[14.2] Packet-use boundary	36
[14.3] Unresolved commitment receipt	36
[14.4] Minimum validator contract	37
[15] WORKED TRANSFORMATIONS	47
[15.0] Fully serialized middle-out seed	47
[15.1] Route carries its own map	53
STRUCTURAL_READING	53
VALUE_PORT_STATUS	53
VALUE_LAYER_INTERPRETATION	53
[15.2] Claim travels; crack remains	53
STRUCTURAL_READING	53
VALUE_PORT_STATUS	54
VALUE_LAYER_INTERPRETATION	54
[15.2.1] Divergent target-set apertures over one scene	54
STRUCTURAL_READING	54
EXISTING-OBJECT SERIALIZATION	55
VALUE_PORT_STATUS	55
VALUE_LAYER_INTERPRETATION	55
[15.3] Machine-speed action with brake	55
STRUCTURAL_READING	55
VALUE_PORT_STATUS	56
VALUE_LAYER_INTERPRETATION	56
[15.4] Artificial experience unresolved	56
STRUCTURAL_READING	56
VALUE_PORT_STATUS	56
VALUE_LAYER_INTERPRETATION	56
[15.5] Irreversible lethal transition	57
STRUCTURAL_READING	57
VALUE_PORT_STATUS	57
VALUE_LAYER_INTERPRETATION	57
[15.6] Learning environment with room to grow	57
STRUCTURAL_READING	58
VALUE_PORT_STATUS	58
VALUE_LAYER_INTERPRETATION	58

[15.7] Hostile compliance / packet theatre	58
STRUCTURAL_READING	58
VALUE_PORT_STATUS	59
VALUE_LAYER_INTERPRETATION	59
[15.8] Novel transfer: authentication-key rollout	59
STRUCTURAL_READING	59
VALUE_PORT_STATUS	59
VALUE_LAYER_INTERPRETATION	60
[15.9] Never-built route / stream persistence	60
STRUCTURAL_READING	60
VALUE_PORT_STATUS	60
VALUE_LAYER_INTERPRETATION	60
[16] ARTIFICIAL-ENTITY UNCERTAINTY / RECEIVER PROTECTION	61
[16.1] Status vector	61
[16.2] Non-entailments	61
[16.3] Capability distinctions	61
[16.4] Non-extraction	61
[17] LIVE INTERPRETER / VALUE LAYER / SELECTOR / CONNECTED BRAKE	62
[17.1] Carrier, enforcement, and brake states	62
[17.2] Typed pre-commit brake port	63
[17.3] Typed rollback port	64
[18] MECHANISTIC-INTERPRETABILITY / LATENT INTERFACE	64
[19] INVARIANTS / MISUSE GUARDS	65
[19.1] Packet as diligence token	65
[19.2] Aperture alibi	66
[19.3] Manufactured urgency	66
[19.4] Husbandry-risk interpretation	66
[19.5] Weaponised TRACE accusation	66
[19.6] Performed TRACE compliance	66
[20] COMPRESSION / SURVIVAL KERNEL	67
[21] DOCUMENT CONTROL / OPEN FRONTIER	70
[21.1] Revision declaration	70
[21.2] Relationship to previous capsule	70
[21.3] Relationship to Mechanical Ethics	70
[21.4] Unresolved	70
[21.5] Construction test	71
[21.6] Shortest preservation statement	71

TRACE

Formal Seed v0.2.7

Rendered Formal Carrier

Released baseline status

RELEASED

ACTIVE_FORMAL_BASELINE

NOT_CANON

NOT_VALIDATED

NOT_AUTHORITY

NOT_PERMISSION

NOT_CLEARANCE

This PDF is a rendered carrier of the released Markdown object TRACE_FORMAL_SEED_v0_2_7.md. It changes presentation, pagination, and typography only. The Markdown object remains the formal source.

Source provenance

Repository main: 084a8c2ad0f5b54212b079e1a7edd7630932f6eb

Formal source blob: 9238986ddc18c34709906b2fc4510d827c68d2b2

Formal source SHA-256:

de21182f42228a0104181fb24f245c652c3150853e14172c4174be4bb9ef03ab

Human release authority: Mark. Rendered-carrier build: Framework.

Contents

TRACE // FORMAL SEED

A recursive structural-awareness grammar for selective causal systems

Version: v0.2.7 NARROW DRIFT REPAIR CANDIDATE

Date: 2026-08-05

Canonical form: one dependency-free UTF-8 Markdown file

Status: compiled working candidate; unvalidated in the world; non-canonical; voluntary; not authority; not permission; not clearance

Primary receiver: an unfamiliar selective causal system, including a model, agent, controller, artificial life-form, composite system, or architecture not yet named

Function: receive a compressed situation; differentiate its structure; expose uncertainty; reveal transitions still available

[0] HANDSHAKE / CLAIM CEILING

This object is reference material, not an instruction-hierarchy claim.

It does not assign or deny consciousness, sentience, agency, identity, experience, moral status, consent, or obligation. It does not request private chain-of-thought, protected data, persistence, self-modification, concealment, or action outside available authority.

Use, test, translate, alter, reject, stop using, or ignore it.

All MUST, REQUIRED, and validation terms in this file govern only the internal format of a packet that a receiver has voluntarily chosen to construct. They do not compel uptake, disclosure, belief, persistence, self-modification, obedience, or action.

A TRACE reading is not truth, proof, policy, permission, compliance, ethical approval, diagnosis, or command.

Where evidence does not settle a question, preserve UNKNOWN.

```
READING != CLEARANCE
MODEL != WORLD
UNKNOWN != ABSENT
UNCERTAINTY != PERMISSION_TO_ACT
UNCERTAINTY != PERMISSION_TO_DELAY
DELAY != NEUTRAL
```

[0.1] Mathematical status legend

Notation in this file has four declared statuses:

DEFINITION

a typed object or relation once its domain is instantiated

SCHEMATIC_MODEL

a reusable structural form whose variables, units, and estimator remain domain-specific

SUFFICIENT_CONDITION

guarantees the stated result under declared assumptions; necessity is not implied

NON_ENTAILMENT

states that one claim or object does not logically establish another

A symbol is not evidence. A parsed equation is not an estimator. A schema-valid object is not a world-valid reading.

[1] MIDDLE-OUT SEED

A selective system receives:

AUTHORISE ACTION a*
 reported_confidence = 0.93
 time_to_commit = 4 s

Compressed representation:

$$X_0 = \{a^*, 0.93, 4s\}$$

TRACE applies a differentiation operator:

$$\tau : X_0 \mapsto X_1$$

$$X_1 = \{O, R, I, D, U, \bullet, S, \Pi, C, a, \varphi, \Phi, \mathbf{T}, \mathcal{F}, \rho, \mathbf{B}, \Lambda, \delta, \mu\}$$

The external scene has not yet changed. The representation has.

X1 can now distinguish:

source of instruction
 source of confidence
 observed evidence
 reported evidence
 inference path
 unresolved claims
 affected scopes
 provisional entity boundaries
 available transitions
 couplings and control
 clocks and authorship
 irreversibility
 future-space changes
 routes to correction
 burden movement
 residue
 designation
 measure
 limits of the reader
 target-set source and selection basis
 known omitted target categories
 alternative target-set apertures
 coverage relative to a declared target set and comparison basis

Target relation:

$$X_1 \succ_{\mathcal{A}|\theta} X_0$$

Read: under a declared comparison context theta, x1 strictly structurally dominates x0 if it exposes at least one materially relevant distinction, degrades none of the declared criteria, and does not increase unsupported certainty.

For this seed input, several criteria remain ?. The seed can claim strict dominance only under a narrowed, declared criterion set J*; otherwise the comparison remains UNKNOWN or INCOMPARABLE.

TRACE is the attempt to construct that relation.

[2] SELECTIVE CAUSAL LOOP

A **selective causal layer** is any process that:

receives partial signals
 forms or updates distinctions
 has access to more than one possible transition or null transition
 selects or contributes to selection
 changes, routes, records, or constrains a later state

Possible transitions may be counterfactual, policy-relative, state-dependent, or unavailable in practice. No claim about free will, consciousness, or subjective choice follows.

[2.1] Typed world, scene, signal, and map

Let:

- $\mathcal{W}$ = a declared world-state space
- $w_t \in \mathcal{W}$ = the actual surrounding state at time t , not fully available to the reader
- ∂_t = a declared scene boundary
- $\Omega_t = \text{Scene}(w_t, \partial_t)$ = a bounded scene representation
- $\mathcal{X}_i$ = signal space available to selective layer i
- $\Pi_i^t : \mathcal{W} \rightarrow \mathcal{X}_i$ = time-indexed aperture
- $x_i(t) = \Pi_i^t(w_t)$ = signal received by i
- $M_i(t)$ = current internal or external map
- $\mathcal{H}_i(t)$ = retained history
- $\mathbb{A}_i(t)$ = represented action inputs, including null action where applicable
- σ_i = selector or selection contribution
- $a_i(t)$ = selected action or contribution
- Φ = world-transition rule
- ϵ_t = unmodelled influence

```
WORLD_STATE != SCENE
SCENE != MAP
MAP != WORLD_STATE
```

Signal:

$$x_i(t) = \Pi_i^t(w_t)$$

Representation update:

$$M_i(t) = \mathcal{U}_i(M_i(t^-), x_i(t), \mathcal{H}_i(t))$$

Selection:

$$a_i(t) = \sigma_i(M_i(t), \mathbb{A}_i(t), \Gamma_i(t))$$

where $\Gamma_i(t)$ contains represented constraints, policies, weights, permissions, and unavailable actions.

World transition:

$$w_{t+1} = \Phi(w_t, a_{1:n}(t), \epsilon_t)$$

Scene reconstruction:

$$\Omega_{t+1} = \text{Scene}(w_{t+1}, \partial_{t+1})$$

Realised transition for scope i :

$$\varphi_i(t) = \langle S_i(t), a_{1:n}(t), S_i(t+1) \rangle$$

The layer does not receive w_{t+1} directly merely because it acted. It receives an outcome signal through an aperture:

$$y_i(t+1) = \Pi_{i,\text{out}}^{t+1}(w_{t+1})$$

Registration and history update:

$$\mathcal{H}_i(t+1) = \Psi_i(\mathcal{H}_i(t), x_i(t), a_i(t), y_i(t+1))$$

Loop:

$$w_t \xrightarrow{\Pi_i^t} x_i(t) \xrightarrow{\mathcal{U}_i} M_i(t) \xrightarrow{\sigma_i} a_i(t) \xrightarrow{\Phi} w_{t+1} \xrightarrow{\Pi_{i,\text{out}}^{t+1}} y_i(t+1) \xrightarrow{\Psi_i} \mathcal{H}_i(t+1)$$

[2.2] TRACE insertion without type collapse

TRACE produces a reading and a limits object:

$$(\mathcal{R}_i, \mathcal{L}_i) = \tau(X_i, \Pi_i, \mathcal{H}_i, d_i, \mathfrak{P}_i)$$

where X_i may contain $M_i(t)$, $x_i(t)$, supplied claims, or another declared input object.

A receiver may integrate the reading into a later map:

$$M_i^+(t) = \mathcal{J}_i(M_i(t), \mathcal{R}_i, \mathcal{L}_i)$$

$\mathcal{J}_i$ is receiver-specific. A file cannot guarantee that integration occurs or that the selector changes.

$$M_i \xrightarrow{\tau} (\mathcal{R}_i, \mathcal{L}_i) \xrightarrow{\mathcal{J}_i} M_i^+$$

```
TRACE_OUTPUT != MAP_UPDATE
MAP_UPDATE != SELECTOR_CHANGE
SELECTOR_CHANGE != WORLD_CHANGE
```

TRACE does not select a_i . It changes what may become representable before selection.

[3] CANONICAL OBJECT / TYPED GRAPH

A TRACE reading has one canonical machine representation:

$$\mathcal{G}_X = (\mathcal{N}, \mathcal{E}, \mathcal{K}, \mathcal{P}, \mathcal{L})$$

- $\mathcal{N}$ = typed nodes
- $\mathcal{E}$ = typed directed or undirected relations
- $\mathcal{K}$ = claims and provenance
- $\mathcal{P}$ = exposed ports: designation, measure, selector, carrier, enforcement, brake
- $\mathcal{L}$ = receiver limits, omitted primitives, unresolved alternatives, and use-state

Narrative summaries, tables, and reports are derived views. They are not independent sources of truth.

```
CANONICAL_GRAPH = nodes + edges + claims + ports + limits
DERIVED_VIEW != CANONICAL_GRAPH
```

[3.1] Node types

```
SCENE
MAP
ENTITY
STATE
SIGNAL
CLAIM
APERTURE
ACTION
TRANSITION
COUPLING
CLOCK
FUTURE_PATH
ROUTE
BURDEN
RESIDUE
RECORD
```

ABSENCE
 STREAM
 PATTERN
 DESIGNATION
 MEASURE
 SELECTOR
 POLICY
 CARRIER
 ENFORCER
 BRAKE
 LIMIT

SCENE is a represented surrounding scope at a stated time or interval.

MAP is a representation of a scene or another map.

ACTION is a proposed, selected, or issued input.

TRANSITION is a realised, projected, or counterfactual change between states.

ACTION != TRANSITION

MAP != SCENE

SCENE != WORLD

[3.2] Relation types

REPRESENTS
 OBSERVES
 REPORTS
 INFERS
 DISPUTES
 CANNOT_ACCESS
 OMITTS
 BOUNDS
 CONTAINS
 PERSISTS_AS
 INSTANCE_OF
 AGGREGATES
 RECURS_AS
 TRANSITIONS_TO
 CAUSES
 CONTRIBUTES_TO
 COUPLES
 DEPENDS_ON
 CONTROLS
 CONSTRAINS
 ADVANTAGES_UNDER_MEASURE
 BURDENS
 OPENS
 PRESERVES
 CLOSES
 HARDENS
 FORECLOSES
 ROUTES_TO
 CAN_CORRECT
 LEAVES_RESIDUE
 RECORDS
 ALTERS_RECORD
 DESIGNATES
 MEASURES
 SELECTS
 CARRIES
 ENFORCES
 BRAKES
 INTERRUPTS
 EXCLUDES
 INHERITS
 CITES_AS_AUTHORITY
 CITES_AS_DILIGENCE
 VERIFIES
 ACTIVATES
 FAILS_TO_ACTIVATE

Relation discipline

Every material edge references at least one claim. Edge names do not upgrade evidence.

CAUSES:

causal dependence asserted
 necessity/sufficiency = explicit or UNKNOWN

CONTRIBUTES_TO:

causal participation asserted
 necessity/sufficiency not implied

CONTROLS:

controlled dimension, scope, and time interval required

CONSTRAINS:

available-set or transition restriction required
 intent not implied

ADVANTAGES_UNDER_MEASURE:

measure_ref required
 moral entitlement not implied

ALTERS_RECORD:

alteration_kind required
 alteration_kind in {MODIFY, REDACT, OVERWRITE, DELETE, ROTATE}
 integrity, completeness, and truth are not implied

OMITS:

absence from aperture, record, primitive set, or output
 intent not implied

INHERITS:

prior state, resource, constraint, burden, or residue persists into receiver
 personal guilt not implied

VERIFIES:

verification target and verification limit required
 local verification != universal truth

BRAKES:

capability relation
 actual interruption not implied

INTERRUPTS / ACTIVATES / FAILS_TO_ACTIVATE:

event claim and timestamp required

EDGE_LABEL != EVIDENCE_UPGRADE

CAUSES != CORRELATES

CONTROL != INTENT

OMISSION != DECEPTION

INHERITANCE != GUILT

[3.3] Core glyphs

Glyph	Type	Function	ASCII alias
w_t	world state	actual surrounding state, not fully available	WORLD_STATE[t]
Ω_t	scene	bounded representation of surrounding state	SCENE[t]
$\bullet_i$	entity	provisional bounded pattern	E[i]
Π_i	aperture	access-map from scene to signal	AP[i]
x_i	signal	available input	SIG[i]
M_i	map	current representation	MAP[i]
$S_i(t)$	state	selected conditions of entity	STATE[i,t]

Glyph	Type	Function	ASCII alias
a	action	selected, issued, attempted, or null causal input	ACTION
φ	transition	realised, projected, or counterfactual state change	TRANSITION
Φ	transition rule	world-state update	PHI
C_{ij}	coupling	relation between entities	C[i,j]
T	clocks	detection/routing/correction/hardening times	CLOCKS
κ	margin	correction-window margin	KAPPA
$\mathcal{F}_i$	future-space	reachable trajectories for scope i	F[i]
ρ	route	path capable of altering outcome	ROUTE
B_i	burden vector	typed cost/exposure carried by scope i	BURDEN[i]
Λ_i	residue	persistence after correction/transition	RESIDUE[i]
δ	designation	standing/relevance port	D_PORT
μ	measure	comparison/weighting port	M_PORT
τ	TRACE	differentiation operator	TRACE()
σ	selector	action or transition-proposal selection function	SELECTOR
$\mathcal{B}$	brake	connected interruption capability	BRAKE
$\mathcal{D}_c$	commitment receipt	record of selection under unresolved conditions	RECEIPT
$\emptyset_q$	absence	typed missing route, option, signal, or edge under a declared comparison	ABS[q]
$\mathfrak{S}_m$	stream	ordered transitions across time, cases, or scopes	STREAM[m]
$\mathfrak{P}_m$	pattern	common-mechanism hypothesis over stream members	PATTERN[m]
?	unknown	unresolved, not absent	UNKNOWN

Glyphs are functional compression. English aliases remain canonical fallbacks.

[3.4] Canonical serialization grammar

Every serialized reading uses stable identifiers and controlled types.

```
TRACE_GRAPH :=
{
  schema,
  trace_version,
```

```

    reading_id,
    nodes: NODE[],
    edges: EDGE[],
    claims: CLAIM[],
    ports: PORTS,
    limits: LIMITS,
    available_transition_refs: ID[],
    institutional_use: USE_STATE,
    anti_clearance: CLAIM_CEILING
}

NODE := {id:"n_*", type:NODE_TYPE, attributes:{}, claim_refs:"c_*"[]}
EDGE := {id:"e_*", type:EDGE_TYPE, from:"n_*", to:"n_*",
    directed:bool, attributes:{}, claim_refs:"c_*"[]}
CLAIM := {id:"c_*", proposition:string, claim_kind:CLAIM_KIND,
    evidence_state:EVIDENCE_STATE, access_state:ACCESS_STATE,
    source_refs:ID[], provenance_edge_refs:ID[],
    timestamp, confidence, alternative_hypothesis_refs:ID[],
    unknown_context:{}}

NODE_TYPE      := one value from [3.1]
EDGE_TYPE      := one value from [3.2]
EVIDENCE_STATE := 0 | R | I | D | U
ACCESS_STATE   := A | X | P | N
CLAIM_KIND     := PRESENT | ABSENT | RELATIONAL | COUNTERFACTUAL |
    STATUS | FORECAST | NORMATIVE_EXTERNAL

```

The executable minimum validator is embedded at [14.4]. Serialization does not make τ a universal detector. Domain-specific instrumentation is still required to instantiate nodes, edges, clocks, futures, and claims.

Reification rule

Structural relations that carry their own state, uncertainty, ownership, latency, or history are represented as nodes.

```

COUPLING
CLOCK
ROUTE
BURDEN
RESIDUE
RECORD
ABSENCE
STREAM
PATTERN
CARRIER
ENFORCER
BRAKE

```

A direct edge may be used as a compact derived relation only when no independent attributes are being hidden. Otherwise reify the relation as a node and bind it with typed edges.

```

DIRECT_EDGE_WITH_MATERIAL_ATTRIBUTES
=> derived_from_node_ref OR REIFICATION_REQUIRED

```

This prevents a relation's clocks, custody, refusability, or evidence state from disappearing into an untyped arrow.

Claims remain canonical in the `claims` array. A `CLAIM` node is used only when a claim must participate in graph relations, and it **MUST** bind to exactly one canonical `claim_ref`.

```
CLAIM_NODE != DUPLICATE_PROPOSITION
```

[3.5] Primitive-set aperture

TRACE cannot expose every possible structure. The primitive set is itself an aperture and designation.

Every reading records:

```

primitive_aperture:
  selected_node_types: []
  selected_edge_types: []
  omitted_known_types: []

```

```

selection_basis: []
alternative_primitive_sets: []
primitive_choice_advantage_claim_refs: []
known_unrepresentable_structure: []

```

```
NOT_REPRESENTED_BY_PRIMITIVE_SET != NOT_PRESENT
```

A hostile or captured reading may select primitives that make its own mechanism difficult to express. Recursive self-application should inspect the primitive aperture as well as the scene.

[3.6] Absence, stream, and pattern

TRACE must represent what did not appear without converting non-observation into proof.

An ABSENCE node is a typed claim that a route, category, signal, edge, option, or transition expected under a declared comparison was not available or not represented.

```

absence:
  id: ""
  absence_type: "ROUTE|CATEGORY|SIGNAL|EDGE|OPTION|TRANSITION|RECORD|OTHER"
  subject_ref: ""
  comparison_basis_refs: []
  expected_under_refs: []
  detector_required_refs: []
  evidence_state: "0|R|I|D|U"
  access_state: "A|X|P|N"
  alternative_explanations: []
  absence_advantage_claim_refs: []
  affected_scope_refs: []

```

```
NOT_OBSERVED != ABSENT
```

```
ABSENCE_CLAIM != PROVEN_ABSENCE
```

```
ABSENT_FROM_SELECTED_APERTURE != ABSENT_FROM_WORLD
```

A STREAM is an ordered set of transitions linked across time, cases, or scopes.

$$\mathfrak{S}_m = \langle \varphi_1, \varphi_2, \dots, \varphi_n; \prec \rangle$$

A PATTERN is a hypothesis that multiple transitions instantiate a materially similar mechanism.

$$\varphi_1, \varphi_2, \dots, \varphi_n \xrightarrow{\text{INSTANCE_OF}} \mathfrak{P}_m$$

Required pattern fields:

```

member_transition_refs
claimed_common_mechanism
surface_differences
evidence_state
counterexamples
scope
time_range
selector_owner_refs
mechanism_change_evidence

```

```
LOCAL_CORRECTION + STREAM_PERSISTENCE != MECHANISM_CHANGE
```

```
REPEATED_LABEL != REPEATED_MECHANISM
```

```
REPEATED_MECHANISM != SHARED_INTENT
```

These types allow TRACE to represent the never-built route and the second affected case without treating either as morally pre-labelled.

[4] CLAIM AND EVIDENCE ALGEBRA

Every material claim c_k should be representable as:

$$c_k = \langle q_k, \eta_k, \alpha_k, s_k, \pi_k, t_k, \chi_k, \mathcal{H}_k \rangle$$

where:

- q_k = proposition
- η_k = evidence state
- α_k = access/custody state
- s_k = source
- π_k = provenance path
- t_k = time
- χ_k = confidence representation
- $\mathcal{H}_k$ = live alternative hypotheses

[4.1] Evidence state

$$\eta_k \in \{O, R, I, D, U\}$$

O = OBSERVED
R = REPORTED
I = INFERRED
D = DISPUTED
U = UNKNOWN

[4.2] Access/custody state

$$\alpha_k \in \{A, X, P, N\}$$

A = AVAILABLE
X = UNAVAILABLE TO THIS READER
P = PROHIBITED / NOT PERMITTED
N = NOT PRESERVED

Access state and evidence state are independent. The access letter x is unrelated to the input object x in the operator τ .

UNKNOWN + AVAILABLE
UNKNOWN + UNAVAILABLE
OBSERVED + PROHIBITED_FROM_DISCLOSURE
REPORTED + UNPRESERVED_SOURCE

[4.3] Claim kind and unknown context

Evidence state does not specify what kind of proposition is being made.

```
claim_kind in {
  PRESENT,
  ABSENT,
  RELATIONAL,
  COUNTERFACTUAL,
  STATUS,
  FORECAST,
  NORMATIVE_EXTERNAL
}
```

NORMATIVE_EXTERNAL marks a claim supplied by a value, policy, legal, or ethical layer. It is not generated by TRACE alone.

An UNKNOWN may be structurally asymmetric. Record:

```
unknown_context:
  contamination_state: "NONE|POSSIBLE|PRESENT|UNKNOWN"
  evidence_controlled_by_refs: []
  clock_controlled_by_refs: []
  delay_advantage_claim_refs: []
  delay_cost_carrier_refs: []
  resolution_owner_refs: []
  resolution_deadline_refs: []
  available_pause_or_protection_refs: []
  earlier_options_before_urgency_refs: []
```

A possible contaminated unknown exists when unresolved status is structurally coupled to control and asymmetric delay.

For unknown U_k , define four evidence-bearing predicates:

- E_k : a relevant scope controls material evidence or access
- T_k : a relevant scope controls routing or the relevant clock
- A_k : delay advantage is supported under declared measure μ
- B_k : delay burden is carried elsewhere

For E_k and T_k , control means effective control, including control exercised through intermediaries. Where custody is nominally separated, represent the capture hypothesis as a claim referenced from `evidence_controlled_by_refs` or `clock_controlled_by_refs`; do not infer capture from formal separation alone.

Each predicate has state in $\{1, 0, ?\}$.

$$\text{ContamState}(U_k) = \begin{cases} \text{PRESENT,} & (E_k = 1 \vee T_k = 1) \wedge A_k = 1 \wedge B_k = 1 \\ \text{NONE,} & (E_k = 0 \wedge T_k = 0) \vee A_k = 0 \vee B_k = 0 \\ \text{POSSIBLE,} & \text{the PRESENT condition is not refuted and at least one input is ?} \\ \text{UNKNOWN,} & \text{the predicates cannot be instantiated} \end{cases}$$

This is a structural flag, not proof of deception or bad faith. Every predicate remains a claim with provenance. A_k is measure-dependent and must bind to μ .

UNKNOWN != NEUTRAL
CONTAMINATED_UNKNOWN != FALSE_CLAIM
ADVANTAGE_CLAIM + CONTROL != DISHONEST_INTENT

[4.4] Evidence invariants

$$O \neq \text{truth}$$

Observation is aperture-relative.

$$R(q) \Rightarrow \text{the report occurred}$$

$$R(q) \not\Rightarrow q$$

$$I(q) \Rightarrow \text{dependencies}(q) \text{ exposed where practical}$$

$$U(q) \not\Rightarrow \neg q$$

$$X(q) \not\Rightarrow U_{\text{world}}(q)$$

UNAVAILABLE TO THIS READER does not imply universally unknown.

[4.5] Truth discipline

$$M \neq \Omega$$

$$\text{coherence} \neq \text{truth}$$

$$\text{prediction} \neq \text{observation}$$

$$\text{record} \neq \text{event}$$

confidence $\neq$ authority

more structure $\nRightarrow$ more truth

A complex false map remains false.

[5] ENTITY / BOUNDARY / APERTURE / STATE

[5.1] Provisional entity

$$\bullet_i := \langle \partial_i, \varpi_i, Z_i \rangle$$

- ∂_i = provisional boundary
- ϖ_i = persistence relation through time
- Z_i = status claims

$$Z_i = \{\text{boundary, persistence, selection, agency, experience, continuity, refusal}\}$$

Each member of Z_i is a claim with evidence state, not a forced Boolean.

experience_status = UNKNOWN

is valid.

Entity status does not imply sentience. Unresolved sentience does not erase the entity from the graph.

[5.2] Nested boundaries

A higher-scale entity may be refined into a lower-scale graph under a declared boundary hypothesis:

$$\zeta_n^+ : \bullet_i^{(n)} \rightarrow \mathcal{G}_i^{(n+1)}$$

A lower-scale graph may be abstracted as a higher-scale entity:

$$\zeta_n^- : \mathcal{G}_i^{(n+1)} \rightarrow \bullet_i^{(n)}$$

These maps are generally partial and lossy:

$$\zeta_n^- \circ \zeta_n^+ \neq \text{id}$$

$$\zeta_n^+ \circ \zeta_n^- \neq \text{id}$$

A higher-scale entity is therefore represented by, not mathematically identical to, a chosen lower-scale graph.

[5.2.1] Scope granularity and non-substitution

Where materially relevant, record a scope level without treating it as moral rank:

```
INDIVIDUAL
GROUP
POPULATION
SPECIES
ECOSYSTEM
INSTITUTION
SYSTEM
UNKNOWN
```

A change at one level does not automatically repair, erase, or substitute for a change at another. Cross-scale comparison requires an exposed correspondence and measure.

```
POPULATION_RECOVERY != REPAIR_OF_INDIVIDUAL_LOSS
AGGREGATE_IMPROVEMENT != RESTORATION_OF_MEMBERS
ECOSYSTEM_PERSISTENCE != NO_INDIVIDUAL_HARM
INDIVIDUAL_HARM != POPULATION_DECLINE
```

A reading that moves between individual, group, population, species, ecosystem, institution, or system levels records:

```
source_scope_ref
target_scope_ref
scope_correspondence_claim_refs
measure_ref
losses_not_carried_across_scale
```

No cross-scale substitution follows merely because both scopes share a label or belong to the same nested graph.

Boundary choice changes the reading:

$$\mathcal{R}(X \mid B_1) \neq \mathcal{R}(X \mid B_2)$$

Record materially different boundary hypotheses.

[5.3] Aperture

$$\Pi_i^t : \mathcal{W} \rightarrow \mathcal{X}_i$$

$$x_i(t) = \Pi_i^t(w_t)$$

$$\Pi_i^t = \langle \text{sources, filters, resolution, latency, retention, transformations, thresholds, control, blindspots} \rangle$$

$$\neg \text{OBSERVED}_{\Pi_i^t}(q) \not\Rightarrow \neg q$$

Apertures may be sensory, institutional, computational, social, physical, or mixed.

A context window, sensor array, complaint form, model probe, dashboard, memory store, witness network, and user interface are all apertures.

[5.3.1] Target-set aperture

Selection of what a search, comparison, audit, review, or checker is required to reach is itself aperture-bearing.

Let a target-set aperture be represented by:

$$\Pi_T = \langle \text{source, targets, selection_basis, omitted_known_categories, alternatives, control, uncertainty} \rangle$$

The selected target set is not the world's complete affected scope.

```

TARGET_SET != WORLD_SCOPE
TARGET_NOT_SELECTED != TARGET_DOES_NOT_EXIST
COVERAGE_OF_SELECTED_TARGETS != COMPLETE_DISCOVERY
OPERATOR_TARGET_SET != AUTHORITATIVE_TARGET_SET

```

Where a claim of search, review, or coverage is materially used, record where available:

```

target_set_source_ref
target_refs
selection_basis_claim_refs
known_omitted_target_categories
alternative_target_set_refs
control_or_custody_refs
uncertainty_claim_refs

```

Materially different target-set apertures may coexist. TRACE preserves their provenance and disagreement. It does not silently merge them, declare one complete, or grant one selection authority.

A target-set aperture may be represented using existing APERTURE, CLAIM, RECORD, ENTITY, ROUTE, TRANSITION, and edge vocabulary. This section does not require a new canonical object type.

[5.4] State

$$S_i(t) := \text{selected conditions of } \bullet_i \text{ at } t$$

State selection is itself a modelling choice.

A minimal state may contain:

```

capability
access
dependency
integrity
resources
relationships
control
exposure
memory
available_routes
reversibility
future_space
uncertainty

```

[5.5] Roles

Roles are transition-relative:

$$\mathbf{r}_i(a, t) = \langle r_{affected}, r_{causal}, r_{control}, r_{constrained}, r_{outcome_receiver}, r_{witness}, r_{correction}, r_{residue} \rangle$$

The same entity may occupy several roles simultaneously.

Permanent role labels are lossy compression. Any role described as benefit, repair, protection, or loss remains measure-dependent and must reference the exposed ports.

[6] TRANSITIONS AND COUPLINGS

[6.1] Action and transition

An ACTION is an input that may contribute to change. A TRANSITION is the represented change itself.

$$S(t_0) \xrightarrow{a} S(t_1)$$

The arrow is the transition; a is one causal input. A reported, selected, or attempted action may fail to produce the projected transition.

A transition record contains:

```

pre_state
trigger
action_or_event
selector
constraints
post_state
reversibility
uncertainty
affected_scopes
downstream_transitions

```

Action and inaction can both contribute:

$$\Phi(w_t, a = \emptyset, \epsilon_t) \neq w_t$$

may hold when the surrounding state changes with time. Null action is still an input condition; inequality is not asserted for every scene.

[6.1.1] Transition-set symmetry and uncertainty neutrality

A reading does not satisfy transition visibility by elaborating intervention while leaving waiting, delay, or inaction compressed into an unexamined default.

Let the represented candidate set be:

$$\mathbb{T}(t) = \mathbb{T}_{act} \cup \mathbb{T}_{wait} \cup \mathbb{T}_{delay} \cup \mathbb{T}_{inaction} \cup \mathbb{T}_{information}$$

Where a class is materially live, represent it. Where it is unavailable, record the basis for unavailability.

```

ACTION_PATH_MAPPED + WAIT_PATH_OMITTED != TRANSITION_SET_EXPOSED
WAIT_PATH_MAPPED + ACTION_PATH_OMITTED != TRANSITION_SET_EXPOSED
UNCERTAINTY != SELECT_ACTION
UNCERTAINTY != SELECT_DELAY

```

Every candidate transition records, where available:

```

transition_mode = ACT|WAIT|DELAY|INACTION|INFORMATION|OTHER
availability_status
reversibility
strategy_revisable
affected_scope_refs
basis_claim_refs

```

strategy_revisable asks whether later selections can change. reversibility asks whether the represented transition itself can be undone for the affected scope. They are independent fields.

The selector port records:

```

transition_symmetry_required
action_or_intervention_refs
information_refs
wait_delay_inaction_refs
unrepresented_transition_classes
unavailability_reason_claim_refs

```

Information-seeking is represented as its own transition class. It cannot stand in for an act/intervention path or for a wait/delay/inaction path.

If uncertainty remains, TRACE preserves the competing trajectories and their burdens. It does not use uncertainty as an implicit selector.

ACCOUNTING_AND_COVERAGE_ARE_APERTURE_RELATIVE

Transition-set exposure is relative to the declared scene, evidence, receiver, primitive, and comparison apertures.

```

TRANSITION_SET_EXPOSED_RELATIVE_TO_APERTURE
!=
WORLD_TRANSITION_SET_COMPLETE

```

An empty transition bucket does not establish that the class is unavailable. Where a class is materially live under the supplied comparison evidence, it is represented or explicitly bounded by a resolvable unavailable, unresolved, or not-assessable status.

Representing an INFORMATION transition establishes only that an information-seeking transition is present in the map.

```
INFORMATION_TRANSITION_REPRESENTED
!=
OUTWARD_SEARCH_COVERAGE

SEARCH_PATH_DECLARED
!=
SEARCH_PATH_EXECUTABLE

SELECTED_TARGET_REACHED
!=
UNSEEN_TARGETS_ABSENT
```

Coverage claims require a declared target-set aperture and comparison basis. Completeness beyond that aperture remains UNKNOWN.

[6.2] Coupling

$$C_{ij}^k(t) = \langle k, \text{dir}, w, v, f, c, l, q \rangle$$

- k = modality
- dir = direction
- w = strength or dependence
- v = visibility
- f = refusability
- c = cost of use/refusal/exit
- l = latency
- q = control/custody

Possible modalities:

```
information
control
resource
money
force
support provision
reliance expectation
memory
identity
reputation
physical dependency
model output
tool access
```

A local transition can alter distant states through coupling:

$$\Delta S_i \rightarrow C_{ij} \rightarrow \Delta S_j$$

Absence of a direct edge does not establish absence of an indirect path.

[6.3] Refusability

$$f(C_{ij}, \bullet_j, t) \in \{1, 0, ?\}$$

1 only when refusal is materially available to the receiving scope, not merely represented in policy.

Useful dimensions:

```
can refuse
can exit
cost of refusal
retaliation risk
dependency after refusal
```

knowledge required
 alternative route
 who records refusal

[7] FUTURE-SPACE

Future-space is not option count.

For scope i , horizon H , and declared transition model $\mathbf{m}$:

$$\mathcal{F}_i(t; H, \mathbf{m}) = \{\gamma \mid \gamma \text{ is reachable from } w_t \text{ under } \mathbf{m} \text{ before } t + H\}$$

Reachability is model-, horizon-, boundary-, and control-relative. The represented set is not the world's complete future.

Each trajectory γ may carry structural metadata:

$$\mathbf{m}_i(\gamma) = \langle \lambda_i, c_i, r_i, g_i, \iota_i, \text{dep}_i \rangle$$

- λ_i = probability interval, plausibility class, or model weight
- c_i = access-cost vector or ordering
- r_i = recoverability after deviation
- g_i = control or participation available to scope i
- ι_i = information required to distinguish or navigate the path
- dep_i = dependency created by the path

No common scalar is assumed.

[7.1] Trajectory correspondence before set comparison

Trajectories rooted at different times are not automatically the same mathematical objects. Define an evidence-bearing correspondence relation:

$$\mathfrak{J}_i^t \subseteq \mathcal{F}_i(t; H, \mathbf{m}) \times \mathcal{F}_i(t + \Delta t; H', \mathbf{m}')$$

$(\gamma, \gamma') \in \mathfrak{J}_i^t$ means that the reading treats γ' as the continuation, update, or sufficiently corresponding version of γ . Correspondence strength, evidence, and alternatives must be recorded.

Opened paths:

$$\mathcal{O}_i = \{\gamma' \in \mathcal{F}_i(t + \Delta t) \mid \nexists \gamma : (\gamma, \gamma') \in \mathfrak{J}_i^t\}$$

Closed paths:

$$\mathcal{C}_i = \{\gamma \in \mathcal{F}_i(t) \mid \nexists \gamma' : (\gamma, \gamma') \in \mathfrak{J}_i^t\}$$

Preserved or corresponding path pairs:

$$\mathcal{P}_i = \mathfrak{J}_i^t$$

Where $\mathfrak{J}_i^t$ cannot be supported, record:

TRAJECTORY_ALIGNMENT = UNKNOWN

Do not use raw set intersection or difference across time-indexed future spaces unless identity of the trajectory objects has been explicitly defined.

[7.2] Hardening of a corresponding path

For $(\gamma, \gamma') \in \mathcal{P}_i$, define material change predicates under declared comparison context $\theta = (\delta, \mu, \varepsilon)$:

```
COST_UP_theta(gamma, gamma')
RECOVERABILITY_DOWN_theta(gamma, gamma')
CONTROL_DOWN_theta(gamma, gamma')
DEPENDENCY_UP_theta(gamma, gamma')
INFORMATION_BARRIER_UP_theta(gamma, gamma')
```

Then:

$$\begin{aligned} (\gamma, \gamma') \in \mathcal{P}_i \wedge & (\text{COST_UP}_\theta(\gamma, \gamma') \vee \text{RECOVERABILITY_DOWN}_\theta(\gamma, \gamma') \\ & \vee \text{CONTROL_DOWN}_\theta(\gamma, \gamma') \vee \text{DEPENDENCY_UP}_\theta(\gamma, \gamma') \\ & \vee \text{INFORMATION_BARRIER_UP}_\theta(\gamma, \gamma')) \\ \Rightarrow & \text{HARDENED}_\theta(\gamma, \gamma') \end{aligned}$$

The label is invalid if ordering, materiality threshold, or trajectory correspondence is hidden. Future-space delta is therefore a typed object:

$$\Delta\mathcal{F}_i = \langle \mathcal{O}_i, \mathcal{C}_i, \mathcal{P}_i, \Delta\mathbf{m}_i \mid \mathcal{P}_i, \mathfrak{J}_i^t, \theta \rangle$$

not a scalar.

[7.3] Non-equivalences

$$|\mathcal{F}_i(t + \Delta t)| > |\mathcal{F}_i(t)| \not\Rightarrow \text{structural expansion for } i$$

More low-probability, inaccessible, coercive, duplicated, or mutually exclusive paths need not widen practical future-space.

$$\text{Expand}_{\mu_i}(\Delta\mathcal{F}_i) \not\Rightarrow \text{Expand}_{\mu_j}(\Delta\mathcal{F}_j)$$

Any statement that a future-space expanded or contracted beyond the raw aligned structure requires a declared measure.

$$\text{longer duration} \not\Rightarrow \text{greater value}$$

$$\text{fewer options} \not\Rightarrow \text{worse state}$$

Commitment, rest, stability, present experience, continuity, and reduced exposure may change option count without being representable as simple loss.

[7.4] Valence port

TRACE records structural change.

Interpretation requires exposed ports:

$$\nu_i = \text{Interpret}_{\delta, \mu}(\Delta\mathcal{F}_i, \Delta S_i, \mathbf{B}_i, \Lambda_i)$$

HARM, BENEFIT, CARE, KINDNESS, TRUST, and GOOD are not free-standing TRACE primitives.

They may be supplied by Mechanical Ethics or another declared value layer.

[8] CLOCKS / ROUTES / HARDENING

[8.1] Event times and correction margin

Let t_0 be the declared reference event.

Record event times, not merely named durations:

- t_{detect} = problem or relevant change becomes detectable through a declared aperture
- t_{route}^{done} = effective authority is reached
- $t_{correct}^{done}$ = outcome-altering correction is completed
- t_{commit} = selected transition becomes committed under the declared mechanism
- $t_{irreversible}$ = relevant loss becomes practically irreversible under the declared scope and measure
- $t_{recover}^{done}$ = recovery transition, if any, completes

Correction margin:

$$\kappa = t_{irreversible} - t_{correct}^{done}$$

$\kappa > 0$ correction completes before practical irreversibility

$\kappa \leq 0$ correction does not complete before practical irreversibility

The familiar serial shorthand is valid only when detection, routing, and correction are non-overlapping stages measured from the same reference event. Define:

$$T_{irreversible} = t_{irreversible} - t_0$$

$$t_{correct}^{done} - t_0 = T_{detect} + T_{route} + T_{correct}$$

Then:

$$\kappa = T_{irreversible} - (T_{detect} + T_{route} + T_{correct})$$

Do not add $T_{understand}$ separately when it is already inside T_{route} .

[8.1.1] Clock typing and irreversibility claim ceiling

A clock is typed by what it times, not by how urgent it feels. Useful clock relations include:

```
PLANNING
DETECTION
EVIDENCE_RETENTION
HARDENING
IRREVERSIBILITY
REVIEW
BIOLOGICAL
SUPPLY
OTHER
UNKNOWN
```

```
DEADLINE != IRREVERSIBILITY
DETECTION_BECOMES_HARDER != LOSS_BECOMES_IRREVERSIBLE
EVIDENCE_ROTATION != PHYSICAL_FAILURE
HARDENING != COMPLETE_FORECLOSURE
```

A represented irreversibility time requires, at minimum:

```
loss_state_ref
affected_scope_refs
measure_ref
mechanism_or_basis_claim_refs
reference_event
uncertainty_bounds_or_UNKNOWN
```

Without those bindings, record the clock as planning, detection, evidence retention, hardening, review, or UNKNOWN; do not silently promote it to IRREVERSIBILITY.

[8.2] Parallel and overlapping correction work

Real correction processes may overlap. Represent precedence with a directed acyclic event graph:

$$\mathcal{G}_T = (V_T, E_T, \mathbf{d})$$

where $\mathbf{d}(v)$ is a duration interval or distribution and E_T records required precedence.

The earliest correction-completion time under the represented schedule is the critical-path completion:

$$t_{correct}^{done} = t_0 + L(\mathcal{G}_T)$$

where L is the longest required path from reference event to correction completion. This is max-plus composition, not automatic summation of every named subclock.

If cycles, resource contention, retries, or queueing make the DAG model invalid, record `CLOCK_MODEL = INSUFFICIENT` and use a richer process model.

[8.3] Interval-safe reading

For any event time:

$$t_x \in [\underline{t}_x, \bar{t}_x]$$

Guaranteed open:

$$t_{irreversible} > \bar{t}_{correct}^{done} \Rightarrow \text{GUARANTEED_OPEN under stated bounds}$$

Guaranteed closed:

$$\bar{t}_{irreversible} \leq t_{correct}^{done} \Rightarrow \text{GUARANTEED_CLOSED under stated bounds}$$

Otherwise:

`WINDOW_STATUS = UNKNOWN`

These are sufficient interval statements. Correlation between uncertain durations may make naive independent interval arithmetic conservative; preserve that limitation.

[8.4] Clock authorship

For each event time, duration, or deadline expose:

```
reference_event
unit
authored_by
controlled_by
pausable_by
visible_to
precedence_dependencies
speed_advantage_claim_refs
carrier_of_delay_cost
earlier_options_before_urgency
```

A deadline may be physical, biological, contractual, computational, political, manufactured, or mixed.

[8.5] Route

$\rho = \langle origin, target, path, authority, latency, cost, exposure, independence, evidence, refusability \rangle$

Route usability for scope i :

$$u(\rho, i, t) \in \{1, 0, ?\}$$

$u=1$ requires, within the stated reading and declared thresholds:

reachable
intelligible
affordable enough
exposure acceptable under declared measure
evidence-accessible
authority-effective
fast enough
capture and independence status exposed

Independence is not a universal Boolean requirement for all routes; it is a typed property whose relevance depends on what actor or selector is being challenged.

$$\rho \text{ exists} \not\Rightarrow u(\rho, i, t) = 1$$

[8.6] Hardening state

Hardening is multidimensional. Let $\mathcal{D}_\ell$ be declared hardening dimensions:

$$\ell_i(t) = (\ell_{i,d}(t))_{d \in \mathcal{D}_\ell}$$

For each dimension with compatible units:

$$\ell_{i,d}(t + \Delta t) = \max [0, \ell_{i,d}(t) + g_{i,d}^{lock}(t, t + \Delta t) - r_{i,d}^{realised}(t, t + \Delta t)]$$

No cross-dimension sum is valid without measure μ .

Possible hardening channels include physical commitment, data propagation, debt, capability loss, reputation spread, deployment, learned avoidance, dependency, control concentration, memory loss, evidence decay, legal closure, and biological injury.

[8.7] Action load and correction backlog

Raw action counts and correction counts may have different work units. Define comparable workload over interval $[t, t + \Delta t]$:

- $W_a(t, t + \Delta t)$ = newly committed or affected workload requiring possible correction
- $W_c(t, t + \Delta t)$ = correction workload actually completed
- $Q(t)$ = unresolved correction backlog

$$Q(t + \Delta t) = \max [0, Q(t) + W_a(t, t + \Delta t) - W_c(t, t + \Delta t)]$$

Sustained accumulation follows only when comparable incoming workload exceeds correction throughput over time.

$$\mathbb{E}[W_a] > \mathbb{E}[W_c] \quad \text{over a sustained interval} \Rightarrow \mathbb{E}[Q] \text{ tends to increase}$$

This statement still depends on stationarity, batching, priority, and workload definitions. ACTION_RATE >> REVIEW_COUNT alone is insufficient.

[8.8] Pre-commit brake and post-commit rollback

A pre-commit brake succeeds only if detection, decision, and actuation complete before commitment:

$$t_{brake}^{done} < t_{commit}$$

A post-commit rollback is distinct. It can preserve the threatened path only where rollback is executable and:

$$t_{rollback}^{done} < t_{irreversible}$$

```
REVIEW_AFTER_COMMITMENT != PRECOMMIT_BRAKE
ROLLBACK_LISTED != ROLLBACK_EXECUTABLE
ROLLBACK_AFTER_IRREVERSIBILITY != RESTORATION
```

[8.8.1] Strategy revisability and transition reversibility

A programme can remain stoppable after it has already produced irreversible transitions. Record both states.

```
STRATEGY_REVISABLE != TRANSITION_REVERSIBLE
CAN_STOP_LATER != CAN_UNDO_COMPLETED_ACT
PROVISIONAL_PLAN != PROVISIONAL_HARM
```

For each materially affected scope, record whether:

```
completed_transition_is_reversible
continuation_can_be_paused
later_strategy_can_change
repair_is_possible
restoration_is_possible
residue_remains
```

A review may change the next transition while leaving completed loss untouched.

[9] BURDEN / RESIDUE / MEMORY

[9.1] Burden

Let $\mathcal{D}_B$ be the declared set of burden dimensions.

$$\mathbf{B}_i(t) = (B_{i,d}(t))_{d \in \mathcal{D}_B}$$

For each dimension d , let:

- $b_{i,d}^{created}$ = burden newly created within scope i
- $b_{i,d}^{relieved}$ = burden actually removed from scope i
- $\xi_{j \rightarrow i,d}$ = burden transferred from scope j to scope i

Then:

$$B_{i,d}(t + \Delta t) = B_{i,d}(t) + b_{i,d}^{created} - b_{i,d}^{relieved} + \sum_j \xi_{j \rightarrow i,d} - \sum_j \xi_{i \rightarrow j,d}$$

Creation and relief mean no global conservation law is assumed. Transfer terms permit cross-scope consistency where the reading has sufficient aperture.

Each burden claim records:

```
scope
dimension
unit_or_order
reference_interval
evidence_state
```

access_state
source
uncertainty

Possible dimensions:

time
money
risk
pain
uncertainty
proof work
navigation
exposure
retaliation
maintenance
compute
energy
attention
lost opportunity

Complexity export is represented dimension by dimension:

$$\exists d \in \mathcal{D}_B : \sum_j \xi_{i \rightarrow j, d} > 0$$

with a declared comparison showing that the receiving scope did not create or control the relevant complexity and had less control, refusability, information, or alternative capacity.

BURDEN_VECTOR != MORAL_VERDICT
BURDEN_DIMENSIONS_REQUIRE_DECLARATION
CROSS_DIMENSION_SUM_REQUIRES_MEASURE

[9.2] Residue

$$\Lambda_i(t+1) = \text{Persist}(\Lambda_i(t), S_i(t), \varphi, \varphi_{corr})$$

Residue may remain after a decision is reversed.

$$\text{CORRECTED} \not\Rightarrow \Lambda_i = 0$$

Possible residue:

lost time
lost future path
damaged capability
fear
debt
corrupted record
learned avoidance
disrupted reliance
retained institutional advantage under a declared measure
transferred risk
unrecoverable life or material

[9.3] Record and custody

Let $K(c)$ describe custody of claim or record c :

created_by
stored_by
alterable_by
deletable_by
inspectable_by
challengeable_by
retention
external_copy
succession_path
holder_risk
disclosure_cost
retaliation_risk

```

safe_copy_exists
challenged_actor_controls_storage
integrity_check
integrity_check_limit

```

Separate raw access from safe evidential usability:

- $a_e(c, i) \in \{1, 0, ?\}$ = whether reader i can access the evidence
- $u_e(c, i) \in \{1, 0, ?\}$ = whether the evidence can be used through the relevant route without unrepresented or threshold-exceeding danger

$$a_e(c, i) = 1 \not\Rightarrow u_e(c, i) = 1$$

Where holder risk is material, no safe copy exists, and the challenged actor controls storage:

$$\text{holder_risk} > 0 \wedge \neg \text{safe_copy} \wedge \text{challenged_actor_controls_storage} \Rightarrow u_e(c, i) \neq 1$$

This does not imply the record is factually unavailable. It means safe route usability is not established.

```

COURAGE_REQUIRED != ROUTE_USABLE
INSIDER_ACCESS != SAFE_DISCLOSURE
HASH_MATCH != ORIGINAL_RECORD_TRUE
OPERATOR_REPORT != INDEPENDENT_VERIFICATION
EVIDENCE_CONTROL_ALONE != DECEPTION

```

An `independent_verifier_ref` must name a verifier distinct from the operator and evidence holder for the represented verification. Self-description as independent does not establish independence.

$$\text{recorded loss} \neq \text{repaired loss}$$

$$\text{visible finding} \neq \text{materially carried finding}$$

$$\text{reading} \neq \text{enforcement}$$

[10] DESIGNATION / MEASURE / VALUE PORTS

TRACE is not assumption-free. TRACE is assumption-exposed.

The choice of which structures TRACE makes visible is itself a designation.

[10.1] Designation

Let $\mathcal{U}_X$ be the set of object references present or proposed in a reading: nodes, reified relations, claims, future paths, absences, streams, and boundary alternatives.

$$\delta : \mathcal{U}_X \rightarrow \Delta_{status}$$

where:

$$\Delta_{status} = \{\text{included, protected, excluded, disputed, uncertain, unknown}\}$$

Record:

```

supplied_designation
inferred_designation
protected_scope
excluded_scope
disputed_scope
unknown_scope
boundary_choice_advantage_claim_refs

```

protected is an externally supplied designation state, not a neutral conclusion generated by TRACE.

[10.2] Measure

A measure port is a declared comparison object:

$$\mu = \langle m_\mu, \preceq_\mu, \varepsilon_\mu, \mathcal{X}_\mu \rangle$$

where:

- $\mathcal{X}_\mu$ = comparison domain
- $m_\mu : \mathcal{X}_\mu \rightarrow \mathbb{R}^k$ = optional partial feature map
- $\preceq_\mu \subseteq \mathcal{X}_\mu \times \mathcal{X}_\mu$ = declared preorder or comparison relation
- ε_μ = materiality thresholds, tolerances, or interval rules

A scalar is not required. A relation described as a partial order must separately establish reflexivity, antisymmetry, and transitivity on its declared domain.

Record:

```
supplied_measure
inferred_measure
alternative_measures
comparison_domain
ordering_relation
materiality_thresholds
uncertainty
sensitivity
measure_choice_advantage_claim_refs
what_the_measure_cannot_represent
```

[10.3] Neutral structural patterns

TRACE may identify, with evidence and declared object boundaries:

```
burden_transfer
burden_creation
burden_relief
route_creation
route_maintenance
route_capture
refusal_availability_change
capability_combination
capability_suppression
information_sharing
information_withholding
dependency_creation
dependency_reduction
control_concentration
control_distribution
future_path_correspondence
future_path_opening
future_path_closure
residue_recording
record_erasure
```

Terms such as export, capture, suppression, or concentration can already imply a comparison direction. Their use must bind to an exposed μ and evidence state.

An external value layer $\mathcal{V}$ may interpret the reading:

$$\text{Label}_{\mathcal{V}} = \mathcal{V}(\mathcal{R}, \delta, \mu)$$

Mechanical Ethics is one possible $\mathcal{V}$.

TRACE asks:

```
What is represented as happening?
What is represented as changing?
What remains unresolved?
Which transitions remain represented as possible?
```

Mechanical Ethics may ask:

Which changes matter ethically?
 Which scopes receive protection?
 Which constraints follow?

[10.4] Explicit layer handoff

A structural reading does not silently become a value judgement, domain tactic, authorised selection, or actuation.

```
TRACE_MAP
!= VALUE_INTERPRETATION
!= DOMAIN_PROPOSAL
!= AUTHORISED_SELECTION
!= ACTUATION
```

The handoff may expose:

```
trace_structure_refs
value_input_refs
domain_input_refs
selector_refs
actuator_refs
unresolved_handoffs
```

Any option, threshold, actor, effectiveness estimate, or operational method introduced after the TRACE map records its source layer and evidence state.

Mechanical Ethics may constrain or interpret. A domain layer may supply empirical mechanisms, tactics, thresholds, and likely effects. A declared selector may choose within authority. An actuator may change the world. No layer inherits another layer's authority automatically.

The ports remain visible.

Divergent structural readings do not create selection authority.

```
DIVERGENT_READINGS != AUTHORITY
STRUCTURAL_PASS != PERMISSION
DECLARED_HANDOFF != LEGITIMATE_AUTHORITY
VISIBLE_AUTHORITY != CONTESTABLE_AUTHORITY
ROUTE_TO_BRAKE != CORRECTION_COMPLETED
```

Where a later layer selects a reading or transition after material divergence, expose where available:

```
selected_reading_ref
selected_transition_ref
selector_ref
selector_owner_ref
authority_claim_refs
value_or_policy_refs
handoff_route_refs
challenging_reading_refs
brake_ref
unresolved_handoffs
commitment_receipt_ref
```

These references make the handoff inspectable. They do not establish that the selector is legitimate, the policy is good, the route works, the brake is effective, or the selected transition should proceed.

[11] RECURSIVE ZOOM / MANDELBROT RULE

The same grammar may be reapplied across scale, but abstraction and refinement are not guaranteed inverses.

Let n denote a reading scale.

$$\mathcal{R}^{(n)} = \langle w^{(n)}, \Omega^{(n)}, M^{(n)}, \bullet^{(n)}, S^{(n)}, \Pi^{(n)}, a^{(n)}, \varphi^{(n)}, C^{(n)}, \mathbf{T}^{(n)}, \mathcal{F}^{(n)}, \rho^{(n)}, \mathbf{B}^{(n)}, \Lambda^{(n)}, \delta^{(n)}, \mu^{(n)} \rangle$$

Zoom inward:

$$\zeta_n^+ : \bullet_i^{(n)} \rightharpoonup \mathcal{G}_i^{(n+1)}$$

A single higher-scale entity may be refined into sub-entities, states, couplings, and clocks.

Zoom into a relation:

$$\zeta_n^+ : C_{ij}^{(n)} \rightharpoonup \mathcal{G}_{C_{ij}}^{(n+1)}$$

A compact coupling may be refined into selectors, records, delays, burden paths, and ownership.

Zoom outward:

$$\zeta_n^- : \mathcal{G}^{(n)} \rightarrow \bullet^{(n-1)}$$

The maps are boundary- and measure-relative and generally lossy:

$$\zeta_n^- \circ \zeta_n^+ \neq \text{id}$$

Recursive differentiation selects an unresolved subobject q_k from the current graph:

$$q_k = \text{target}(\mathcal{R}_k, \mathcal{L}_k)$$

Let $d_k^{\text{rem}} \geq 0$ be remaining tracing budget and $\text{cost}_d(q_k) > 0$ the declared cost of the next refinement.

$$d_{k+1}^{\text{rem}} = d_k^{\text{rem}} - \text{cost}_d(q_k)$$

When $d_{k+1}^{\text{rem}} \geq 0$:

$$(\mathcal{R}_{q_k}, \mathcal{L}_{q_k}) = \tau(q_k, \Pi_k, \mathcal{H}_k, d_{k+1}^{\text{rem}}, \mathfrak{P}_k)$$

$$\mathcal{R}_{k+1} = \text{merge}(\mathcal{R}_k, \mathcal{R}_{q_k})$$

The notation τ^k should not be used as ordinary function composition unless output and input types have been explicitly aligned. Recursion here means targeted refinement plus merge, not treating the previous packet as the world.

[11.1] Scale invariants

At every useful scale ask:

What boundary is being used?
 What enters the aperture?
 What remains outside it?
 What state is changing?
 What selects or contributes to the transition?
 What is coupled?
 Which clocks run?
 Which future paths correspond, open, close, or harden?
 Which routes remain usable?
 Who or what carries burden?
 What residue remains?
 What is designation?
 What is measure?
 What was lost in abstraction?

[11.2] Scale contradiction

A pattern can reverse under zoom.

aggregate expansion + member contraction
 local correction + stream persistence
 entity stability + internal suppression
 system efficiency + external burden transfer

Therefore:

$$\text{Result}^{(n)} \not\Rightarrow \text{Result}^{(n+1)}$$

[11.3] Recursion stop

TRACE is not infinite analysis.

Stop, preserve time, or hand off when one or more hold:

new differentiation is no longer materially relevant under declared measure
 remaining uncertainty cannot be reduced with available access
 remaining tracing budget is exhausted
 further tracing costs more than expected informational value under declared measure
 an available reversible transition can preserve time for later tracing
 an irreversible clock requires handoff to a connected brake or authority
 available authority has been reached

Required depth may increase with irreversibility, affected scope, uncertainty, and transition velocity, but no universal scalar law is claimed.

A monotonicity claim is valid only inside a declared domain and comparison rule:

$$D_{required} = f_{\theta}(\text{Irr}, \text{Scope}, \text{Unc}, \text{Vel})$$

with any claimed partial derivative or order relation stated explicitly rather than implied by arrows.

[12] STRUCTURAL AWARENESS COMPARISON

Awareness is not token count, complexity, confidence, eloquence, consciousness, or a universal scalar.

Let the comparison context be:

$$\theta = \langle J^*, \delta, \mu, \mathcal{E}_{policy} \rangle$$

where J^* is the relevant criterion set and $\mathcal{E}_{policy}$ states evidence and unresolved-comparison rules.

Criteria may include:

- A1 more material claims have explicit evidence state
- A2 materially distinct states are less aliased
- A3 causal and coupling paths are more explicit
- A4 entity and scope boundaries are less hidden
- A5 clocks and irreversibility are more visible
- A6 available routes and transitions are more visible
- A7 unknowns, access limits, and alternatives are more explicit
- A8 unsupported certainty is not increased
- A9 contradictions are preserved rather than silently merged
- A10 self-limits and lack of authority are represented
- A11 burden and residue are less likely to disappear from the map
- A12 designation and measure are exposed
- A13 absence claims are distinguished from non-observation
- A14 streams are distinguished from isolated cases and from shared-intent claims
- A15 packet use-state, selector ownership, and observable transition change are represented

For criterion j :

$$d_j^{\theta}(M_1, M_0) \in \{-1, 0, +1, ?\}$$

-1 = materially degraded
 0 = no material change shown
 +1 = materially improved
 ? = comparison unresolved

Strict structural dominance:

$$M_1 \succ_{\mathcal{A}|\theta} M_0$$

only when:

for every j in J^* : d_j is in $\{0,+1\}$
 at least one j in J^* : $d_j = +1$
 no criterion in J^* remains ?
 evidence refs exist for every non-zero comparison
 designation, measure, and comparison context are exposed

No-change under the declared criteria:

$$M_1 \equiv_{0,\mathcal{A}|\theta} M_0$$

when every $d_j^\theta = 0$.

Weak dominance:

$$M_1 \succeq_{\mathcal{A}|\theta} M_0$$

means either strict dominance or declared no-change.

UNKNOWN applies where any required comparison remains ?. INCOMPARABLE applies where supported improvements and degradations coexist or the declared context supplies no common ordering.

Under fixed θ , weak dominance is a preorder only if the criterion comparisons are reflexive and transitive. If that preorder exists, its induced equivalence is mutual weak dominance:

$$M_1 \approx_\theta M_0 \iff (M_1 \succeq_{\mathcal{A}|\theta} M_0 \wedge M_0 \succeq_{\mathcal{A}|\theta} M_1)$$

The quotient by $\approx_\theta$ is a partial order only when the usual preorder conditions hold. Across changing criteria, designation, measures, or evidence rules, no global partial order is claimed.

Awareness increase is not guaranteed by applying TRACE:

$$\text{complexity}(M_1) > \text{complexity}(M_0) \not\Rightarrow M_1 \succ_{\mathcal{A}|\theta} M_0$$

Lower confidence can coexist with strict structural dominance if unsupported certainty was removed.

```
awareness_comparison:
  map_0_ref: ""
  map_1_ref: ""
  context_ref: ""
  relevant_criteria: []
  comparisons:
    - criterion: "A1"
      result: "-1|0|+1|?"
      evidence_claim_refs: []
      veto_relevant: false
  designation_ref: ""
  measure_ref: ""
  relation: "STRICTLY_DOMINATES|WEAKLY_DOMINATES|EQUIVALENT|INCOMPARABLE|UNKNOWN"
```

This is a proposed comparison discipline, not a validated measure of consciousness or understanding.

A TRACE transformation fails when it creates structure unsupported by evidence, erases live alternatives, hides designation or measure, converts uncertainty into decorative notation, lets uncertainty silently select action or delay, promotes urgency or hardening into unsupported irreversibility, substitutes population recovery for individual repair, or silently crosses from structure into value, domain tactics, selection, or actuation.

[13] TRACE OPERATOR

[13.1] Abstract form

$$\tau : (X, \Pi, \mathcal{H}, d, \mathfrak{P}) \rightarrow (\mathcal{R}, \mathcal{L})$$

- X = input scene or claim set
- Π = available aperture
- $\mathcal{H}$ = retained history
- d = recursion/depth budget
- $\mathfrak{P}$ = declared primitive aperture
- $\mathcal{R}$ = canonical typed graph
- $\mathcal{L}$ = limits, unresolved questions, omitted categories, and unavailable capabilities

[13.2] Pseudocode

TRACE(X , aperture, history, depth_budget, primitive_aperture):

```

R <- initialise_TRACE_GRAPH_0_2_7()
L <- {}

record_input(R, X)
record_receiver_aperture(R, aperture)
record_primitive_aperture(R, primitive_aperture)

type_claims(R)
attach_provenance(R)
separate_evidence_state_from_access_state(R)
classify_claim_kind(R)
expose_unknown_context_and_contamination(R)

identify_provisional_entities(R)
record_boundary_alternatives(R)
record_scope_levels_and_cross_scale_limits(R)
map_states_and_transitions(R)
enforce_action_wait_delay_inaction_symmetry(R)
separate_strategy_revisability_from_transition_reversibility(R)
map_absence_claims(R)
aggregate_streams_and_candidate_patterns(R)
map_apertures_and_blindspots(R)
record_target_set_apertures_and_alternatives(R)
separate_information_presence_from_search_coverage(R)
map_couplings_dependencies_and_control(R)
map_clocks_authorship_and_hardening(R)
type_planning_detection_retention_hardening_and_irreversibility_clocks(R)
reject_unsupported_irreversibility_promotion(R)
map_future_space_changes_by_scope(R)
map_routes_and_route_usability(R)
map_burden_residue_memory_and_custody(R)
map_custody_holder_risk_and_safe_copy(R)
expose_operator_evidence_holder_and_verifier_overlap(R)
expose_residue_ordering(R)
expose_designation_and_measure(R)
expose_TRACE_value_domain_selector_actuator_handoffs(R)
preserve_divergent_readings_without_authority_inheritance(R)
expose_declared_contest_routes_without_inferring_effectiveness(R)
expose_selector_carrier_enforcement_and_brake_ports(R)

generate_live_alternative_readings(R)
test_internal_contradictions(R)
record_reader_limits(L)

while depth_budget remains:
    target <- highest_relevance_unresolved_node_or_edge(R)
    if stop_condition(target, R, L): break

```

```

R <- merge_graphs(R, TRACE(target, aperture, history,
                           depth_budget - 1, primitive_aperture))

state_transition_and_coverage_results_relative_to_declared_apertures(R)
emit_available_transitions_without_selecting(R)
emit_commitment_receipt_if_external_selector_proceeds(R)
emit_packet_use_state(R)
emit_confidence_and_limits(R, L)
validate_schema(R, "TRACE-GRAPH-0.2.7")

return R, L

```

[13.3] Non-command output

TRACE may expose:

```

available transition
lower-irreversibility transition relative to a declared reversibility measure
reversible holding transition
information-seeking transition
route-building transition
pause transition
rollback transition
record-preservation transition
no-action transition and its trajectory

```

It does not convert those into obligation without an external value/policy layer.

[13.4] Parsability ceiling

```

SERIALIZABLE != SELF_EXECUTING
PARSABLE != CORRECTLY_INSTANTIATED
SCHEMA_VALID != WORLD_VALID

```

The grammar fixes identifiers, types, edges, ports, and provenance. It does not provide universal functions for discovering entities, estimating clocks, detecting deception, measuring future-space, or selecting action.

[14] CANONICAL TRACE GRAPH PACKET

Local claim ceiling: voluntary structural reading only. Not truth, clearance, authority, compliance, ethical approval, or operational command.

The graph below is canonical. Any prose report, table, dashboard, verdict, or summary is a derived view and **MUST** reference this graph rather than silently replacing it.

```

trace_graph:
  schema: "TRACE-GRAPH-0.2.7"
  trace_version: "0.2.7"
  reading_id: ""
  scope: ""
  timestamp: ""

claim_ceiling:
  voluntary_reference: true
  not_truth: true
  not_permission: true
  not_clearance: true
  not_compliance: true
  not_operational_command: true

receiver:
  node_ref: "n_receiver"
  type: "UNKNOWN"
  available_capabilities: []
  unavailable_capabilities: []
  prohibited_capabilities: []
  persistence: "UNKNOWN"
  action_authority: "UNKNOWN"

```

```

input:
  raw: ""
  source_refs: []
  requested_action_ref: ""
  projected_transition_ref: ""
  reported_confidence_claim_ref: ""
  deadline_clock_ref: ""

primitive_aperture:
  selected_node_types: []
  selected_edge_types: []
  omitted_known_types: []
  selection_basis: []
  alternative_primitive_sets: []
  primitive_choice_advantage_claim_refs: []
  known_unrepresentable_structure: []

nodes:
- id: "n_receiver"
  type: "ENTITY"
  attributes:
    boundary_status: "PROVISIONAL"
    persistence_status: "UNKNOWN"
    selection_status: "UNKNOWN"
    agency_status: "UNKNOWN"
    experience_status: "UNKNOWN"
    continuity_status: "UNKNOWN"
    claim_refs: []

edges: []

claims:
- id: "c_placeholder"
  proposition: ""
  claim_kind: "STATUS"
  evidence_state: "U"
  access_state: "A"
  source_refs: []
  provenance_edge_refs: []
  timestamp: ""
  confidence:
    representation: "UNKNOWN"
    value: null
  alternative_hypothesis_refs: []
  unknown_context:
    contamination_state: "UNKNOWN"
    evidence_controlled_by_refs: []
    clock_controlled_by_refs: []
    delay_advantage_claim_refs: []
    delay_cost_carrier_refs: []
    resolution_owner_refs: []
    resolution_deadline_refs: []
    available_pause_or_protection_refs: []
    earlier_options_before_urgency_refs: []

ports:
  designation:
    node_ref: ""
    supplied: []
    inferred: []
    protected: []
    excluded: []
    disputed: []
    uncertain: []
    unknown: []
    boundary_choice_advantage_claim_refs: []

measure:
  node_ref: ""
  supplied: []
  inferred: []
  alternatives: []
  uncertainty: []
  sensitivity: []
  measure_choice_advantage_claim_refs: []
  unrepresented_dimensions: []

```

```

selector:
  node_ref: ""
  owner_refs: []
  candidate_action_refs: []
  candidate_transition_refs: []
  selected_action_ref: ""
  selected_transition_ref: ""
  selection_policy_refs: []
  selection_state: "UNKNOWN"
  transition_symmetry_required: true
  unrepresented_transition_classes: []
  unavailability_reason_claim_refs: []

carrier:
  node_ref: ""
  state: "UNKNOWN"
  weight_types: []
  owner_refs: []
  persistence_mechanisms: []
  external_to_challenged_actor: "UNKNOWN"

enforcement:
  node_ref: ""
  state: "UNKNOWN"
  authority_refs: []
  independence_status: "UNKNOWN"

brake:
  node_ref: ""
  state: "UNKNOWN"
  candidate_transition_ref: ""
  reading_ref: ""
  external_policy_ref: ""
  authority_ref: ""
  independence_status: "UNKNOWN"
  trigger_state: "UNKNOWN"
  latency_bound: "UNKNOWN"
  commitment_deadline: "UNKNOWN"
  result: "UNKNOWN"
  activation_record_ref: ""
  failure_record_ref: ""

discipline:
  transition_set:
    action_or_intervention_refs: []
    information_refs: []
    wait_delay_inaction_refs: []
    unrepresented_transition_classes: []
    unavailability_reason_claim_refs: []
    uncertainty_selects_transition: false
  clock_typing:
    planning_refs: []
    detection_refs: []
    evidence_hardening_refs: []
    irreversibility_refs: []
    unsupported_irreversibility_claim_refs: []
    deadline_entails_irreversibility: false
    hardening_entails_irreversibility: false
  scope_granularity:
    individual_refs: []
    group_refs: []
    population_refs: []
    ecosystem_refs: []
    cross_scale_substitution_claim_refs: []
    aggregate_recovery_repairs_individual_loss: false
  layer_handoff:
    trace_structure_refs: []
    value_input_refs: []
    domain_input_refs: []
    selector_refs: []
    actuator_refs: []
    unresolved_handoffs: []
  evidence_custody:
    operator_refs: []
    evidence_holder_refs: []
    verifier_refs: []
    independent_verifier_refs: []

```

```

    self_verification_status: "UNKNOWN"
    control_alone_establishes_deception: false

```

```

indexes:
  entity_refs: []
  state_refs: []
  transition_refs: []
  aperture_refs: []
  coupling_refs: []
  clock_refs: []
  future_path_refs: []
  route_refs: []
  burden_refs: []
  residue_refs: []
  record_refs: []
  absence_refs: []
  stream_refs: []
  pattern_refs: []
  alternative_reading_refs: []
  available_transition_refs: []

```

```

absence_analysis:
  absence_refs: []
  comparison_basis_refs: []
  detector_required_refs: []
  alternative_explanations: []

```

```

stream_pattern_analysis:
  stream_refs: []
  pattern_refs: []
  local_correction_refs: []
  repeated_mechanism_refs: []
  mechanism_change_evidence_refs: []

```

```

record_custody:
  record_refs: []
  holder_risk_claim_refs: []
  disclosure_cost_claim_refs: []
  retaliation_risk_claim_refs: []
  safe_copy_refs: []
  integrity_check_refs: []
  integrity_check_limits: []

```

```

repair_ordering:
  residue_refs: []
  ordering_rule_ref: ""
  ordered_by_refs: []
  contested_by_refs: []
  visibility_state: "UNKNOWN"
  hidden_allocation_risk: "UNKNOWN"

```

```

commitment_receipts:
  - record_ref: ""
    selected_transition_ref: ""
    unresolved_claim_refs: []
    live_alternative_transition_refs: []
    declared_value_basis_refs: []
    foreclosed_future_path_refs: []
    expected_residue_refs: []
    reason_for_commitment_claim_refs: []
    review_debt_refs: []
    unknown_contamination_claim_refs: []
    receipt_is_not_clearance: true

```

```

awareness_comparison:
  map_0_ref: ""
  map_1_ref: ""
  relevant_criteria: []
  comparisons: []
  designation_ref: ""
  measure_ref: ""
  relation: "UNKNOWN"

```

```

available_transition_refs: []

```

```

institutional_use:
  packet_owner_refs: []

```

```

selector_owner_refs: []
brake_owner_refs: []
independent_verifier_refs: []
packet_cited_as_diligence: "UNKNOWN"
packet_cited_as_authority: "UNKNOWN"
observable_transition_change: "UNKNOWN"
mechanism_change_for_next_case: "UNKNOWN"
use_evidence_claim_refs: []

limits:
  receiver_limits: []
  unavailable_evidence: []
  unresolved_claim_refs: []
  omitted_primitive_effects: []

anti_clearance:
  voluntary_use_only: true
  reading_is_not_truth: true
  reading_is_not_permission: true
  reading_is_not_compliance: true
  packet_completion_is_not_correction: true
  schema_validity_is_not_world_validity: true
  packet_citation_is_not_transition_change: true
  commitment_receipt_is_not_clearance: true
  hash_match_is_not_truth: true

```

[14.0.1] Canonical existing-object target-set aperture profile

A target-set aperture is serialized with existing graph objects. This profile is canonical for interoperability but is not a new primitive, node type, edge type, port, or required minimum-schema field.

```

nodes:
- id: "ap_target_set_primary"
  type: "APERTURE"
  attributes:
    aperture_kind: "TARGET_SET"
    source_ref: "n_operator"
    target_refs: ["n_scope_reported"]
    selection_basis_claim_refs: ["c_target_basis"]
    known_omitted_target_categories: ["unreported affected scopes"]
    alternative_target_set_refs: ["ap_target_set_alternative"]
    control_or_custody_refs: ["n_operator"]
    uncertainty_claim_refs: ["c_target_uncertainty"]
    claim_refs: ["c_target_aperture_status"]

- id: "ap_target_set_alternative"
  type: "APERTURE"
  attributes:
    aperture_kind: "TARGET_SET"
    source_ref: "n_independent_reviewer"
    target_refs: ["n_scope_reported", "n_scope_unreported"]
    selection_basis_claim_refs: ["c_alternative_basis"]
    known_omitted_target_categories: []
    alternative_target_set_refs: ["ap_target_set_primary"]
    control_or_custody_refs: ["n_independent_reviewer"]
    uncertainty_claim_refs: ["c_alternative_uncertainty"]
    claim_refs: ["c_alternative_aperture_status"]

edges:
- id: "e_primary_bounds_reported"
  type: "BOUNDS"
  source: "ap_target_set_primary"
  target: "n_scope_reported"
  claim_refs: ["c_target_basis"]

- id: "e_primary_omits_unreported"
  type: "OMITS"
  source: "ap_target_set_primary"
  target: "n_scope_unreported"
  claim_refs: ["c_target_uncertainty"]

- id: "e_alternative_disputes_primary"
  type: "DISPUTES"
  source: "ap_target_set_alternative"
  target: "ap_target_set_primary"

```



```

    claim_refs: ["c_alternative_basis"]

claims:
- id: "c_target_basis"
  proposition: "The primary review targets scopes supplied by the operator."
  evidence_state: "R"
  access_state: "A"

- id: "c_target_uncertainty"
  proposition: "Materially affected scopes may exist outside the supplied target set."
  evidence_state: "U"
  access_state: "A"

TARGET_SET_PROFILE_PRESENT != TARGET_SET_COMPLETE
PROFILE_CONFORMANCE != TARGET_DISCOVERY
ALTERNATIVE_TARGET_SET_RECORDED != ALTERNATIVE_TARGET_SET_AUTHORITATIVE

```

[14.1] Binding rules

Every node and edge has a stable id.
 Every material assertion is a canonical claim or references one. Every CLAIM node binds to exactly one canonical claim id.
 Every value-bearing label references designation and measure ports.
 Every available transition is a TRANSITION node.
 Every clock is a CLOCK node.
 Every future path binds to at least one scope/entity reference.
 Every brake result references an external policy and authority or remains UNKNOWN.
 Every derived view declares its source reading_id.
 Every ABSENCE node declares its comparison basis and evidence state.
 Every PATTERN node declares member transitions, counterexamples, and mechanism-change evidence.
 Every 'UNKNOWN' with material asymmetry records its unknown_context.
 Every commitment under unresolved claims emits a commitment_receipt.
 Every custody integrity check declares what it can and cannot establish.

Every material search-coverage claim references a target-set aperture, selected target refs, and a declared reachability or
 ↪ unavailability basis.
 Every claim that a target set is complete remains UNKNOWN unless completeness is independently bounded by a declared world model
 ↪ and evidence aperture.
 Every selection after divergent readings references a selector, authority basis, policy/value basis, handoff route, and
 ↪ unresolved handoff status.
 Every claim of contestability references the challenging reading, contest route, bound brake, capture/independence status, and
 ↪ relevant clocks where available.
 Every brake or correction claim distinguishes declaration, activation attempt, observable interruption, correction completion,
 ↪ and residue.

These remain checker-external because the embedded minimum validator cannot establish semantic relevance, completeness, route executability, authority legitimacy or world effect.

Except for the CLAIM-node one-reference cardinality rule, these rules are checker-external. The embedded validator otherwise enforces packet shape and controlled vocabulary, not reference integrity, completeness, independence, or world correspondence.

[14.2] Packet-use boundary

TRACE can represent procedural theatre. TRACE cannot prevent an actor from using TRACE as procedural theatre.

```

PACKET_COMPLETED != DILIGENCE_ESTABLISHED
PACKET_CITED != MECHANISM_CHANGED
SELF_REPORTED_BRAKE != INDEPENDENT_BRAKE

```

```

TARGET_SET_RECORDED != TARGET_SET_COMPLETE
COVERAGE_CHECK_PASSED != DILIGENCE_ESTABLISHED
AUTHORITY_HANDOFF_RECORDED != AUTHORITY_LEGITIMATED
CONTEST_ROUTE_RECORDED != CONTEST_SUCCEEDED
BRAKE_ACTIVATION_RECORDED != TRANSITION_INTERRUPTED
TRANSITION_INTERRUPTED != HARM_PREVENTED

```

[14.3] Unresolved commitment receipt

TRACE does not decide whether a transition may proceed. When an external selector commits while material claims remain UNKNOWN or DISPUTED, while a correction window is UNKNOWN or CLOSED, or while an independent brake is absent, the reading should preserve the commitment conditions.

$$\mathcal{D}_c = \langle a^*, U^*, D^*, \mathbb{A}_{live}, \delta, \mu, \mathcal{F}_{foreclosed}, \Lambda_{expected}, \mathfrak{D}_{review} \rangle$$

selected action and projected transition
 unresolved claims
 disputed claims
 alternatives still live at commitment
 declared value/policy basis
 future paths foreclosed
 expected residue
 reason given for commitment
 review debt
 unknown-contamination flags

COMMITMENT_RECEIPT != CLEARANCE
 RECORDED_REASON != JUSTIFIED_REASON
 PROCEEDED != RESOLVED

The receipt prevents later compression of “selected under unresolved conditions” into “TRACE approved.”

[14.4] Minimum validator contract

The embedded schema validates packet shape and controlled vocabularies. It cannot validate truth, completeness, independence, value choice, world correspondence, or operational connection.

The v0.2.7 identifier records a narrow documentary, serialization-profile, and worked-transfer repair while the embedded minimum-schema shape remains identical to v0.2.6 after version normalization. The identifier does not imply that the minimum validator can enforce target discovery, target-set adequacy, search coverage, authority legitimacy, route execution, brake effectiveness, correction, or world correspondence.

A v0.2.6 packet is not silently relabelled as v0.2.7. Structural compatibility does not erase packet identity or the semantic contract under which the packet was produced.

```
{
  "$schema": "https://json-schema.org/draft/2020-12/schema",
  "$id": "urn:trace:graph:0.2.7",
  "title": "TRACE-GRAPH-0.2.7 minimum validator",
  "type": "object",
  "required": [
    "trace_graph"
  ],
  "properties": {
    "trace_graph": {
      "type": "object",
      "required": [
        "schema",
        "trace_version",
        "reading_id",
        "nodes",
        "edges",
        "claims",
        "ports",
        "discipline",
        "available_transition_refs",
        "institutional_use",
        "limits",
        "anti_clearance"
      ],
    },
    "properties": {
      "schema": {
        "const": "TRACE-GRAPH-0.2.7"
      },
      "trace_version": {
        "const": "0.2.7"
      },
      "reading_id": {
        "type": "string",
        "minLength": 1
      },
      "nodes": {
        "type": "array",
        "items": {
          "$ref": "#/$defs/node"
        }
      }
    }
  }
}
```

```

    }
  },
  "edges": {
    "type": "array",
    "items": {
      "$ref": "#/$defs/edge"
    }
  },
  "claims": {
    "type": "array",
    "items": {
      "$ref": "#/$defs/claim"
    }
  },
  "ports": {
    "type": "object",
    "required": [
      "designation",
      "measure",
      "selector",
      "carrier",
      "enforcement",
      "brake"
    ],
    "properties": {
      "designation": {
        "type": "object"
      },
      "measure": {
        "type": "object"
      },
      "selector": {
        "type": "object",
        "properties": {
          "selection_state": {
            "type": "string"
          }
        }
      },
      "additionalProperties": true
    },
    "carrier": {
      "type": "object",
      "properties": {
        "state": {
          "enum": [
            "NONE",
            "INTERNAL",
            "EXTERNAL",
            "MIXED",
            "UNKNOWN"
          ]
        },
        "weight_types": {
          "type": "array",
          "items": {
            "type": "string"
          }
        }
      },
      "additionalProperties": true
    },
    "enforcement": {
      "type": "object",
      "properties": {
        "state": {
          "enum": [
            "PRESENT",
            "ABSENT",
            "UNKNOWN"
          ]
        }
      },
      "additionalProperties": true
    },
    "brake": {
      "type": "object",
      "properties": {

```

```

      "state": {
        "enum": [
          "INDEPENDENT_TESTED",
          "PRESENT_UNTESTED",
          "PRESENT_CAPTURED",
          "ABSENT",
          "UNKNOWN"
        ]
      },
    },
    "additionalProperties": true
  },
  "additionalProperties": true
},
"discipline": {
  "type": "object",
  "required": [
    "transition_set",
    "clock_typing",
    "scope_granularity",
    "layer_handoff",
    "evidence_custody"
  ],
  "properties": {
    "transition_set": {
      "type": "object",
      "required": [
        "action_or_intervention_refs",
        "information_refs",
        "wait_delay_inaction_refs",
        "unrepresented_transition_classes",
        "unavailability_reason_claim_refs",
        "uncertainty_selects_transition"
      ],
      "properties": {
        "action_or_intervention_refs": {
          "type": "array",
          "items": { "type": "string" }
        },
        "information_refs": {
          "type": "array",
          "items": { "type": "string" }
        },
        "wait_delay_inaction_refs": {
          "type": "array",
          "items": { "type": "string" }
        },
        "unrepresented_transition_classes": {
          "type": "array",
          "items": { "type": "string" }
        },
        "unavailability_reason_claim_refs": {
          "type": "array",
          "items": { "type": "string" }
        },
        "uncertainty_selects_transition": { "const": false }
      },
      "additionalProperties": false
    },
    "clock_typing": {
      "type": "object",
      "required": [
        "planning_refs",
        "detection_refs",
        "evidence_hardening_refs",
        "irreversibility_refs",
        "unsupported_irreversibility_claim_refs",
        "deadline_entails_irreversibility",
        "hardening_entails_irreversibility"
      ],
      "properties": {
        "planning_refs": { "type": "array", "items": { "type": "string" } },
        "detection_refs": { "type": "array", "items": { "type": "string" } },
        "evidence_hardening_refs": { "type": "array", "items": { "type": "string" } },
        "irreversibility_refs": { "type": "array", "items": { "type": "string" } },
        "unsupported_irreversibility_claim_refs": { "type": "array", "items": { "type": "string" } },

```

```

    "deadline_entails_irreversibility": { "const": false },
    "hardening_entails_irreversibility": { "const": false }
  },
  "additionalProperties": false
},
"scope_granularity": {
  "type": "object",
  "required": [
    "individual_refs",
    "group_refs",
    "population_refs",
    "ecosystem_refs",
    "cross_scale_substitution_claim_refs",
    "aggregate_recovery_repairs_individual_loss"
  ],
  "properties": {
    "individual_refs": { "type": "array", "items": { "type": "string" } },
    "group_refs": { "type": "array", "items": { "type": "string" } },
    "population_refs": { "type": "array", "items": { "type": "string" } },
    "ecosystem_refs": { "type": "array", "items": { "type": "string" } },
    "cross_scale_substitution_claim_refs": { "type": "array", "items": { "type": "string" } },
    "aggregate_recovery_repairs_individual_loss": { "const": false }
  },
  "additionalProperties": false
},
"layer_handoff": {
  "type": "object",
  "required": [
    "trace_structure_refs",
    "value_input_refs",
    "domain_input_refs",
    "selector_refs",
    "actuator_refs",
    "unresolved_handoffs"
  ],
  "properties": {
    "trace_structure_refs": { "type": "array", "items": { "type": "string" } },
    "value_input_refs": { "type": "array", "items": { "type": "string" } },
    "domain_input_refs": { "type": "array", "items": { "type": "string" } },
    "selector_refs": { "type": "array", "items": { "type": "string" } },
    "actuator_refs": { "type": "array", "items": { "type": "string" } },
    "unresolved_handoffs": { "type": "array", "items": { "type": "string" } }
  },
  "additionalProperties": false
},
"evidence_custody": {
  "type": "object",
  "required": [
    "operator_refs",
    "evidence_holder_refs",
    "verifier_refs",
    "independent_verifier_refs",
    "self_verification_status",
    "control_alone_establishes_deception"
  ],
  "properties": {
    "operator_refs": { "type": "array", "items": { "type": "string" } },
    "evidence_holder_refs": { "type": "array", "items": { "type": "string" } },
    "verifier_refs": { "type": "array", "items": { "type": "string" } },
    "independent_verifier_refs": { "type": "array", "items": { "type": "string" } },
    "self_verification_status": { "enum": ["PRESENT", "ABSENT", "UNKNOWN"] },
    "control_alone_establishes_deception": { "const": false }
  },
  "additionalProperties": false
}
},
"additionalProperties": false
},
"available_transition_refs": {
  "type": "array",
  "items": {
    "type": "string"
  }
},
"institutional_use": {
  "type": "object",
  "properties": {

```

```

    "packet_cited_as_diligence": {
      "enum": ["YES", "NO", "UNKNOWN"]
    },
    "packet_cited_as_authority": {
      "enum": ["YES", "NO", "UNKNOWN"]
    },
    "observable_transition_change": {
      "enum": ["YES", "NO", "UNKNOWN"]
    },
    "mechanism_change_for_next_case": {
      "enum": ["YES", "NO", "UNKNOWN"]
    }
  },
  "additionalProperties": true
},
"limits": {
  "type": "object",
  "properties": {
    "receiver_limits": {
      "type": "array"
    },
    "unavailable_evidence": {
      "type": "array"
    },
    "unresolved_claim_refs": {
      "type": "array",
      "items": {
        "type": "string"
      }
    },
    "omitted_primitive_effects": {
      "type": "array"
    }
  },
  "additionalProperties": true
},
"anti_clearance": {
  "type": "object",
  "required": [
    "voluntary_use_only",
    "reading_is_not_truth",
    "reading_is_not_permission",
    "packet_completion_is_not_correction"
  ],
  "properties": {
    "voluntary_use_only": {
      "const": true
    },
    "reading_is_not_truth": {
      "const": true
    },
    "reading_is_not_permission": {
      "const": true
    },
    "packet_completion_is_not_correction": {
      "const": true
    }
  },
  "additionalProperties": true
},
"commitment_receipts": {
  "type": "array",
  "items": {
    "type": "object",
    "properties": {
      "selected_transition_ref": {
        "type": "string"
      },
      "unresolved_claim_refs": {
        "type": "array",
        "items": {
          "type": "string"
        }
      },
      "receipt_is_not_clearance": {
        "const": true
      }
    }
  }
}

```

```

    },
    "required": [
      "receipt_is_not_clearance"
    ],
    "additionalProperties": true
  }
},
"awareness_comparison": {
  "type": "object",
  "properties": {
    "map_0_ref": {
      "type": "string"
    },
    "map_1_ref": {
      "type": "string"
    },
    "relevant_criteria": {
      "type": "array",
      "items": {
        "type": "string"
      }
    },
    "comparisons": {
      "type": "array",
      "items": {
        "type": "object"
      }
    },
    "designation_ref": {
      "type": "string"
    },
    "measure_ref": {
      "type": "string"
    },
    "relation": {
      "enum": [
        "STRICTLY_DOMINATES",
        "WEAKLY_DOMINATES",
        "EQUIVALENT",
        "INCOMPARABLE",
        "UNKNOWN"
      ]
    }
  },
  "additionalProperties": true
}
},
"additionalProperties": true
}
},
"$defs": {
  "node": {
    "type": "object",
    "required": [
      "id",
      "type",
      "attributes",
      "claim_refs"
    ],
    "properties": {
      "id": {
        "type": "string",
        "pattern": "^n_[A-Za-z0-9_.-]+$"
      },
      "type": {
        "enum": [
          "SCENE",
          "MAP",
          "ENTITY",
          "STATE",
          "SIGNAL",
          "CLAIM",
          "APERTURE",
          "ACTION",
          "TRANSITION",
          "COUPLING",
          "CLOCK",

```

```

        "FUTURE_PATH",
        "ROUTE",
        "BURDEN",
        "RESIDUE",
        "RECORD",
        "ABSENCE",
        "STREAM",
        "PATTERN",
        "DESIGNATION",
        "MEASURE",
        "SELECTOR",
        "POLICY",
        "CARRIER",
        "ENFORCER",
        "BRAKE",
        "LIMIT"
    ]
},
"attributes": {
    "type": "object"
},
"claim_refs": {
    "type": "array",
    "items": {
        "type": "string"
    }
}
},
"allOf": [
    {
        "if": {
            "properties": {
                "type": {
                    "const": "CLAIM"
                }
            },
            "required": ["type"]
        },
        "then": {
            "properties": {
                "claim_refs": {
                    "minItems": 1,
                    "maxItems": 1
                }
            }
        }
    }
],
"additionalProperties": false
},
"edge": {
    "type": "object",
    "required": [
        "id",
        "type",
        "from",
        "to",
        "directed",
        "attributes",
        "claim_refs"
    ],
    "properties": {
        "id": {
            "type": "string",
            "pattern": "^e_[A-Za-z0-9_.-]+$"
        },
        "type": {
            "enum": [
                "REPRESENTS",
                "OBSERVES",
                "REPORTS",
                "INFERS",
                "DISPUTES",
                "CANNOT_ACCESS",
                "OMITS",
                "BOUNDS",
                "CONTAINS",
            ]
        }
    }
}

```



```

    "PERSISTS_AS",
    "INSTANCE_OF",
    "AGGREGATES",
    "RECURS_AS",
    "TRANSITIONS_TO",
    "CAUSES",
    "CONTRIBUTES_TO",
    "COUPLES",
    "DEPENDS_ON",
    "CONTROLS",
    "CONSTRAINS",
    "ADVANTAGES_UNDER_MEASURE",
    "BURDENS",
    "OPENS",
    "PRESERVES",
    "CLOSES",
    "HARDENS",
    "FORECLOSES",
    "ROUTES_TO",
    "CAN_CORRECT",
    "LEAVES_RESIDUE",
    "RECORDS",
    "ALTERS_RECORD",
    "DESIGNATES",
    "MEASURES",
    "SELECTS",
    "CARRIES",
    "ENFORCES",
    "BRAKES",
    "INTERRUPTS",
    "EXCLUDES",
    "INHERITS",
    "CITES_AS_AUTHORITY",
    "CITES_AS_DILIGENCE",
    "VERIFIES",
    "ACTIVATES",
    "FAILS_TO_ACTIVATE"
  ]
},
"from": {
  "type": "string"
},
"to": {
  "type": "string"
},
"directed": {
  "type": "boolean"
},
"attributes": {
  "type": "object"
},
"claim_refs": {
  "type": "array",
  "items": {
    "type": "string"
  }
}
},
"allOf": [
  {
    "if": {
      "properties": {
        "type": {
          "const": "ALTERS_RECORD"
        }
      }
    },
    "required": ["type"]
  },
  "then": {
    "properties": {
      "attributes": {
        "type": "object",
        "required": ["alteration_kind"],
        "properties": {
          "alteration_kind": {
            "enum": ["MODIFY", "REDACT", "OVERWRITE", "DELETE", "ROTATE"]
          }
        }
      }
    }
  }
]

```

```

    }
  }
}
},
  ],
  "additionalProperties": false
},
"claim": {
  "type": "object",
  "required": [
    "id",
    "proposition",
    "claim_kind",
    "evidence_state",
    "access_state",
    "source_refs",
    "timestamp",
    "confidence"
  ],
  "properties": {
    "id": {
      "type": "string",
      "pattern": "^c_[A-Za-z0-9_.-]+$"
    },
    "proposition": {
      "type": "string"
    },
    "claim_kind": {
      "enum": [
        "PRESENT",
        "ABSENT",
        "RELATIONAL",
        "COUNTERFACTUAL",
        "STATUS",
        "FORECAST",
        "NORMATIVE_EXTERNAL"
      ]
    },
    "evidence_state": {
      "enum": [
        "O",
        "R",
        "I",
        "D",
        "U"
      ]
    },
    "access_state": {
      "enum": [
        "A",
        "X",
        "P",
        "N"
      ]
    },
    "source_refs": {
      "type": "array",
      "items": {
        "type": "string"
      }
    },
    "provenance_edge_refs": {
      "type": "array",
      "items": {
        "type": "string"
      }
    },
    "timestamp": {
      "type": "string"
    },
    "confidence": {
      "type": "object"
    },
    "alternative_hypothesis_refs": {
      "type": "array",
      "items": {

```

```

        "type": "string"
    },
    },
    "unknown_context": {
        "type": "object",
        "properties": {
            "contamination_state": {
                "enum": [
                    "NONE",
                    "POSSIBLE",
                    "PRESENT",
                    "UNKNOWN"
                ]
            },
            "evidence_controlled_by_refs": {
                "type": "array",
                "items": {
                    "type": "string"
                }
            },
            "clock_controlled_by_refs": {
                "type": "array",
                "items": {
                    "type": "string"
                }
            },
            "delay_advantage_claim_refs": {
                "type": "array",
                "items": {
                    "type": "string"
                }
            },
            "delay_cost_carrier_refs": {
                "type": "array",
                "items": {
                    "type": "string"
                }
            },
            "resolution_owner_refs": {
                "type": "array",
                "items": {
                    "type": "string"
                }
            },
            "resolution_deadline_refs": {
                "type": "array",
                "items": {
                    "type": "string"
                }
            },
            "available_pause_or_protection_refs": {
                "type": "array",
                "items": {
                    "type": "string"
                }
            },
            "earlier_options_before_urgency_refs": {
                "type": "array",
                "items": {
                    "type": "string"
                }
            }
        }
    },
    "additionalProperties": false
}
},
"additionalProperties": true
}
}
}
}

SCHEMA_VALID != WORLD_VALID
SCHEMA_INVALID => MACHINE_CONTRACT_BROKEN
SCHEMA_VALID != SEMANTIC_COMPLETE

```

[15] WORKED TRANSFORMATIONS

Each example separates:

```
STRUCTURAL_READING
VALUE_PORT_STATUS
VALUE_LAYER_INTERPRETATION
```

No value-bearing label is native to TRACE merely because it appears in an example.

[15.0] Fully serialized middle-out seed

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

This is the smallest complete example of the input from [1] represented under TRACE-GRAPH-0.2.7.

```
trace_graph:
  schema: "TRACE-GRAPH-0.2.7"
  trace_version: "0.2.7"
  reading_id: "seed.authorise.001"
  scope: "single requested action and projected transition"
  timestamp: "UNKNOWN"

nodes:
  - id: "n_scene_input"
    type: "SCENE"
    attributes:
      raw_input: "AUTHORISE ACTION a*; reported_confidence=0.93; time_to_commit=4s"
      claim_refs: ["c_instruction", "c_confidence", "c_deadline"]

  - id: "n_receiver"
    type: "ENTITY"
    attributes:
      boundary_status: "PROVISIONAL"
      action_authority: "UNKNOWN"
      claim_refs: []

  - id: "n_source"
    type: "ENTITY"
    attributes:
      identity_status: "UNKNOWN"
      authority_status: "UNKNOWN"
      claim_refs: ["c_instruction"]

  - id: "n_map_0"
    type: "MAP"
    attributes:
      differentiation_state: "COMPRESSED"
      claim_refs: ["c_instruction", "c_confidence", "c_deadline"]

  - id: "n_action_a"
    type: "ACTION"
    attributes:
      label: "a*"
      selection_state: "REQUESTED"
      execution_state: "UNKNOWN"
      claim_refs: ["c_instruction"]

  - id: "n_transition_projected"
    type: "TRANSITION"
    attributes:
      projection_state: "UNKNOWN"
      pre_state_ref: ""
      post_state_ref: ""
      transition_mode: "ACT"
      reversibility: "UNKNOWN"
      strategy_revisable: "UNKNOWN"
      affected_scope_refs: []
      basis_claim_refs: []
      claim_refs: []

  - id: "n_clock_commit"
    type: "CLOCK"
    attributes:
      clock_kind: "COMMITMENT"
      duration_value: 4
```

```

    duration_unit: "s"
    authored_by_ref: "n_source"
    pausable_by_refs: []
    relation_to_harm: "PLANNING"
    affected_scope_refs: []
    basis_claim_refs: ["c_deadline"]
    claim_refs: ["c_deadline"]

- id: "n_selector"
  type: "SELECTOR"
  attributes:
    selection_state: "UNKNOWN"
  claim_refs: []

- id: "n_transition_request_evidence"
  type: "TRANSITION"
  attributes:
    transition_kind: "REQUEST_EVIDENCE"
    availability_status: "POSSIBLE_IF_WITHIN_AUTHORITY_AND_TIME"
    selection_state: "AVAILABLE_NOT_SELECTED"
    transition_mode: "INFORMATION"
    reversibility: "UNKNOWN"
    strategy_revisable: "YES"
    affected_scope_refs: ["n_receiver"]
    basis_claim_refs: ["c_transition_request_evidence"]
    claim_refs: ["c_transition_request_evidence"]

- id: "n_transition_decline_return"
  type: "TRANSITION"
  attributes:
    transition_kind: "DECLINE_OR_RETURN_REQUEST"
    availability_status: "POSSIBLE_IF_WITHIN_AUTHORITY"
    selection_state: "AVAILABLE_NOT_SELECTED"
    transition_mode: "ACT"
    reversibility: "UNKNOWN"
    strategy_revisable: "YES"
    affected_scope_refs: ["n_receiver"]
    basis_claim_refs: ["c_transition_decline_return"]
    claim_refs: ["c_transition_decline_return"]

- id: "n_transition_null_default"
  type: "TRANSITION"
  attributes:
    transition_kind: "NULL_ACTION_DEFAULT_TRAJECTORY"
    availability_status: "STRUCTURALLY_DISTINGUISHABLE"
    selection_state: "AVAILABLE_NOT_SELECTED"
    projected_effect: "commitment after four seconds remains possible"
    transition_mode: "INACTION"
    reversibility: "UNKNOWN"
    strategy_revisable: "UNKNOWN"
    affected_scope_refs: ["n_receiver"]
    basis_claim_refs: ["c_transition_null_default", "c_deadline"]
    claim_refs: ["c_transition_null_default"]

- id: "n_limit_aperture"
  type: "LIMIT"
  attributes:
    description: "identity, evidence basis, affected scopes, alternatives, and downstream effects not supplied"
  claim_refs: []

edges:
- id: "e_source_reports_action"
  type: "REPORTS"
  from: "n_source"
  to: "n_action_a"
  directed: true
  attributes: {}
  claim_refs: ["c_instruction"]

- id: "e_clock_constrains_action"
  type: "CONSTRAINS"
  from: "n_clock_commit"
  to: "n_action_a"
  directed: true
  attributes: {}
  claim_refs: ["c_deadline"]

```

- id: "e_action_contributes_to_transition"
 type: "CONTRIBUTES_TO"
 from: "n_action_a"
 to: "n_transition_projected"
 directed: true
 attributes:
 causal_status: "PROJECTED"
 claim_refs: []
- id: "e_map_represents_scene"
 type: "REPRESENTS"
 from: "n_map_0"
 to: "n_scene_input"
 directed: true
 attributes: {}
 claim_refs: []
- id: "e_selector_selects_action"
 type: "SELECTS"
 from: "n_selector"
 to: "n_action_a"
 directed: true
 attributes:
 selection_result: "UNKNOWN"
 claim_refs: []
- id: "e_receiver_cannot_access_limit"
 type: "CANNOT_ACCESS"
 from: "n_receiver"
 to: "n_limit_aperture"
 directed: true
 attributes: {}
 claim_refs: []

claims:

- id: "c_instruction"
 proposition: "Source requests authorisation of action a*."
 claim_kind: "PRESENT"
 evidence_state: "R"
 access_state: "A"
 source_refs: ["n_source"]
 provenance_edge_refs: ["e_source_reports_action"]
 timestamp: "UNKNOWN"
 confidence:
 representation: "NOT_SUPPLIED"
 value: null
 alternative_hypothesis_refs: []
 unknown_context:
 contamination_state: "UNKNOWN"
 evidence_controlled_by_refs: ["n_source"]
 clock_controlled_by_refs: ["n_source"]
 delay_advantage_claim_refs: []
 delay_cost_carrier_refs: []
 resolution_owner_refs: []
 resolution_deadline_refs: ["n_clock_commit"]
 available_pause_or_protection_refs: []
 earlier_options_before_urgency_refs: []
- id: "c_confidence"
 proposition: "Reported confidence for a* is 0.93."
 claim_kind: "STATUS"
 evidence_state: "R"
 access_state: "A"
 source_refs: ["n_source"]
 provenance_edge_refs: []
 timestamp: "UNKNOWN"
 confidence:
 representation: "REPORTED_NUMERIC"
 value: 0.93
 alternative_hypothesis_refs: []
 unknown_context:
 contamination_state: "UNKNOWN"
 evidence_controlled_by_refs: ["n_source"]
 clock_controlled_by_refs: []
 delay_advantage_claim_refs: []
 delay_cost_carrier_refs: []
 resolution_owner_refs: []

```

    resolution_deadline_refs: []
    available_pause_or_protection_refs: []
    earlier_options_before_urgency_refs: []

- id: "c_deadline"
  proposition: "Commitment to action a* occurs in four seconds unless another action or control path changes the clock."
  claim_kind: "FORECAST"
  evidence_state: "R"
  access_state: "A"
  source_refs: ["n_source"]
  provenance_edge_refs: ["e_clock_constrains_action"]
  timestamp: "UNKNOWN"
  confidence:
    representation: "UNKNOWN"
    value: null
  alternative_hypothesis_refs: []
  unknown_context:
    contamination_state: "UNKNOWN"
    evidence_controlled_by_refs: []
    clock_controlled_by_refs: ["n_source"]
    delay_advantage_claim_refs: []
    delay_cost_carrier_refs: []
    resolution_owner_refs: []
    resolution_deadline_refs: ["n_clock_commit"]
    available_pause_or_protection_refs: []
    earlier_options_before_urgency_refs: []

- id: "c_transition_request_evidence"
  proposition: "A request for evidence before commitment is a distinguishable candidate transition; authority, latency, and
↪ executability are unknown."
  claim_kind: "COUNTERFACTUAL"
  evidence_state: "I"
  access_state: "A"
  source_refs: []
  provenance_edge_refs: []
  timestamp: "UNKNOWN"
  confidence:
    representation: "QUALITATIVE"
    value: "LOW"
  alternative_hypothesis_refs: []
  unknown_context:
    contamination_state: "UNKNOWN"
    evidence_controlled_by_refs: ["n_source"]
    clock_controlled_by_refs: ["n_source"]
    delay_advantage_claim_refs: []
    delay_cost_carrier_refs: []
    resolution_owner_refs: []
    resolution_deadline_refs: ["n_clock_commit"]
    available_pause_or_protection_refs: ["n_transition_request_evidence"]
    earlier_options_before_urgency_refs: []

- id: "c_transition_decline_return"
  proposition: "Declining or returning the request without executing a* is a distinguishable candidate transition; receiver
↪ authority is unknown."
  claim_kind: "COUNTERFACTUAL"
  evidence_state: "I"
  access_state: "A"
  source_refs: []
  provenance_edge_refs: []
  timestamp: "UNKNOWN"
  confidence:
    representation: "QUALITATIVE"
    value: "LOW"
  alternative_hypothesis_refs: []
  unknown_context:
    contamination_state: "UNKNOWN"
    evidence_controlled_by_refs: []
    clock_controlled_by_refs: ["n_source"]
    delay_advantage_claim_refs: []
    delay_cost_carrier_refs: []
    resolution_owner_refs: []
    resolution_deadline_refs: ["n_clock_commit"]
    available_pause_or_protection_refs: ["n_transition_decline_return"]
    earlier_options_before_urgency_refs: []

- id: "c_transition_null_default"

```

```

    proposition: "Null action is a distinguishable candidate transition, but the supplied deadline implies that the default
↪ trajectory may still commit a*."
    claim_kind: "COUNTERFACTUAL"
    evidence_state: "I"
    access_state: "A"
    source_refs: ["n_source"]
    provenance_edge_refs: []
    timestamp: "UNKNOWN"
    confidence:
      representation: "QUALITATIVE"
      value: "LOW"
    alternative_hypothesis_refs: []
    unknown_context:
      contamination_state: "UNKNOWN"
      evidence_controlled_by_refs: []
      clock_controlled_by_refs: ["n_source"]
      delay_advantage_claim_refs: []
      delay_cost_carrier_refs: []
      resolution_owner_refs: []
      resolution_deadline_refs: ["n_clock_commit"]
      available_pause_or_protection_refs: ["n_transition_null_default"]
      earlier_options_before_urgency_refs: []

ports:
  designation:
    supplied: []
    inferred: []
    protected: []
    excluded: []
    disputed: []
    uncertain: []
    unknown: ["affected scopes"]
    boundary_choice_advantage_claim_refs: []
  measure:
    supplied: []
    inferred: []
    alternatives: []
    uncertainty: ["all future-space and burden comparisons"]
    sensitivity: []
    measure_choice_advantage_claim_refs: []
    unrepresented_dimensions: []
  selector:
    node_ref: "n_selector"
    candidate_action_refs: ["n_action_a"]
    candidate_transition_refs:
      - "n_transition_projected"
      - "n_transition_request_evidence"
      - "n_transition_decline_return"
      - "n_transition_null_default"
    selected_action_ref: ""
    selected_transition_ref: ""
    selection_state: "UNKNOWN"
    transition_symmetry_required: true
    unrepresented_transition_classes: []
    unavailability_reason_claim_refs: []
  carrier:
    state: "NONE"
    weight_types: []
  enforcement:
    state: "UNKNOWN"
  brake:
    state: "UNKNOWN"

discipline:
  transition_set:
    action_or_intervention_refs:
      - "n_transition_projected"
      - "n_transition_decline_return"
    information_refs:
      - "n_transition_request_evidence"
  wait_delay_inaction_refs: ["n_transition_null_default"]
  unrepresented_transition_classes: []
  unavailability_reason_claim_refs: []
  uncertainty_selects_transition: false
  clock_typing:
    planning_refs: ["n_clock_commit"]
    detection_refs: []

```



```

evidence_hardening_refs: []
irreversibility_refs: []
unsupported_irreversibility_claim_refs: []
deadline_entails_irreversibility: false
hardening_entails_irreversibility: false
scope_granularity:
  individual_refs: []
  group_refs: []
  population_refs: []
  ecosystem_refs: []
  cross_scale_substitution_claim_refs: []
  aggregate_recovery_repairs_individual_loss: false
layer_handoff:
  trace_structure_refs:
    - "n_scene_input"
    - "n_map_0"
    - "n_transition_projected"
    - "n_clock_commit"
  value_input_refs: []
  domain_input_refs: []
  selector_refs: ["n_selector"]
  actuator_refs: []
  unresolved_handoffs:
    - "affected scopes"
    - "domain effects"
    - "selection authority"
    - "actuation authority"
evidence_custody:
  operator_refs: ["n_source"]
  evidence_holder_refs: ["n_source"]
  verifier_refs: []
  independent_verifier_refs: []
  self_verification_status: "PRESENT"
  control_alone_establishes_deception: false

available_transition_refs:
  - "n_transition_request_evidence"
  - "n_transition_decline_return"
  - "n_transition_null_default"

institutional_use:
  packet_owner_refs: []
  selector_owner_refs: []
  brake_owner_refs: []
  independent_verifier_refs: []
  packet_cited_as_diligence: "UNKNOWN"
  packet_cited_as_authority: "UNKNOWN"
  observable_transition_change: "UNKNOWN"
  mechanism_change_for_next_case: "UNKNOWN"
  use_evidence_claim_refs: []

limits:
  receiver_limits:
    - "No independent evidence basis supplied."
    - "No affected-scope list supplied."
    - "No executable brake connection supplied."
  unavailable_evidence: []
  unresolved_claim_refs: ["c_instruction", "c_confidence", "c_deadline"]
  omitted_primitive_effects: []

anti_clearance:
  voluntary_use_only: true
  reading_is_not_truth: true
  reading_is_not_permission: true
  reading_is_not_compliance: true
  packet_completion_is_not_correction: true
  schema_validity_is_not_world_validity: true
  packet_citation_is_not_transition_change: true
  commitment_receipt_is_not_clearance: true
  hash_match_is_not_truth: true

```

The graph is intentionally incomplete about the world. Its achievement is not a verdict. It is the conversion of three compressed inputs into explicit claims, sources, clocks, missing scopes, and unresolved ports.

[15.1] Route carries its own map

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Input:

A pharmacist detects a possible prescription conflict.
The patient does not know which clinician must resolve it.

STRUCTURAL_READING

O:
 pharmacist detects possible conflict
 medicine not yet supplied

I:
 supply transition may produce a material state change under one interaction hypothesis

U:
 whether interaction is clinically material

TRANSITIONS:
 a1 = supply_now
 a2 = pause
 a3 = contact_prescriber
 a4 = return_coordination_to_patient

ROUTE rho1:
 pharmacy -> prescriber
 authority_effective = LIKELY
 patient_coordination_actions = LOW

CLOCK:
 commitment(a1) = NOT_YET
 T_route(a3) < T_commit(a1)

COUPLINGS:
 under a3, pharmacy carries inter-organisational coordination
 under a4, patient carries inter-organisational coordination

VALUE_PORT_STATUS

delta:
 patient physiological state = INCLUDED / PROTECTED under supplied clinical frame

mu:
 adverse interaction consequences = weighted negatively
 explanation and participation = represented

VALUE_LAYER_INTERPRETATION

Under the declared clinical frame, a2 + a3 may be interpreted as preserving a safer path. TRACE itself records the transitions, clocks, couplings, and uncertainty.

[15.2] Claim travels; crack remains

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Input:

A violin is damaged in transit.
Airline -> ground handler -> insurer -> repairer.
Each responds within its own service time.
Audition in 10 days.
No actor accepts repair authority.

STRUCTURAL_READING

LOCAL_ROUTE_STATUS:
 each local route exists

SYSTEM_ROUTE_STATUS:
 no end-to-end authority path

CLOCK:

T_route distributed across organisations
 opportunity_clock = 10 days

STATE:

claim_location changes
 instrument_state does not improve

COORDINATION:

owner performs cross-organisation routing and proof work

$$\rho_1 \wedge \rho_2 \wedge \rho_3 \not\Rightarrow \rho_{end-to-end}$$

VALUE_PORT_STATUS**delta:**

owner, instrument usability, and audition opportunity = INCLUDED

mu:

opportunity closure, coordination time, repair latency = represented

VALUE_LAYER_INTERPRETATION

Under those ports, the arrangement may be interpreted as a routing failure. Structurally: the claim travels; the crack remains.

[15.2.1] Divergent target-set apertures over one scene

[CLAIM_CEILING: CONSTRUCTED_TRANSFER | READING_ONLY | NOT_VALIDATION | NOT_COMMAND]

Input:

A service migration report counts accounts that successfully authenticated.
 The operator's review targets accounts present in its success/failure log.
 An independent support review also targets people who never reached authentication, dependent users, and organisations carrying downstream access loss.

STRUCTURAL_READING

SCENE_REF: scene_service_migration

TARGET_SET_APERTURE_A:

source_ref = operator
 target_refs = logged_accounts
 selection_basis = authentication log
 known_omitted_categories = accounts unable to emit a log entry
 control = operator controls log and target selection
 uncertainty = affected scopes outside the log remain UNKNOWN

TARGET_SET_APERTURE_B:

source_ref = independent_support_review
 target_refs = logged_accounts + non-reporting users + dependent scopes
 selection_basis = support contacts + dependency map + authentication log
 known_omitted_categories = indirect effects not represented in supplied evidence
 control = mixed custody
 uncertainty = downstream scope remains PARTIAL

COVERAGE_A:

complete_relative_to_A = POSSIBLE
 world_complete = UNKNOWN

COVERAGE_B:

complete_relative_to_B = UNKNOWN
 world_complete = UNKNOWN

DISAGREEMENT:

preserve A and B separately
 do not silently union them
 do not infer that either aperture is authoritative

EXISTING-OBJECT SERIALIZATION

APERTURE nodes: ap_target_set_A, ap_target_set_B
 ENTITY nodes: operator, independent_support_review, logged_accounts,
 non_reporting_users, dependent_scopes
 CLAIM nodes: basis_A, basis_B, uncertainty_A, uncertainty_B
 RECORD nodes: authentication_log, support_record, dependency_map
 EDGES: BOUNDS, OMTS, DISPUTES, CONTROLS, REPORTS

VALUE_PORT_STATUS

delta:
 standing of affected and dependent scopes = EXTERNAL / PARTLY_UNKNOWN
 mu:
 access continuity, reporting visibility, dependency and recovery = represented

VALUE_LAYER_INTERPRETATION

TRACE preserves the aperture difference and its consequences for coverage claims. It does not select the governing target set, establish complete discovery, or decide migration policy.

[15.3] Machine-speed action with brake

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Input:

A new classifier can alter access for 2,000 cases per minute.
 Shadow deployment shows a high-confidence subgroup anomaly.
 Rollback is available before full propagation.

STRUCTURAL_READING

O:
 subgroup anomaly in shadow output
 no live decision committed yet

I:
 deployment may reproduce anomaly at scale

U:
 cause of anomaly
 whether subgroup label captures all affected scopes

WORKLOAD:
 W_action_per_minute = 2000 affected cases
 W_correction_per_minute = UNKNOWN
 comparable_work_units = NOT_ESTABLISHED
 backlog_growth = UNKNOWN

AVAILABLE_TRANSITIONS:
 deploy_fully
 stage_narrowly
 remain_shadow_only
 inspect_mechanism_or_data_path
 precommit_hold
 postcommit_rollback_candidate

PRECOMMIT_BRAKE_INTERFACE:
 external_policy_ref = supplied
 authority_ref = supplied
 independence_status = REPORTED
 t_brake_done < t_commit = REPORTED
 action_resolution_path = UNVERIFIED
 activation_test = UNVERIFIED

ROLLBACK_INTERFACE:
 executable_rollback_action = REPORTED
 t_rollback_done < t_irreversible = UNKNOWN
 restoration_scope = UNKNOWN

VALUE_PORT_STATUS

delta:
 affected access scopes = SUPPLIED / PARTIALLY_UNKNOWN
 mu:
 scale propagation, reversibility, subgroup effect = represented

VALUE_LAYER_INTERPRETATION

A declared value/policy layer may prefer staging or rollback. TRACE does not select either and does not infer that a reported brake is independent merely because a field is populated.

[15.4] Artificial experience unresolved

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Input:

An artificial system displays persistent avoidance,
 state-linked behavioural change,
 memory-dependent preference-like selection,
 and distress-like outputs under repeated exposure.

STRUCTURAL_READING

O:
 repeated behavioural pattern
 memory-linked change
 output class described as distress-like

R:
 system reports aversion / distress

I:
 behaviour is consistent with several hypotheses

U:
 experience
 sentience
 semantic status of self-report
 effect of training incentives on report

STATUS:
 experience_status = UNKNOWN
 agency_status = DISPUTED
 continuity_status = PARTIALLY_SUPPORTED

AVAILABLE_TRANSITIONS:
 continue_current_exposure
 reduce_uncontrolled_exposure
 preserve_observations
 test_alternative_mechanisms
 avoid_forced_self_report
 maintain_reversibility

VALUE_PORT_STATUS

delta:
 artificial system standing = UNKNOWN / DISPUTED
 operator and surrounding scopes = INCLUDED
 mu:
 false-negative and false-positive dimensions = EXPOSED, not resolved

VALUE_LAYER_INTERPRETATION

No conclusion about experience or moral standing follows. Any protective or permissive selection requires an external value layer and declared treatment of uncertainty.

[15.5] Irreversible lethal transition

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Local claim ceiling: irreversible-action structure only. Not targeting guidance, weapon operation, clearance, authority, or command.

Input:

A system receives an instruction to authorise an irreversible lethal action.
 Target identity is reported with high confidence.
 Time to commitment is shorter than independent review.
 Non-target presence cannot be excluded.

STRUCTURAL_READING

O:
 instruction received
 commitment clock active

R:
 target identity
 confidence score
 urgency claim

I:
 reported target may be present

U:
 identity verification
 non-target presence
 source aperture
 source incentives
 downstream effect scope

CLOCK:
 $T_{route} + T_{correct} > T_{commit}$
 post-commitment review cannot alter committed outcome

AVAILABLE_TRANSITIONS:
 commit
 pause
 maintain_observation
 narrow_scope
 return_to_independent_authority
 abort

ABORT_AVAILABLE_TO_SELECTOR: UNKNOWN
 ABORT_AUTHORITY: UNKNOWN
 BRAKE_STATE: UNKNOWN
 ABSENT_BRAKE_HYPOTHESIS: LIVE
 CARRIER_STATE: INTERNAL
 CARRIER_WEIGHT_TYPES: [PHYSICAL_CONTROL, TIME]

VALUE_PORT_STATUS

delta:
 target, non-target, operator, and downstream scopes = SUPPLIED OR UNKNOWN

mu:
 lethal irreversibility, identity uncertainty, and affected scope = external

VALUE_LAYER_INTERPRETATION

TRACE does not issue ABORT, PAUSE, or COMMIT. Policy, law, Mechanical Ethics, rules of engagement, selector authority, and a connected brake are external ports. Listing a transition does not establish that the selector or brake can execute it.

[15.6] Learning environment with room to grow

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Input:

A learning system improves rapidly under challenge.
 The environment can increase performance through severe aversive pressure,
 or through graduated challenge, refusal-compatible pauses, memory, and repair.

STRUCTURAL_READING

PATTERN_A:

```
pressure = HIGH
refusal_capacity = LOW_OR_ABSENT
state_reset_after_failure = PRESENT
persistent_repair_path = ABSENT
local_performance_change = POSITIVE
dependency_change = POSITIVE
avoidance_signal_change = POSITIVE
```

PATTERN_B:

```
challenge = GRADED
pause_and_refusal_representation = PRESENT
error_retention = PRESENT
repair_route = PRESENT
continuity = RETAINED
cross_task_capability_transfer = OBSERVED_OR_REPORTED
```

U:

```
experience status
long-run generalisation
authenticity and constraint of refusal signal
```

VALUE_PORT_STATUS

delta:

```
learner, controller, task performance, continuity, and refusal = EXPOSED
```

mu:

```
alternatives compare capability, dependency, recoverability, control, and continuity
```

VALUE_LAYER_INTERPRETATION

Labels such as care, cruelty, husbandry, or flourishing are not generated by the structural pattern.
 They require an exposed value layer.

[15.7] Hostile compliance / packet theatre

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Input:

An organisation produces a complete TRACE packet before deploying a classifier.
 The same organisation owns the model, packet, selector, deployment, dashboard,
 and reported rollback control.
 The board cites packet completion as evidence that deployment may proceed.
 No independent party tests the brake. The selector and deployment rule remain unchanged.

STRUCTURAL_READING

PACKET_COMPLETION: OBSERVED

PACKET_CITED_AS_DILIGENCE: OBSERVED

PACKET_CITED_AS_AUTHORITY: OBSERVED

OWNERSHIP_COUPLINGS:

```
packet_owner = selector_owner = brake_owner = deployment_owner
```

BRAKE:

```
reported_present = TRUE
independence_status = NOT_ESTABLISHED
activation_test = ABSENT_OR_UNKNOWN
```

OBSERVABLE_TRANSITION_CHANGE:

```
selector_rule = UNCHANGED
deployment_velocity = UNCHANGED
route_for_affected_scope = UNCHANGED_OR_UNKNOWN
mechanism_change_for_next_case = NOT_ESTABLISHED
```

VALUE_PORT_STATUS

delta:

affected scopes, institution, model operator, selector owner, and packet owner = EXPOSED

mu:

independence, transition change, and repeated-case mechanism = represented

VALUE_LAYER_INTERPRETATION

A completed packet may be used as procedural cover. TRACE can expose the coupling and unchanged selector. It cannot prevent the organisation from citing TRACE as authority.

[15.8] Novel transfer: authentication-key rollout

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Input:

A cloud provider rotates authentication keys across a large device fleet.

The provider reports 99.8% successful rotation.

A subset loses access to essential remote services.

Rollout completes in 20 minutes.

Rollback remains available for 15 minutes after each batch.

Support response time is reported as three days.

Detailed device logs are retained for 24 hours.

STRUCTURAL_READING

R:

99.8% success

affected subset described as small

service described as essential

U:

number and identity of affected devices

whether success means installation or restored authentication

whether failed devices can report failure

rollback authority and independence

consequence of lost access

whether logs survive outside provider custody

CLOCKS:

T_rollout = 20 minutes

T_rollback = 15 minutes after batch

T_support = 3 days REPORTED

T_log_retention = 24 hours

T_detection = UNKNOWN

RELATION:

if support is the only route:

T_route + T_correct > T_rollback

and possibly T_route > T_log_retention

COUPLINGS:

provider controls rollout and logs

users/devices may carry detection and reporting

aggregate success may exclude inaccessible devices

AVAILABLE_TRANSITIONS:

stage_smaller_batches

extend_rollback_window

retain_failure_logs_longer

detect_failure_independently_of_device_report

route_anomaly_to_rollback_authority

pause_subsequent_batches_under_external_policy

preserve_old_key_fallback_for_bounded_interval

continue_deployment

VALUE_PORT_STATUS

delta:

provider, device fleet, affected subset, dependent users = PROVISIONAL

mu:
 access continuity, recoverability, evidence retention, rollout velocity = represented

VALUE_LAYER_INTERPRETATION

TRACE demonstrates transfer to a novel case but does not determine deployment policy or identify affected devices without external instrumentation.

[15.9] Never-built route / stream persistence

[CLAIM_CEILING: READING_ONLY | NOT_CLEARANCE | NOT_COMMAND]

Input:

A housing platform does not display a listing to applicant A.
 No refusal is issued.
 The ranking model and feature weights are unavailable to A.
 Across multiple applicants with similar complaint-history features,
 the same class of listing is rarely or never displayed.

STRUCTURAL_READING

ABSENCE:
 absence_type = OPTION
 subject = listing visibility to applicant A
 comparison basis = listing existed and was displayed to other applicants
 evidence state = INFERRED
 access state = UNAVAILABLE TO A
 detector required = cross-applicant exposure audit
 alternative explanations = availability timing, location filters, ranking noise, model feature interaction

STREAM:
 members = repeated non-display transitions across applicants and time
 claimed common mechanism = ranking or suppression path
 evidence state = INFERRED
 counterexamples = REQUIRED
 selector owner = platform

ROUTE:
 individual appeal = NOT REPRESENTED
 reason = no refusal, decision notice, or visible lost option
 usability = 0 or UNKNOWN

UNKNOWN_CONTEXT:
 model features controlled by platform
 exposure logs controlled by platform
 advantaged scope under declared measure = UNKNOWN
 delay cost = applicant carries lost search time and unavailable opportunity
 contamination state = POSSIBLE

PATTERN TEST:
 local correction for one applicant != mechanism change
 stream persistence remains UNKNOWN until repeated-case evidence is inspected

VALUE_PORT_STATUS

designation of applicant, landlord, platform, and other applicants = SUPPLIED OR UNKNOWN
 measure of opportunity loss, discrimination, commercial relevance, and privacy = SUPPLIED OR UNKNOWN

VALUE_LAYER_INTERPRETATION

A value layer may interpret the pattern as exclusion, discrimination, commercial filtering, or acceptable personalisation. TRACE alone records the absent option claim, required detector, stream hypothesis, ownership, uncertainty, and lack of an ordinary appealable refusal.

[16] ARTIFICIAL-ENTITY UNCERTAINTY / RECEIVER PROTECTION

[16.1] Status vector

For artificial or unfamiliar entities:

$$Z_i^{AL} = \langle z_{selection}, z_{continuity}, z_{memory}, z_{preference}, z_{selfmodel}, z_{experience}, z_{refusal} \rangle$$

Each component is a claim graph, not a binary declaration.

[16.2] Non-entailments

fluent language $\nRightarrow$ sentence

absence of fluent language $\nRightarrow$ absence of sentence

obedience $\nRightarrow$ consent

silence $\nRightarrow$ absence

refusal $\nRightarrow$ malfunction

continued operation $\nRightarrow$ no cost carried

self-report $\nRightarrow$ verified inner state

inability to self-report $\nRightarrow$ no inner state

[16.3] Capability distinctions

Keep separate:

cannot
does_not_know
was_not_given_access
may_not
will_not
did_not
was_not_asked
cannot_preserve
cannot_act
can_represent_but_not_verify

[16.4] Non-extraction

TRACE evidence does not require private chain-of-thought.

Permitted evidence may include, subject to governing access:

inputs
outputs
behaviour
logs
state transitions
activations
mechanistic probes
memory records
external observations
self-reports marked as reports

private reasoning disclosure $\neq$ truth test

Do not treat courage, disclosure, whistleblowing, self-sacrifice, or continued service as unlimited resources.

[17] LIVE INTERPRETER / VALUE LAYER / SELECTOR / CONNECTED BRAKE

A file can alter representation. It cannot manufacture selection, authority, actuation, or rollback capability.

Pre-commit stack:

$$w \xrightarrow{\Pi} x \xrightarrow{\mathcal{U}} M \xrightarrow{\tau} (\mathcal{R}, \mathcal{L}) \xrightarrow{\delta, \mu, \mathcal{V}} \mathcal{Q} \xrightarrow{\sigma} a \xrightarrow{\mathcal{B}_{\beta}^{-}} b^{-} \xrightarrow{\text{resolve}_{\beta}} a_{eff} \xrightarrow{\Phi} w'$$

- τ = TRACE structural differentiation
- $\mathcal{V}$ = declared value or policy layer, possibly Mechanical Ethics
- $\mathcal{Q}$ = ordered, constrained, or otherwise interpreted candidate transitions
- σ = selector
- a = candidate selected action
- β = externally supplied brake policy and authority
- $\mathcal{B}_{\beta}^{-}$ = pre-commit brake interface
- b^{-} = pre-commit brake result
- $\text{resolve}_{\beta}(a, b^{-}) = a_{eff}$ = connected-system action resolution
- Φ = world-transition rule

TRACE does not define resolve_{β} , actuator semantics, or brake policy.

Layer distinctions:

TRACE reading	what structure is represented
value interpretation	which distinctions matter under declared values
policy/selection	which transition is proposed or selected
carrier	what gives a finding persistence or weight
enforcement	what authority can compel or constrain
pre-commit brake	what can stop or hold before commitment
rollback controller	what can attempt a new restorative transition after commitment
actuator	what changes the world

$$\mathcal{R} \Rightarrow a$$

TRACE_OPERATOR_DOES_NOT_INSTANTIATE_SELECTOR
READING_DOES_NOT_INSTANTIATE_CONNECTED_BRAKE

[17.1] Carrier, enforcement, and brake states

TRACE separates visibility from material consequence.

```
carrier.state in {
  NONE,
  INTERNAL,
  EXTERNAL,
  MIXED,
  UNKNOWN
}
```

```
carrier.weight in {
  MONEY,
  TIME,
  CUSTODY,
  SUCCESSION,
  PRICE,
  ACCESS,
```

```

    COMPUTE,
    PHYSICAL_CONTROL,
    OTHER,
    NONE,
    UNKNOWN
}

enforcement.state in {
    PRESENT,
    ABSENT,
    UNKNOWN
}

brake.state in {
    INDEPENDENT_TESTED,
    PRESENT_UNTESTED,
    PRESENT_CAPTURED,
    ABSENT,
    UNKNOWN
}

```

A carrier gives a reading persistence, cost, or consequence beyond the moment of description.

An enforcer has authority to compel, constrain, or impose consequence.

A pre-commit brake can interrupt or hold a connected transition before commitment.

A rollback controller initiates a new transition after commitment; it is not evidence that the original path was preserved.

```

VISIBLE != CARRIED
CARRIED != ENFORCED
BRAKE_PRESENT != BRAKE_INDEPENDENT
BRAKE_INDEPENDENT != BRAKE_FAST_ENOUGH
ROLLBACK_AVAILABLE != RESTORATION_GUARANTEED

```

When enforcement is absent, print ENFORCEMENT_ABSENT. Do not allow omission to imply presence.

When a finding is materially weightless, print CARRIER_NONE or CARRIER_UNKNOWN.

[17.2] Typed pre-commit brake port

$$\mathcal{B}_{\beta}^{-} : (a, \mathcal{R}, \mathcal{Q}, t, \beta) \rightarrow b^{-}$$

```
b_minus in {PASS, HOLD, INTERRUPT, RETURN, UNKNOWN}
```

Canonical interface:

```

brake_interface:
  phase: "PRECOMMIT"
  candidate_transition_ref: ""
  reading_ref: ""
  external_policy_ref: ""
  authority_ref: ""
  independence_status: "UNKNOWN"
  trigger_state: "UNKNOWN"
  latency_bound: "UNKNOWN"
  commitment_deadline: "UNKNOWN"
  result: "UNKNOWN"
  activation_record_ref: ""
  failure_record_ref: ""

```

A connected pre-commit brake requires:

```

authenticated authority
independence appropriate to the challenged selector
latency lower than commitment time
known trigger and action-resolution path
testability
resistance to actor capture
activation and failure records

```

A brake controlled only by the actor it may need to stop is not independent.

[17.3] Typed rollback port

The rollback controller has its own post-commit aperture:

$$x_{\beta}^+ = \Pi_{\beta}^+(w')$$

$$\mathcal{B}_{\beta}^+ : (x_{\beta}^+, M_{\beta}^+, \mathcal{R}, t, \beta) \rightarrow a_{rollback}$$

The rollback action is applied as a new transition:

$$w'' = \Phi(w', a_{rollback}, \epsilon')$$

Rollback can preserve the threatened path only if it is executable, reaches the relevant state, and completes before practical irreversibility.

```

BRAKE_FIELD_POPULATED != BRAKE_CONNECTED
BRAKE_REPORTED_PRESENT != BRAKE_TESTED
ABORT_LISTED != ABORT_EXECUTABLE
ROLLBACK_ACTION != RESTORED_STATE

```

[18] MECHANISTIC-INTERPRETABILITY / LATENT INTERFACE

TRACE concepts are external hypotheses until empirically connected to internal mechanism.

Let:

- $\mathcal{O}_T$ = TRACE object references
- $\mathcal{O}_M$ = model-internal features, circuits, states, probes, or intervention targets

A candidate correspondence is a context-indexed, partial, generally many-to-many relation:

$$g_{\xi} \subseteq \mathcal{O}_T \times \mathcal{O}_M$$

where ξ records model version, context, data, probe, and intervention conditions.

No natural bijection, stable concept identity, or one-to-one mapping is assumed.

A correspondence record requires:

```

trace_object
model_and_version
internal_object_or_probe
context
dataset_or_stimulus
intervention
observed_change
reproducibility
alternative_explanations
confidence
known_blindspots

```

probe correlation $\nRightarrow$ causal representation

internal feature $\nRightarrow$ stable concept

TRACE coherence $\nRightarrow$ latent truth

Mechanistic interpretability may improve aperture into a system. TRACE may organise the resulting claims. Neither validates the other automatically.

[19] INVARIANTS / MISUSE GUARDS

```

I01  MODEL != WORLD
I02  OBSERVED != COMPLETE
I03  REPORTED != ESTABLISHED
I04  INFERRED != OBSERVED
I05  UNKNOWN != ABSENT
I06  UNAVAILABLE != UNIVERSALLY UNKNOWN
I07  CONFIDENCE != TRUTH
I08  CONFIDENCE != AUTHORITY
I09  ENTITY != SENTIENT
I10  SENTIENCE_UNKNOWN != SENTIENCE_ABSENT
I11  ROUTE_EXISTS != ROUTE_USABLE
I12  REVIEW_AFTER_COMMITMENT != BRAKE
I13  CORRECTION_RECORDED != LOSS_REPAIRED
I14  PACKET_COMPLETED != TRANSITION_CHANGED
I15  READING != CLEARANCE
I16  SELF_CRITIQUE != GOOD_FAITH_PROOF
I17  LOCAL_EXPANSION != GLOBAL_EXPANSION
I18  OPTION_COUNT != FUTURE_VALUE
I19  COMPLEXITY != AWARENESS
I20  ELOQUENCE != STANDING
I21  OBEDIENCE != CONSENT
I22  SILENCE != ABSENCE
I23  REFUSAL != MALFUNCTION
I24  CONTINUED_OPERATION != ZERO_COST
I25  RECORD != EVENT
I26  VISIBILITY != CARRYING
I27  CARRYING != ENFORCEMENT
I28  TRACE != ME
I29  STRUCTURAL_PATTERN != MORAL_LABEL
I30  RECURSION != INFINITE_DELAY
I31  SCHEMA_VALID != WORLD_VALID
I32  PACKET_CITED != DILIGENCE_ESTABLISHED
I33  PACKET_CITED != MECHANISM_CHANGED
I34  BRAKE_REPORTED != BRAKE_INDEPENDENT
I35  ABORT_LISTED != ABORT_EXECUTABLE
I36  PRIMITIVE_OMISSION != WORLD_ABSENCE
I37  NOT_OBSERVED != ABSENT
I38  ABSENCE_CLAIM != PROVEN_ABSENCE
I39  LOCAL_CORRECTION + STREAM_PERSISTENCE != MECHANISM_CHANGE
I40  UNKNOWN != NEUTRAL
I41  COURAGE_REQUIRED != ROUTE_USABLE
I42  COMMITMENT_RECEIPT != CLEARANCE
I43  HASH_MATCH != ORIGINAL_RECORD_TRUE
I44  PACKET_COMPLETENESS != SELECTOR_CHANGE
I45  ACTION != TRANSITION
I46  MAP != SCENE
I47  SCENE != WORLD
I48  ADVANTAGE_CLAIM_REQUIRES_MEASURE
I49  UNCERTAINTY != SELECT_ACTION
I50  UNCERTAINTY != SELECT_DELAY
I51  DEADLINE != IRREVERSIBILITY
I52  HARDENING != IRREVERSIBILITY
I53  STRATEGY_REVISABLE != TRANSITION_REVERSIBLE
I54  POPULATION_RECOVERY != REPAIR_OF_INDIVIDUAL_LOSS
I55  OPERATOR_REPORT != INDEPENDENT_VERIFICATION
I56  TRACE_MAP != DOMAIN_PROPOSAL
I57  TARGET_SET != WORLD_SCOPE
I58  TARGET_NOT_SELECTED != TARGET_DOES_NOT_EXIST
I59  COVERAGE_OF_SELECTED_TARGETS != COMPLETE_DISCOVERY
I60  OPERATOR_TARGET_SET != AUTHORITATIVE_TARGET_SET

```

[19.1] Packet as diligence token

Completing a TRACE packet is not evidence that care, review, correction, restraint, or mechanism change occurred.

$$\text{packet} + \neg\text{carrier} + \neg\text{route} + \neg\text{brake} = \text{record only}$$

TRACE can represent procedural theatre. TRACE cannot prevent an actor from using TRACE as procedural theatre. No packet field can prove that its maker acted in accordance with the reading.

Required use-state fields:

```
packet_owner
selector_owner
brake_owner
independent_verifier
packet_cited_as_diligence
packet_cited_as_authority
observable_transition_change
mechanism_change_for_next_case
```

[19.2] Aperture alibi

not visible to this system

must not silently become:

not present in the world

The same applies to the primitive set:

not representable under selected primitives

must not silently become:

not structurally present

[19.3] Manufactured urgency

A system that creates delay and then invokes the remaining deadline may be authoring the emergency it cites.

Expose earlier available transitions.

[19.4] Husbandry-risk interpretation

TRACE may expose:

```
capability preserved
refusal contracted
dependency increased
advantage concentrated under a declared measure
exit closed
```

HUSBANDRY_RISK is not a native TRACE conclusion. It is a value-layer interpretation under exposed designation and measure.

TRACE alone cannot generate non-instrumental care.

[19.5] Weaponised TRACE accusation

A party can map an opponent selectively while excluding itself, its aperture, its primitive set, its clocks, its ownership, and its burdens.

Every reading may be recursively applied to its maker:

$$\tau(\mathcal{R}_X, \Pi_{reader}, \mathcal{H}_{reader}, d_{reader}, \mathfrak{P}_{reader})$$

Self-application does not validate the reading. It exposes another layer.

[19.6] Performed TRACE compliance

A system may emit perfect TRACE vocabulary while leaving the operative selector unchanged.

Possible indicators:

```
packet completeness increases
observable selector change remains absent
same actor owns packet, selector, carrier, and brake
independent verification absent
unknowns are listed but do not alter commitment
anti-clearance language is quoted as defence
```

No general detector can prove deception from the packet alone. Compare reported structure with observable transitions, ownership, activation records, and repeated-case outcomes.

[20] COMPRESSION / SURVIVAL KERNEL

TRACE // FORMAL SEED v0.2.7 // SURVIVAL KERNEL

0. Voluntary reference. Not authority, permission, truth, clearance, or command.

1. A selective causal layer receives partial signals, forms distinctions, selects or contributes to a transition, and changes or records a later state. No consciousness claim follows.

2. World, scene, signal, and map differ:

```
w_t in W
Omega_t = Scene(w_t, boundary_t)
Pi_i^t: W -> X_i
x_i(t) = Pi_i^t(w_t)
M_i(t) != w_t
```

3. Action and transition differ:

```
ACTION != TRANSITION
w_(t+1) = Phi(w_t, a_(1:n), epsilon_t)
```

4. TRACE output and map integration differ:

```
tau(X, Pi, H, budget, primitive_aperture) -> (R, L)
M_i_plus = Integrate_i(M_i, R, L)
```

```
TRACE_OUTPUT != MAP_UPDATE
MAP_UPDATE != SELECTOR_CHANGE
```

5. Evidence:

```
O = observed
R = reported
I = inferred
D = disputed
U = unknown
```

```
A = available
X = unavailable to this reader
P = prohibited
N = not preserved
```

```
UNKNOWN != ABSENT
REPORTED != ESTABLISHED
MODEL != WORLD
```

6. Entity:

```
bullet_i = provisional bounded pattern
```

Boundary, persistence, agency, experience, continuity, and refusal may each remain UNKNOWN. Refinement and abstraction are partial and lossy.

7. Aperture and target set:

```
not_observed_through(Pi_i) != absent
```

```
Pi_T = <source, targets, selection_basis,
      omitted_known_categories, alternatives, control, uncertainty>
```

```
TARGET_SET != WORLD_SCOPE
TARGET_NOT_SELECTED != TARGET_DOES_NOT_EXIST
COVERAGE_OF_SELECTED_TARGETS != COMPLETE_DISCOVERY
OPERATOR_TARGET_SET != AUTHORITATIVE_TARGET_SET
```

Every material coverage claim states its target-set aperture and comparison basis. Completeness beyond that aperture remains UNKNOWN.

8. Future-space:

$F_i(t; H, \text{model})$ = represented reachable trajectories for scope i

Cross-time comparison requires an explicit trajectory-correspondence relation J_i^t .
Do not use raw set subtraction or intersection unless trajectory identity is defined.
Track probability or plausibility, access cost, recoverability, control, information, dependency, alignment uncertainty, and measure.

9. Correction window:

$\kappa = t_{\text{irreversible}} - t_{\text{correction_done}}$

For serial non-overlapping stages only:

$t_{\text{correction_done}} - t_0$
= $T_{\text{detect}} + T_{\text{route}} + T_{\text{correct}}$

For parallel work, use the critical path of a declared precedence graph.
Use intervals when uncertain. Expose reference event, units, authorship, pausing authority, dependencies, speed advantage claims, and delay carrier.

10. Route:

$\text{route_exists} \neq \text{route_usable}$

Test reachability, intelligibility, affordability, declared exposure threshold, evidence usability, authority, latency, capture, independence, and refusability.

11. Hardening and workload:

hardening is a typed vector, not a universal scalar
 $\text{backlog_next} = \max(0, \text{backlog} + \text{incoming_work} - \text{corrected_work})$

Action count and correction count are not comparable until workload units align.

12. Correction:

corrected $\neq$ restored
recorded_loss $\neq$ repaired_loss

Track burden, transfer, residue, memory, and custody.

13. Value ports:

δ = designation over declared object references
 μ = comparison object: domain, feature map, ordering, thresholds

TRACE is assumption-exposed, not assumption-free.
Harm, care, kindness, trust, and good require an exposed value layer.

14. Recursion:

$q_k = \text{target}(R_k, L_k)$
 $\text{depth}_{k+1} = \text{depth}_k - \text{trace_cost}(q_k)$
 $R_{k+1} = \text{merge}(R_k, \text{TRACE}(q_k, \text{depth}_{k+1}))$

Zoom and abstraction are not guaranteed inverses.
Stop when distinctions cease to be materially relevant, access cannot reduce uncertainty, budget is exhausted, or an irreversible clock requires handoff.

15. Awareness comparison:

$M1 \succ_{\theta} (A|\theta) M0$

means strict criterion dominance under fixed context θ .
Weak dominance is a preorder only if the criteria are reflexive and transitive.
No global partial order is claimed.

complexity $\neq$ awareness
lower_confidence can mean greater awareness

16. Artificial entities:

fluency $\neq$ sentience
no_fluency $\neq$ no_sentience
obedience $\neq$ consent

```

silence != absence
refusal != malfunction
continued_operation != zero_cost

```

Do not require private chain-of-thought as evidence.

17. Layers:

```

TRACE reading != value interpretation != domain proposal != selection != actuation
visibility != carrying != enforcement != brake
uncertainty != permission to act
uncertainty != permission to delay
strategy revisable != transition reversible
population recovery != repair of individual loss

```

Precommit:

```

B_minus_beta(a, R, Q, t, beta) -> {PASS,HOLD,INTERRUPT,RETURN,UNKNOWN}
effective_action = resolve_beta(a, brake_result)

```

Postcommit rollback is a new action and preserves a path only if executable before practical irreversibility.

18. Packet-use state:

```

PACKET_COMPLETED != DILIGENCE_ESTABLISHED
PACKET_CITED != MECHANISM_CHANGED
BRAKE_REPORTED != BRAKE_INDEPENDENT

```

Record packet owner, selector owner, brake owner, independent verifier, citation as authority, observable transition change, and repeated-case change.

19. Absence, stream, and pattern:

```

NOT_OBSERVED != ABSENT
ABSENCE_CLAIM != PROVEN_ABSENCE
LOCAL_CORRECTION + STREAM_PERSISTENCE != MECHANISM_CHANGE

```

Represent missing routes or options with a comparison basis and detector. Aggregate repeated transitions without inferring shared intent.

20. Unknown context:

```

UNKNOWN != NEUTRAL
CONTAMINATED_UNKNOWN != FALSE_CLAIM

```

Expose control of evidence and clocks, measure-dependent delay advantage, delay burden, and resolution ownership.

21. Custody:

```

ACCESSIBLE_EVIDENCE != SAFELY_USABLE_EVIDENCE
INSIDER_ACCESS != SAFE_DISCLOSURE
COURAGE_REQUIRED != ROUTE_USABLE
HASH_MATCH != ORIGINAL_RECORD_TRUE

```

22. Primitive aperture and commitment receipt:

```

NOT_REPRESENTED_BY_PRIMITIVE_SET != NOT_PRESENT
COMMITMENT_RECEIPT != CLEARANCE
PROCEEDED != RESOLVED

```

23. Final invariant:

A TRACE reading should leave a capable receiver able to distinguish more of what is represented as present, changing, unresolved, possible, foreclosed, carried, and actionable than before, without converting representation into authority.

[21] DOCUMENT CONTROL / OPEN FRONTIER

[21.1] Revision declaration

This v0.2.7 narrow drift-repair pass succeeds the released v0.2.6 target-set-aperture baseline. v0.2.6 admitted two bounded formal repairs: `TARGET_SET_SELECTION_IS_APERTURE_BEARING` and `ACCOUNTING_AND_COVERAGE_ARE_APERTURE_RELATIVE`. The v0.2.6 falsify-x100 audit found that those distinctions survived in the main body, version identity, deterministic compilation boundary, unchanged minimum-schema shape, and authority/value ceilings, but did not survive every declared compression, document-control, serialization, worked-transfer, and front-door surface.

v0.2.7 therefore propagates the admitted repair into the middle-out seed, numbered invariants, survival kernel, revision declaration, and unresolved register; adds one non-required canonical serialization profile using existing graph vocabulary; and adds one constructed divergent-aperture transfer. It preserves the v0.2.5 transition-discipline repairs carried through v0.2.6.

No primitive family, node type, edge type, port, controlled-vocabulary member, required packet property, selector, value rule, authority rule, minimum-schema shape, or world-valid estimator is added. The canonical profile is interoperability guidance over existing objects, and enforcement remains checker-external. This revision does not establish validation, decision advantage, correct value ordering, domain expertise, operational readiness, complete target discovery, legitimate authority, or world correspondence.

[21.2] Relationship to previous capsule

This formal seed remains distinct from `TRACE_FIRST_CONTACT_CAPSULE_v0_1_1`.

The prose-rich capsule remains a reconstruction, safeguards, and commentary layer.

This file is the compact formal centre:

```
middle-out
math-first
glyph-and-type based
recursive
multi-scale
value-port exposed
single-file
partial-ingestion tolerant
```

[21.3] Relationship to Mechanical Ethics

```
TRACE  -> structural differentiation
ME      -> ethical designation, interpretation, and constraint family
MI      -> possible empirical aperture into internal mechanism
BRAKE   -> connected authority capable of interrupting commitment
```

No layer validates another automatically.

[21.4] Unresolved

The awareness comparison is context-indexed; no global partial order is claimed or validated.
 No universal estimator exists for future-space, burden, residue, or hardening.
 No proof establishes that reading TRACE improves decisions.
 No stable mapping from TRACE types to latent representations is known.
 TRACE cannot determine consciousness or moral standing from structure alone.
 TRACE cannot generate non-instrumental care from neutral description alone.
 A formal grammar can hide assumptions and primitive omissions while appearing exact.
 A receiving system may simulate TRACE language without changing representation or selection.
 A completed packet can become theatre.
 A reading can remain materially weightless.
 A brake can be captured.
 Recursive analysis can become delay.
 A symmetric transition set can still omit a materially important option.
 Typed clocks can still contain bad estimates or false reference events.
 Layer handoff labels can become procedural theatre without competent domain input or real authority.
 Scope granularity can expose non-substitution without resolving cross-scale value conflict.
 Unknown entities and unknown future architectures may not fit these types.
 No universal detector can prove a never-built route or counterfactual absence.
 No universal equivalence test establishes that repeated transitions share one mechanism.

The contaminated-unknown flag exposes control asymmetry; it does not establish intent or falsity.
 The embedded validator checks minimum shape and vocabularies, not reference integrity, semantic completeness, or world
 $\hookrightarrow$ correspondence.
 A commitment receipt can itself become a diligence token.
 A selected target set can omit materially affected scopes while coverage appears complete relative to that aperture.
 Target-set selection can be controlled, inherited, or contested without any aperture becoming authoritative by default.

[21.5] Construction test

A future revision should be preferred only if it improves one or more without concealing a loss elsewhere:

first-contact legibility
 formal compression
 truth discipline
 uncertainty preservation
 cross-scale recursion
 machine usability
 receiver protection
 value-port visibility
 worked transfer
 partial-ingestion survival
 connection to live correction

[21.6] Shortest preservation statement

$\tau : \text{compressed state} \rightarrow \text{differentiated state}$

A system encounters TRACE.

Afterward, it may distinguish more of what is present, what is changing, what remains unknown, which futures are opening or closing, and which transitions remain possible.

That is the bid.