

Tonmya_Prescriptions

2026-08-31

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

Min	1Q	Median	3Q	Max
-104.952	-28.977	-1.764	27.927	99.273

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-32.3346	15.1672	-2.132	0.0395 *
wk	26.5822	0.6447	41.233	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 47.07 on 38 degrees of freedom

Multiple R-squared: 0.9781, Adjusted R-squared: 0.9776


F-statistic: 1700 on 1 and 38 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	-5.8	1,382
2	2025-11-21	12	20.8	2,765
3	2025-11-28	35	47.4	4,147
4	2025-12-05	60	74.0	5,529
5	2025-12-12	126	100.6	6,911
6	2025-12-19	154	127.2	8,294
7	2025-12-26	127	153.7	9,676
8	2026-01-02	108	180.3	11,058
9	2026-01-09	163	206.9	12,440
10	2026-01-16	193	233.5	13,823
11	2026-01-23	219	260.1	15,205
12	2026-01-30	205	286.7	16,587
13	2026-02-06	285	313.2	17,970
14	2026-02-13	371	339.8	19,352
15	2026-02-20	384	366.4	20,734
16	2026-02-27	401	393.0	22,116
17	2026-03-06	462	419.6	23,499
18	2026-03-13	483	446.1	24,881
19	2026-03-20	572	472.7	26,263
20	2026-03-27	525	499.3	27,645
21	2026-04-03	515	525.9	29,028
22	2026-04-10	548	552.5	30,410
23	2026-04-17	580	579.1	31,792
24	2026-04-24	616	605.6	33,175
25	2026-05-01	697	632.2	34,557
26	2026-05-08	706	658.8	35,939
27	2026-05-15	677	685.4	37,321
28	2026-05-22	806	712.0	38,704
29	2026-05-29	703	738.5	40,086
30	2026-06-05	840	765.1	41,468
31	2026-06-12	859	791.7	42,850
32	2026-06-19	829	818.3	44,233
33	2026-06-26	878	844.9	45,615
34	2026-07-03	857	871.5	46,997
35	2026-07-10	903	898.0	48,380
36	2026-07-17	897	924.6	49,762
37	2026-07-24	920	951.2	51,144
38	2026-07-31	916	977.8	52,526
39	2026-08-07	944	1,004.4	53,909
40	2026-08-14	926	1,031.0	55,291
41	2026-08-21	NA	1,057.5	56,673
42	2026-08-28	NA	1,084.1	58,055
43	2026-09-04	NA	1,110.7	59,438
44	2026-09-11	NA	1,137.3	60,820

Tonmya scripts with linear model

raw Symphony data



```
[1] 0.7349111
```

Refills since they started

Call:

```
lm(formula = refills ~ wk, data = df_scripts[df_scripts$refills >
0, ])
```

Residuals:

Min	1Q	Median	3Q	Max
-24.939	-12.440	-2.381	11.120	39.234

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-100.8307	7.6691	-13.15	1.9e-14 ***
wk	11.2356	0.3012	37.31	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 17.23 on 32 degrees of freedom

Multiple R-squared: 0.9775, Adjusted R-squared: 0.9768

F-statistic: 1392 on 1 and 32 DF, p-value: < 2.2e-16

Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	1.779e+02	1.876e+01	9.482	1.47e-11 ***
r	4.709e-02	3.465e-03	13.589	3.62e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 107.3 on 38 degrees of freedom

Number of iterations to convergence: 12

Achieved convergence tolerance: 2.117e-06




Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	186	9,685
2	2025-11-21	12	195	10,141
3	2025-11-28	35	204	10,619
4	2025-12-05	60	214	11,119
5	2025-12-12	126	224	11,642
6	2025-12-19	154	234	12,191
7	2025-12-26	127	245	12,765
8	2026-01-02	108	257	13,366
9	2026-01-09	163	269	13,995
10	2026-01-16	193	282	14,654
11	2026-01-23	219	295	15,344
12	2026-01-30	205	309	16,067
13	2026-02-06	285	324	16,823
14	2026-02-13	371	339	17,615
15	2026-02-20	384	355	18,445
16	2026-02-27	401	371	19,313
17	2026-03-06	462	389	20,223
18	2026-03-13	483	407	21,175
19	2026-03-20	572	426	22,172
20	2026-03-27	525	446	23,216
21	2026-04-03	515	467	24,309
22	2026-04-10	548	489	25,454
23	2026-04-17	580	513	26,652
24	2026-04-24	616	537	27,907
25	2026-05-01	697	562	29,221
26	2026-05-08	706	588	30,597
27	2026-05-15	677	616	32,038
28	2026-05-22	806	645	33,547
29	2026-05-29	703	676	35,126
30	2026-06-05	840	707	36,781
31	2026-06-12	859	741	38,512
32	2026-06-19	829	775	40,326
33	2026-06-26	878	812	42,225
34	2026-07-03	857	850	44,213
35	2026-07-10	903	890	46,295
36	2026-07-17	897	932	48,475
37	2026-07-24	920	976	50,757
38	2026-07-31	916	1022	53,147
39	2026-08-07	944	1070	55,650
40	2026-08-14	926	1121	58,270
41	2026-08-21	NA	1173	61,014
42	2026-08-28	NA	1229	63,887
43	2026-09-04	NA	1286	66,896
44	2026-09-11	NA	1347	70,046

Tonmya scripts with exponential model


raw Symphony data – for giggles



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
29	703
33	878
37	920
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
30	840
34	857
38	916
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
31	859
35	903
39	944
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806
32	829
36	897
40	926

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.063839	-0.034483	0.001095	0.035885	0.070322

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.9500006	0.0125708	75.57	<2e-16	***
wk	0.0159959	0.0005343	29.94	<2e-16	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 0.03901 on 38 degrees of freedom

Multiple R-squared: 0.9593, Adjusted R-squared: 0.9583

F-statistic: 896.2 on 1 and 38 DF, p-value: < 2.2e-16

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	2.903e+02	3.149e+01	9.219	3.12e-11 ***
r	4.636e-02	3.571e-03	12.981	1.52e-15 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 178.2 on 38 degrees of freedom

Number of iterations to convergence: 12

Achieved convergence tolerance: 3.243e-06




Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$304	\$15.8
2	2025-11-21	\$16	\$318	\$16.5
3	2025-11-28	\$54	\$333	\$17.3
4	2025-12-05	\$93	\$348	\$18.1
5	2025-12-12	\$179	\$364	\$18.9
6	2025-12-19	\$268	\$381	\$19.8
7	2025-12-26	\$212	\$399	\$20.7
8	2026-01-02	\$187	\$417	\$21.7
9	2026-01-09	\$264	\$437	\$22.7
10	2026-01-16	\$324	\$457	\$23.8
11	2026-01-23	\$367	\$478	\$24.9
12	2026-01-30	\$352	\$500	\$26.0
13	2026-02-06	\$451	\$523	\$27.2
14	2026-02-13	\$598	\$548	\$28.5
15	2026-02-20	\$639	\$573	\$29.8
16	2026-02-27	\$642	\$599	\$31.2
17	2026-03-06	\$750	\$627	\$32.6
18	2026-03-13	\$755	\$656	\$34.1
19	2026-03-20	\$935	\$687	\$35.7
20	2026-03-27	\$799	\$719	\$37.4
21	2026-04-03	\$811	\$752	\$39.1
22	2026-04-10	\$829	\$787	\$40.9
23	2026-04-17	\$950	\$823	\$42.8
24	2026-04-24	\$994	\$861	\$44.8
25	2026-05-01	\$1,129	\$901	\$46.9
26	2026-05-08	\$1,141	\$943	\$49.0
27	2026-05-15	\$1,092	\$987	\$51.3
28	2026-05-22	\$1,318	\$1,033	\$53.7
29	2026-05-29	\$1,132	\$1,080	\$56.2
30	2026-06-05	\$1,312	\$1,131	\$58.8
31	2026-06-12	\$1,394	\$1,183	\$61.5
32	2026-06-19	\$1,370	\$1,238	\$64.4
33	2026-06-26	\$1,430	\$1,295	\$67.4
34	2026-07-03	\$1,396	\$1,355	\$70.5
35	2026-07-10	\$1,428	\$1,418	\$73.7
36	2026-07-17	\$1,434	\$1,484	\$77.2
37	2026-07-24	\$1,465	\$1,553	\$80.7
38	2026-07-31	\$1,439	\$1,625	\$84.5
39	2026-08-07	\$1,480	\$1,700	\$88.4
40	2026-08-14	\$1,425	\$1,779	\$92.5
41	2026-08-21	NA	\$1,861	\$96.8
42	2026-08-28	NA	\$1,947	\$101.3
43	2026-09-04	NA	\$2,038	\$106.0
44	2026-09-11	NA	\$2,132	\$110.9


Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data



Tonmya sales

broken into week cohorts 1 through 4, raw Symphony data



Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-219.271	-52.885	-2.495	52.787	180.111

Coefficients:


	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-43.669	27.069	-1.613	0.115
wk	42.198	1.151	36.676	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 84 on 38 degrees of freedom


Multiple R-squared: 0.9725, Adjusted R-squared: 0.9718

F-statistic: 1345 on 1 and 38 DF, p-value: < 2.2e-16



Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	-\$1	\$2.2
2	2025-11-21	\$16	\$41	\$4.4
3	2025-11-28	\$54	\$83	\$6.6
4	2025-12-05	\$93	\$125	\$8.8
5	2025-12-12	\$179	\$167	\$11.0
6	2025-12-19	\$268	\$210	\$13.2
7	2025-12-26	\$212	\$252	\$15.4
8	2026-01-02	\$187	\$294	\$17.6
9	2026-01-09	\$264	\$336	\$19.7
10	2026-01-16	\$324	\$378	\$21.9
11	2026-01-23	\$367	\$421	\$24.1
12	2026-01-30	\$352	\$463	\$26.3
13	2026-02-06	\$451	\$505	\$28.5
14	2026-02-13	\$598	\$547	\$30.7
15	2026-02-20	\$639	\$589	\$32.9
16	2026-02-27	\$642	\$632	\$35.1
17	2026-03-06	\$750	\$674	\$37.3
18	2026-03-13	\$755	\$716	\$39.5
19	2026-03-20	\$935	\$758	\$41.7
20	2026-03-27	\$799	\$800	\$43.9
21	2026-04-03	\$811	\$842	\$46.1
22	2026-04-10	\$829	\$885	\$48.3
23	2026-04-17	\$950	\$927	\$50.5
24	2026-04-24	\$994	\$969	\$52.7
25	2026-05-01	\$1,129	\$1,011	\$54.9
26	2026-05-08	\$1,141	\$1,053	\$57.1
27	2026-05-15	\$1,092	\$1,096	\$59.2
28	2026-05-22	\$1,318	\$1,138	\$61.4
29	2026-05-29	\$1,132	\$1,180	\$63.6
30	2026-06-05	\$1,312	\$1,222	\$65.8
31	2026-06-12	\$1,394	\$1,264	\$68.0
32	2026-06-19	\$1,370	\$1,307	\$70.2
33	2026-06-26	\$1,430	\$1,349	\$72.4
34	2026-07-03	\$1,396	\$1,391	\$74.6
35	2026-07-10	\$1,428	\$1,433	\$76.8
36	2026-07-17	\$1,434	\$1,475	\$79.0
37	2026-07-24	\$1,465	\$1,518	\$81.2
38	2026-07-31	\$1,439	\$1,560	\$83.4
39	2026-08-07	\$1,480	\$1,602	\$85.6
40	2026-08-14	\$1,425	\$1,644	\$87.8
41	2026-08-21	NA	\$1,686	\$90.0
42	2026-08-28	NA	\$1,729	\$92.2
43	2026-09-04	NA	\$1,771	\$94.4
44	2026-09-11	NA	\$1,813	\$96.6



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

Min	1Q	Median	3Q	Max
-40.606	-16.154	-1.465	16.156	56.698

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-66.719	7.953	-8.389	3.54e-10 ***
wk	10.022	0.338	29.646	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 24.68 on 38 degrees of freedom

Multiple R-squared: 0.9586, Adjusted R-squared: 0.9575

F-statistic: 878.9 on 1 and 38 DF, p-value: < 2.2e-16

Tonmya refills with linear model

raw Symphony data

