

Tonmya_Prescriptions

2026-09-28

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

Min	1Q	Median	3Q	Max
-178.930	-30.779	0.244	30.412	109.189

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-15.6480	16.9255	-0.925	0.36
wk	25.4450	0.6551	38.841	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 55.18 on 42 degrees of freedom

Multiple R-squared: 0.9729, Adjusted R-squared: 0.9723

F-statistic: 1509 on 1 and 42 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	9.8	1,323
2	2025-11-21	12	35.2	2,646
3	2025-11-28	35	60.7	3,969
4	2025-12-05	60	86.1	5,293
5	2025-12-12	126	111.6	6,616
6	2025-12-19	154	137.0	7,939
7	2025-12-26	127	162.5	9,262
8	2026-01-02	108	187.9	10,585
9	2026-01-09	163	213.4	11,908
10	2026-01-16	193	238.8	13,231
11	2026-01-23	219	264.2	14,555
12	2026-01-30	205	289.7	15,878
13	2026-02-06	285	315.1	17,201
14	2026-02-13	371	340.6	18,524
15	2026-02-20	384	366.0	19,847
16	2026-02-27	401	391.5	21,170
17	2026-03-06	462	416.9	22,493
18	2026-03-13	483	442.4	23,816
19	2026-03-20	572	467.8	25,140
20	2026-03-27	525	493.3	26,463
21	2026-04-03	515	518.7	27,786
22	2026-04-10	548	544.1	29,109
23	2026-04-17	580	569.6	30,432
24	2026-04-24	616	595.0	31,755
25	2026-05-01	697	620.5	33,078
26	2026-05-08	706	645.9	34,402
27	2026-05-15	677	671.4	35,725
28	2026-05-22	806	696.8	37,048
29	2026-05-29	703	722.3	38,371
30	2026-06-05	840	747.7	39,694
31	2026-06-12	859	773.1	41,017
32	2026-06-19	829	798.6	42,340
33	2026-06-26	878	824.0	43,664
34	2026-07-03	857	849.5	44,987
35	2026-07-10	903	874.9	46,310
36	2026-07-17	897	900.4	47,633
37	2026-07-24	920	925.8	48,956
38	2026-07-31	916	951.3	50,279
39	2026-08-07	944	976.7	51,602
40	2026-08-14	926	1,002.2	52,926
41	2026-08-21	1011	1,027.6	54,249
42	2026-08-28	1005	1,053.0	55,572
43	2026-09-04	1057	1,078.5	56,895
44	2026-09-11	925	1,103.9	58,218
45	2026-09-18	NA	1,129.4	59,541
46	2026-09-25	NA	1,154.8	60,864
47	2026-10-02	NA	1,180.3	62,187
48	2026-10-09	NA	1,205.7	63,511



```
[1] 0.7349111
```

Refills since they started

Call:

```
lm(formula = refills ~ wk, data = df_scripts[df_scripts$refills >
  0, ])
```

Residuals:

Min	1Q	Median	3Q	Max
-30.462	-13.099	-2.001	10.660	41.845

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-95.6319	7.1729	-13.33	1.71e-15 ***
wk	10.9567	0.2584	42.40	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 17.47 on 36 degrees of freedom

Multiple R-squared: 0.9804, Adjusted R-squared: 0.9798

F-statistic: 1798 on 1 and 36 DF, p-value: < 2.2e-16

Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	2.024e+02	2.041e+01	9.917	1.44e-12 ***
r	4.107e-02	3.019e-03	13.605	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 119 on 42 degrees of freedom

Number of iterations to convergence: 12

Achieved convergence tolerance: 4.924e-06




Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	211	10,959
2	2025-11-21	12	219	11,409
3	2025-11-28	35	228	11,878
4	2025-12-05	60	238	12,366
5	2025-12-12	126	248	12,873
6	2025-12-19	154	258	13,402
7	2025-12-26	127	268	13,953
8	2026-01-02	108	279	14,526
9	2026-01-09	163	291	15,122
10	2026-01-16	193	303	15,744
11	2026-01-23	219	315	16,390
12	2026-01-30	205	328	17,063
13	2026-02-06	285	342	17,764
14	2026-02-13	371	356	18,494
15	2026-02-20	384	370	19,253
16	2026-02-27	401	385	20,044
17	2026-03-06	462	401	20,868
18	2026-03-13	483	418	21,725
19	2026-03-20	572	435	22,617
20	2026-03-27	525	453	23,546
21	2026-04-03	515	471	24,513
22	2026-04-10	548	491	25,520
23	2026-04-17	580	511	26,568
24	2026-04-24	616	532	27,659
25	2026-05-01	697	554	28,795
26	2026-05-08	706	576	29,978
27	2026-05-15	677	600	31,209
28	2026-05-22	806	625	32,491
29	2026-05-29	703	650	33,826
30	2026-06-05	840	677	35,215
31	2026-06-12	859	705	36,661
32	2026-06-19	829	734	38,167
33	2026-06-26	878	764	39,735
34	2026-07-03	857	796	41,367
35	2026-07-10	903	828	43,066
36	2026-07-17	897	862	44,835
37	2026-07-24	920	898	46,676
38	2026-07-31	916	934	48,593
39	2026-08-07	944	973	50,589
40	2026-08-14	926	1013	52,667
41	2026-08-21	1011	1054	54,830
42	2026-08-28	1005	1098	57,082
43	2026-09-04	1057	1143	59,427
44	2026-09-11	925	1190	61,868
45	2026-09-18	NA	1239	64,409
46	2026-09-25	NA	1290	67,054
47	2026-10-02	NA	1342	69,809
48	2026-10-09	NA	1398	72,676

Tonmya scripts with exponential model


raw Symphony data – for giggles



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
29	703
33	878
37	920
41	1011
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
30	840
34	857
38	916
42	1005
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
31	859
35	903
39	944
43	1057
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806
32	829
36	897
40	926

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.068778	-0.035990	-0.006108	0.030158	0.071525

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.9609096	0.0127910	75.12	<2e-16	***
wk	0.0152352	0.0004951	30.77	<2e-16	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 0.0417 on 42 degrees of freedom

Multiple R-squared: 0.9575, Adjusted R-squared: 0.9565

F-statistic: 947 on 1 and 42 DF, p-value: < 2.2e-16

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	3.268e+02	3.321e+01	9.842	1.8e-12 ***
r	4.083e-02	3.044e-03	13.413	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 192.8 on 42 degrees of freedom

Number of iterations to convergence: 11

Achieved convergence tolerance: 2.44e-06




Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$340	\$17.7
2	2025-11-21	\$16	\$354	\$18.4
3	2025-11-28	\$54	\$369	\$19.2
4	2025-12-05	\$93	\$384	\$19.9
5	2025-12-12	\$179	\$399	\$20.8
6	2025-12-19	\$268	\$416	\$21.6
7	2025-12-26	\$212	\$433	\$22.5
8	2026-01-02	\$187	\$450	\$23.4
9	2026-01-09	\$264	\$469	\$24.4
10	2026-01-16	\$324	\$488	\$25.4
11	2026-01-23	\$367	\$508	\$26.4
12	2026-01-30	\$352	\$528	\$27.5
13	2026-02-06	\$451	\$550	\$28.6
14	2026-02-13	\$598	\$572	\$29.8
15	2026-02-20	\$639	\$596	\$31.0
16	2026-02-27	\$642	\$620	\$32.2
17	2026-03-06	\$750	\$645	\$33.6
18	2026-03-13	\$755	\$672	\$34.9
19	2026-03-20	\$935	\$699	\$36.4
20	2026-03-27	\$799	\$728	\$37.8
21	2026-04-03	\$811	\$757	\$39.4
22	2026-04-10	\$829	\$788	\$41.0
23	2026-04-17	\$950	\$821	\$42.7
24	2026-04-24	\$994	\$854	\$44.4
25	2026-05-01	\$1,129	\$889	\$46.2
26	2026-05-08	\$1,141	\$925	\$48.1
27	2026-05-15	\$1,092	\$963	\$50.1
28	2026-05-22	\$1,318	\$1,002	\$52.1
29	2026-05-29	\$1,132	\$1,043	\$54.2
30	2026-06-05	\$1,312	\$1,086	\$56.5
31	2026-06-12	\$1,394	\$1,130	\$58.8
32	2026-06-19	\$1,370	\$1,176	\$61.2
33	2026-06-26	\$1,430	\$1,224	\$63.7
34	2026-07-03	\$1,396	\$1,274	\$66.3
35	2026-07-10	\$1,428	\$1,326	\$69.0
36	2026-07-17	\$1,434	\$1,380	\$71.8
37	2026-07-24	\$1,465	\$1,437	\$74.7
38	2026-07-31	\$1,439	\$1,496	\$77.8
39	2026-08-07	\$1,480	\$1,557	\$80.9
40	2026-08-14	\$1,425	\$1,620	\$84.2
41	2026-08-21	\$1,633	\$1,686	\$87.7
42	2026-08-28	\$1,629	\$1,755	\$91.3
43	2026-09-04	\$1,699	\$1,827	\$95.0
44	2026-09-11	\$1,490	\$1,901	\$98.9
45	2026-09-18	NA	\$1,979	\$102.9
46	2026-09-25	NA	\$2,060	\$107.1
47	2026-10-02	NA	\$2,144	\$111.5
48	2026-10-09	NA	\$2,231	\$116.0


Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data



Tonmya sales

broken into week cohorts 1 through 4, raw Symphony data



Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-276.209	-53.051	-9.417	45.838	201.367

Coefficients:


	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-20.126	28.612	-0.703	0.486
wk	40.599	1.107	36.660	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 93.28 on 42 degrees of freedom


Multiple R-squared: 0.9697, Adjusted R-squared: 0.969

F-statistic: 1344 on 1 and 42 DF, p-value: < 2.2e-16



Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	\$20	\$2.1
2	2025-11-21	\$16	\$61	\$4.2
3	2025-11-28	\$54	\$102	\$6.3
4	2025-12-05	\$93	\$142	\$8.4
5	2025-12-12	\$179	\$183	\$10.6
6	2025-12-19	\$268	\$223	\$12.7
7	2025-12-26	\$212	\$264	\$14.8
8	2026-01-02	\$187	\$305	\$16.9
9	2026-01-09	\$264	\$345	\$19.0
10	2026-01-16	\$324	\$386	\$21.1
11	2026-01-23	\$367	\$426	\$23.2
12	2026-01-30	\$352	\$467	\$25.3
13	2026-02-06	\$451	\$508	\$27.4
14	2026-02-13	\$598	\$548	\$29.6
15	2026-02-20	\$639	\$589	\$31.7
16	2026-02-27	\$642	\$629	\$33.8
17	2026-03-06	\$750	\$670	\$35.9
18	2026-03-13	\$755	\$711	\$38.0
19	2026-03-20	\$935	\$751	\$40.1
20	2026-03-27	\$799	\$792	\$42.2
21	2026-04-03	\$811	\$832	\$44.3
22	2026-04-10	\$829	\$873	\$46.4
23	2026-04-17	\$950	\$914	\$48.6
24	2026-04-24	\$994	\$954	\$50.7
25	2026-05-01	\$1,129	\$995	\$52.8
26	2026-05-08	\$1,141	\$1,035	\$54.9
27	2026-05-15	\$1,092	\$1,076	\$57.0
28	2026-05-22	\$1,318	\$1,117	\$59.1
29	2026-05-29	\$1,132	\$1,157	\$61.2
30	2026-06-05	\$1,312	\$1,198	\$63.3
31	2026-06-12	\$1,394	\$1,238	\$65.4
32	2026-06-19	\$1,370	\$1,279	\$67.6
33	2026-06-26	\$1,430	\$1,320	\$69.7
34	2026-07-03	\$1,396	\$1,360	\$71.8
35	2026-07-10	\$1,428	\$1,401	\$73.9
36	2026-07-17	\$1,434	\$1,441	\$76.0
37	2026-07-24	\$1,465	\$1,482	\$78.1
38	2026-07-31	\$1,439	\$1,523	\$80.2
39	2026-08-07	\$1,480	\$1,563	\$82.3
40	2026-08-14	\$1,425	\$1,604	\$84.4
41	2026-08-21	\$1,633	\$1,644	\$86.6
42	2026-08-28	\$1,629	\$1,685	\$88.7
43	2026-09-04	\$1,699	\$1,726	\$90.8
44	2026-09-11	\$1,490	\$1,766	\$92.9
45	2026-09-18	NA	\$1,807	\$95.0
46	2026-09-25	NA	\$1,847	\$97.1
47	2026-10-02	NA	\$1,888	\$99.2
48	2026-10-09	NA	\$1,929	\$101.3



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

Min	1Q	Median	3Q	Max
-40.635	-16.012	-1.575	16.178	56.494

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-66.5032	7.2893	-9.123	1.61e-11 ***
wk	10.0092	0.2821	35.476	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 23.76 on 42 degrees of freedom

Multiple R-squared: 0.9677, Adjusted R-squared: 0.9669

F-statistic: 1259 on 1 and 42 DF, p-value: < 2.2e-16

Tonmya refills with linear model

raw Symphony data

