

Tonmya_Prescriptions

2026-07-05

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

Min	1Q	Median	3Q	Max
-80.040	-29.493	6.936	29.615	85.626

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-60.103	14.408	-4.171	0.000238 ***
wk	28.762	0.762	37.744	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 39.8 on 30 degrees of freedom

Multiple R-squared: 0.9794, Adjusted R-squared: 0.9787

F-statistic: 1425 on 1 and 30 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	-31.3	1,496
2	2025-11-21	12	-2.6	2,991
3	2025-11-28	35	26.2	4,487
4	2025-12-05	60	54.9	5,982
5	2025-12-12	126	83.7	7,478
6	2025-12-19	154	112.5	8,974
7	2025-12-26	127	141.2	10,469
8	2026-01-02	108	170.0	11,965
9	2026-01-09	163	198.8	13,461
10	2026-01-16	193	227.5	14,956
11	2026-01-23	219	256.3	16,452
12	2026-01-30	205	285.0	17,947
13	2026-02-06	285	313.8	19,443
14	2026-02-13	371	342.6	20,939
15	2026-02-20	384	371.3	22,434
16	2026-02-27	401	400.1	23,930
17	2026-03-06	462	428.8	25,426
18	2026-03-13	483	457.6	26,921
19	2026-03-20	572	486.4	28,417
20	2026-03-27	525	515.1	29,912
21	2026-04-03	515	543.9	31,408
22	2026-04-10	548	572.7	32,904
23	2026-04-17	580	601.4	34,399
24	2026-04-24	616	630.2	35,895
25	2026-05-01	697	658.9	37,390
26	2026-05-08	706	687.7	38,886
27	2026-05-15	677	716.5	40,382
28	2026-05-22	806	745.2	41,877
29	2026-05-29	703	774.0	43,373
30	2026-06-05	840	802.8	44,869
31	2026-06-12	859	831.5	46,364
32	2026-06-19	829	860.3	47,860
33	2026-06-26	NA	889.0	49,355
34	2026-07-03	NA	917.8	50,851
35	2026-07-10	NA	946.6	52,347
36	2026-07-17	NA	975.3	53,842



Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:

	Estimate	Std. Error	t value	Pr(> t)
a	1.254e+02	1.426e+01	8.794	8.34e-10 ***
r	6.577e-02	4.654e-03	14.132	8.46e-15 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 79.51 on 30 degrees of freedom

Number of iterations to convergence: 10


Achieved convergence tolerance: 5.275e-06

Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	134	6,948
2	2025-11-21	12	142	7,404
3	2025-11-28	35	152	7,891
4	2025-12-05	60	162	8,410
5	2025-12-12	126	172	8,964
6	2025-12-19	154	184	9,553
7	2025-12-26	127	196	10,181
8	2026-01-02	108	209	10,851
9	2026-01-09	163	222	11,564
10	2026-01-16	193	237	12,325
11	2026-01-23	219	253	13,136
12	2026-01-30	205	269	13,999
13	2026-02-06	285	287	14,920
14	2026-02-13	371	306	15,901
15	2026-02-20	384	326	16,947
16	2026-02-27	401	347	18,062
17	2026-03-06	462	370	19,249
18	2026-03-13	483	395	20,515
19	2026-03-20	572	420	21,864
20	2026-03-27	525	448	23,302
21	2026-04-03	515	478	24,835
22	2026-04-10	548	509	26,468
23	2026-04-17	580	542	28,209
24	2026-04-24	616	578	30,064
25	2026-05-01	697	616	32,041
26	2026-05-08	706	657	34,148
27	2026-05-15	677	700	36,394
28	2026-05-22	806	746	38,787
29	2026-05-29	703	795	41,338
30	2026-06-05	840	847	44,057
31	2026-06-12	859	903	46,954
32	2026-06-19	829	962	50,042
33	2026-06-26	NA	1026	53,333
34	2026-07-03	NA	1093	56,841
35	2026-07-10	NA	1165	60,579
36	2026-07-17	NA	1242	64,563


Tonmya scripts with exponential model

raw Symphony data



Tonmya scripts with exponential model


raw Symphony data – for giggles



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.064235	-0.034210	0.006885	0.035342	0.071161

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.9473098	0.0142326	66.56	<2e-16 ***
wk	0.0162016	0.0007527	21.52	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.03932 on 30 degrees of freedom


Multiple R-squared: 0.9392, Adjusted R-squared: 0.9372

F-statistic: 463.3 on 1 and 30 DF, p-value: < 2.2e-16

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
29	703
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
30	840
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
31	859
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806
32	829

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:

	Estimate	Std. Error	t value	Pr(> t)
a	2.007e+02	2.245e+01	8.941	5.79e-10 ***
r	6.602e-02	4.575e-03	14.430	4.89e-15 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 125.6 on 30 degrees of freedom

Number of iterations to convergence: 13


Achieved convergence tolerance: 8.843e-06

Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$214	\$11.1
2	2025-11-21	\$16	\$228	\$11.9
3	2025-11-28	\$54	\$243	\$12.6
4	2025-12-05	\$93	\$259	\$13.5
5	2025-12-12	\$179	\$276	\$14.4
6	2025-12-19	\$268	\$295	\$15.3
7	2025-12-26	\$212	\$314	\$16.3
8	2026-01-02	\$187	\$335	\$17.4
9	2026-01-09	\$264	\$357	\$18.6
10	2026-01-16	\$324	\$380	\$19.8
11	2026-01-23	\$367	\$405	\$21.1
12	2026-01-30	\$352	\$432	\$22.5
13	2026-02-06	\$451	\$461	\$24.0
14	2026-02-13	\$598	\$491	\$25.5
15	2026-02-20	\$639	\$524	\$27.2
16	2026-02-27	\$642	\$558	\$29.0
17	2026-03-06	\$750	\$595	\$30.9
18	2026-03-13	\$755	\$634	\$33.0
19	2026-03-20	\$935	\$676	\$35.2
20	2026-03-27	\$799	\$721	\$37.5
21	2026-04-03	\$811	\$768	\$40.0
22	2026-04-10	\$829	\$819	\$42.6
23	2026-04-17	\$950	\$873	\$45.4
24	2026-04-24	\$994	\$931	\$48.4
25	2026-05-01	\$1,129	\$992	\$51.6
26	2026-05-08	\$1,141	\$1,058	\$55.0
27	2026-05-15	\$1,092	\$1,128	\$58.6
28	2026-05-22	\$1,318	\$1,202	\$62.5
29	2026-05-29	\$1,132	\$1,282	\$66.6
30	2026-06-05	\$1,312	\$1,366	\$71.0
31	2026-06-12	\$1,394	\$1,456	\$75.7
32	2026-06-19	\$1,370	\$1,553	\$80.7
33	2026-06-26	NA	\$1,655	\$86.1
34	2026-07-03	NA	\$1,764	\$91.7
35	2026-07-10	NA	\$1,881	\$97.8
36	2026-07-17	NA	\$2,005	\$104.3


Tonmya sales with exponential model

raw Symphony data




Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data



Tonmya sales

broken into week cohorts 1 through 4, raw Symphony data



Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

Min	1Q	Median	3Q	Max
-113.628	-48.205	0.674	44.119	151.899

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-95.702	23.600	-4.055	0.000328 ***
wk	46.253	1.248	37.057	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 65.19 on 30 degrees of freedom

Multiple R-squared: 0.9786, Adjusted R-squared: 0.9779


F-statistic: 1373 on 1 and 30 DF, p-value: < 2.2e-16

Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	-\$49	\$2.4
2	2025-11-21	\$16	-\$3	\$4.8
3	2025-11-28	\$54	\$43	\$7.2
4	2025-12-05	\$93	\$89	\$9.6
5	2025-12-12	\$179	\$136	\$12.0
6	2025-12-19	\$268	\$182	\$14.4
7	2025-12-26	\$212	\$228	\$16.8
8	2026-01-02	\$187	\$274	\$19.2
9	2026-01-09	\$264	\$321	\$21.6
10	2026-01-16	\$324	\$367	\$24.1
11	2026-01-23	\$367	\$413	\$26.5
12	2026-01-30	\$352	\$459	\$28.9
13	2026-02-06	\$451	\$506	\$31.3
14	2026-02-13	\$598	\$552	\$33.7
15	2026-02-20	\$639	\$598	\$36.1
16	2026-02-27	\$642	\$644	\$38.5
17	2026-03-06	\$750	\$691	\$40.9
18	2026-03-13	\$755	\$737	\$43.3
19	2026-03-20	\$935	\$783	\$45.7
20	2026-03-27	\$799	\$829	\$48.1
21	2026-04-03	\$811	\$876	\$50.5
22	2026-04-10	\$829	\$922	\$52.9
23	2026-04-17	\$950	\$968	\$55.3
24	2026-04-24	\$994	\$1,014	\$57.7
25	2026-05-01	\$1,129	\$1,061	\$60.1
26	2026-05-08	\$1,141	\$1,107	\$62.5
27	2026-05-15	\$1,092	\$1,153	\$64.9
28	2026-05-22	\$1,318	\$1,199	\$67.3
29	2026-05-29	\$1,132	\$1,246	\$69.7
30	2026-06-05	\$1,312	\$1,292	\$72.2
31	2026-06-12	\$1,394	\$1,338	\$74.6
32	2026-06-19	\$1,370	\$1,384	\$77.0
33	2026-06-26	NA	\$1,431	\$79.4
34	2026-07-03	NA	\$1,477	\$81.8
35	2026-07-10	NA	\$1,523	\$84.2
36	2026-07-17	NA	\$1,569	\$86.6


Tonmya sales with linear model

raw Symphony data



Tonmya sales with linear model

long extrapolation, raw Symphony data



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-38.232	-12.583	-2.732	11.714	52.178

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-56.7560	8.9271	-6.358	5.15e-07 ***
wk	9.1992	0.4721	19.484	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 24.66 on 30 degrees of freedom

Multiple R-squared: 0.9268, Adjusted R-squared: 0.9243

F-statistic: 379.6 on 1 and 30 DF, p-value: < 2.2e-16

Tonmya refills with linear model

raw Symphony data

