

Tonmya_Prescriptions

2026-07-19

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-79.948	-27.652	2.641	30.520	87.242

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-57.5829	13.6546	-4.217	0.00019 ***
wk	28.5442	0.6806	41.940	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 38.93 on 32 degrees of freedom

Multiple R-squared: 0.9821, Adjusted R-squared: 0.9816

F-statistic: 1759 on 1 and 32 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	-29.0	1,484
2	2025-11-21	12	-0.5	2,969
3	2025-11-28	35	28.0	4,453
4	2025-12-05	60	56.6	5,937
5	2025-12-12	126	85.1	7,422
6	2025-12-19	154	113.7	8,906
7	2025-12-26	127	142.2	10,390
8	2026-01-02	108	170.8	11,874
9	2026-01-09	163	199.3	13,359
10	2026-01-16	193	227.9	14,843
11	2026-01-23	219	256.4	16,327
12	2026-01-30	205	284.9	17,812
13	2026-02-06	285	313.5	19,296
14	2026-02-13	371	342.0	20,780
15	2026-02-20	384	370.6	22,265
16	2026-02-27	401	399.1	23,749
17	2026-03-06	462	427.7	25,233
18	2026-03-13	483	456.2	26,717
19	2026-03-20	572	484.8	28,202
20	2026-03-27	525	513.3	29,686
21	2026-04-03	515	541.8	31,170
22	2026-04-10	548	570.4	32,655
23	2026-04-17	580	598.9	34,139
24	2026-04-24	616	627.5	35,623
25	2026-05-01	697	656.0	37,108
26	2026-05-08	706	684.6	38,592
27	2026-05-15	677	713.1	40,076
28	2026-05-22	806	741.7	41,560
29	2026-05-29	703	770.2	43,045
30	2026-06-05	840	798.7	44,529
31	2026-06-12	859	827.3	46,013
32	2026-06-19	829	855.8	47,498
33	2026-06-26	878	884.4	48,982
34	2026-07-03	885	912.9	50,466
35	2026-07-10	NA	941.5	51,951
36	2026-07-17	NA	970.0	53,435
37	2026-07-24	NA	998.6	54,919
38	2026-07-31	NA	1,027.1	56,403



Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:

	Estimate	Std. Error	t value	Pr(> t)
a	1.369e+02	1.493e+01	9.169	1.81e-10 ***
r	6.076e-02	4.197e-03	14.478	1.34e-15 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 84.56 on 32 degrees of freedom

Number of iterations to convergence: 10


Achieved convergence tolerance: 7.911e-06

Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	145	7,549
2	2025-11-21	12	154	8,008
3	2025-11-28	35	163	8,495
4	2025-12-05	60	173	9,011
5	2025-12-12	126	184	9,559
6	2025-12-19	154	195	10,139
7	2025-12-26	127	207	10,756
8	2026-01-02	108	219	11,409
9	2026-01-09	163	233	12,102
10	2026-01-16	193	247	12,838
11	2026-01-23	219	262	13,618
12	2026-01-30	205	278	14,445
13	2026-02-06	285	295	15,323
14	2026-02-13	371	313	16,254
15	2026-02-20	384	332	17,242
16	2026-02-27	401	352	18,290
17	2026-03-06	462	373	19,401
18	2026-03-13	483	396	20,580
19	2026-03-20	572	420	21,830
20	2026-03-27	525	445	23,157
21	2026-04-03	515	472	24,564
22	2026-04-10	548	501	26,057
23	2026-04-17	580	532	27,640
24	2026-04-24	616	564	29,320
25	2026-05-01	697	598	31,101
26	2026-05-08	706	634	32,991
27	2026-05-15	677	673	34,996
28	2026-05-22	806	714	37,122
29	2026-05-29	703	757	39,378
30	2026-06-05	840	803	41,771
31	2026-06-12	859	852	44,309
32	2026-06-19	829	904	47,001
33	2026-06-26	878	959	49,857
34	2026-07-03	885	1017	52,887
35	2026-07-10	NA	1079	56,101
36	2026-07-17	NA	1144	59,510
37	2026-07-24	NA	1214	63,126
38	2026-07-31	NA	1288	66,962


Tonmya scripts with exponential model

raw Symphony data



Tonmya scripts with exponential model


raw Symphony data – for giggles



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

Min	1Q	Median	3Q	Max
-0.069557	-0.033512	0.006439	0.031786	0.072042

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.9435403	0.0141334	66.76	<2e-16 ***
wk	0.0165226	0.0007045	23.45	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.0403 on 32 degrees of freedom


Multiple R-squared: 0.945, Adjusted R-squared: 0.9433

F-statistic: 550.1 on 1 and 32 DF, p-value: < 2.2e-16

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
29	703
33	878
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
30	840
34	885
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
31	859
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806
32	829

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:

	Estimate	Std. Error	t value	Pr(> t)
a	2.202e+02	2.390e+01	9.213	1.62e-10 ***
r	6.077e-02	4.177e-03	14.550	1.17e-15 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 135.4 on 32 degrees of freedom

Number of iterations to convergence: 13


Achieved convergence tolerance: 2.671e-06

Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$234	\$12.1
2	2025-11-21	\$16	\$248	\$12.9
3	2025-11-28	\$54	\$263	\$13.7
4	2025-12-05	\$93	\$279	\$14.5
5	2025-12-12	\$179	\$296	\$15.4
6	2025-12-19	\$268	\$314	\$16.3
7	2025-12-26	\$212	\$333	\$17.3
8	2026-01-02	\$187	\$353	\$18.4
9	2026-01-09	\$264	\$374	\$19.5
10	2026-01-16	\$324	\$397	\$20.7
11	2026-01-23	\$367	\$421	\$21.9
12	2026-01-30	\$352	\$447	\$23.2
13	2026-02-06	\$451	\$474	\$24.7
14	2026-02-13	\$598	\$503	\$26.2
15	2026-02-20	\$639	\$533	\$27.7
16	2026-02-27	\$642	\$566	\$29.4
17	2026-03-06	\$750	\$600	\$31.2
18	2026-03-13	\$755	\$637	\$33.1
19	2026-03-20	\$935	\$675	\$35.1
20	2026-03-27	\$799	\$716	\$37.3
21	2026-04-03	\$811	\$760	\$39.5
22	2026-04-10	\$829	\$806	\$41.9
23	2026-04-17	\$950	\$855	\$44.5
24	2026-04-24	\$994	\$907	\$47.2
25	2026-05-01	\$1,129	\$962	\$50.0
26	2026-05-08	\$1,141	\$1,021	\$53.1
27	2026-05-15	\$1,092	\$1,083	\$56.3
28	2026-05-22	\$1,318	\$1,149	\$59.7
29	2026-05-29	\$1,132	\$1,218	\$63.4
30	2026-06-05	\$1,312	\$1,292	\$67.2
31	2026-06-12	\$1,394	\$1,371	\$71.3
32	2026-06-19	\$1,370	\$1,454	\$75.6
33	2026-06-26	\$1,430	\$1,543	\$80.2
34	2026-07-03	\$1,396	\$1,637	\$85.1
35	2026-07-10	NA	\$1,736	\$90.3
36	2026-07-17	NA	\$1,841	\$95.8
37	2026-07-24	NA	\$1,953	\$101.6
38	2026-07-31	NA	\$2,072	\$107.7


Tonmya sales with exponential model


raw Symphony data



Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data





Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

Min	1Q	Median	3Q	Max
-107.19	-52.11	-0.01	41.89	154.91

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-90.909	22.635	-4.016	0.000335 ***
wk	45.842	1.128	40.632	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 64.54 on 32 degrees of freedom

Multiple R-squared: 0.981, Adjusted R-squared: 0.9804


F-statistic: 1651 on 1 and 32 DF, p-value: < 2.2e-16

Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	-\$45	\$2.4
2	2025-11-21	\$16	\$1	\$4.8
3	2025-11-28	\$54	\$47	\$7.2
4	2025-12-05	\$93	\$92	\$9.5
5	2025-12-12	\$179	\$138	\$11.9
6	2025-12-19	\$268	\$184	\$14.3
7	2025-12-26	\$212	\$230	\$16.7
8	2026-01-02	\$187	\$276	\$19.1
9	2026-01-09	\$264	\$322	\$21.5
10	2026-01-16	\$324	\$368	\$23.8
11	2026-01-23	\$367	\$413	\$26.2
12	2026-01-30	\$352	\$459	\$28.6
13	2026-02-06	\$451	\$505	\$31.0
14	2026-02-13	\$598	\$551	\$33.4
15	2026-02-20	\$639	\$597	\$35.8
16	2026-02-27	\$642	\$643	\$38.1
17	2026-03-06	\$750	\$688	\$40.5
18	2026-03-13	\$755	\$734	\$42.9
19	2026-03-20	\$935	\$780	\$45.3
20	2026-03-27	\$799	\$826	\$47.7
21	2026-04-03	\$811	\$872	\$50.1
22	2026-04-10	\$829	\$918	\$52.4
23	2026-04-17	\$950	\$963	\$54.8
24	2026-04-24	\$994	\$1,009	\$57.2
25	2026-05-01	\$1,129	\$1,055	\$59.6
26	2026-05-08	\$1,141	\$1,101	\$62.0
27	2026-05-15	\$1,092	\$1,147	\$64.4
28	2026-05-22	\$1,318	\$1,193	\$66.7
29	2026-05-29	\$1,132	\$1,239	\$69.1
30	2026-06-05	\$1,312	\$1,284	\$71.5
31	2026-06-12	\$1,394	\$1,330	\$73.9
32	2026-06-19	\$1,370	\$1,376	\$76.3
33	2026-06-26	\$1,430	\$1,422	\$78.7
34	2026-07-03	\$1,396	\$1,468	\$81.0
35	2026-07-10	NA	\$1,514	\$83.4
36	2026-07-17	NA	\$1,559	\$85.8
37	2026-07-24	NA	\$1,605	\$88.2
38	2026-07-31	NA	\$1,651	\$90.6


Tonmya sales with linear model

raw Symphony data



Tonmya sales with linear model

long extrapolation, raw Symphony data



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-39.941	-17.091	-6.065	12.662	55.871

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-62.4706	9.3479	-6.683	1.53e-07 ***
wk	9.6941	0.4659	20.805	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 26.65 on 32 degrees of freedom

Multiple R-squared: 0.9312, Adjusted R-squared: 0.929

F-statistic: 432.9 on 1 and 32 DF, p-value: < 2.2e-16

