

Tonmya_Prescriptions

2026-05-25

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-80.424	-28.672	7.076	26.808	84.117

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-61.6492	15.2136	-4.052	0.000462 ***
wk	28.9227	0.9851	29.360	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 37.67 on 24 degrees of freedom

Multiple R-squared: 0.9729, Adjusted R-squared: 0.9718


F-statistic: 862 on 1 and 24 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	-32.7	1,504
2	2025-11-21	12	-3.8	3,008
3	2025-11-28	35	25.1	4,512
4	2025-12-05	60	54.0	6,016
5	2025-12-12	126	83.0	7,520
6	2025-12-19	154	111.9	9,024
7	2025-12-26	127	140.8	10,528
8	2026-01-02	108	169.7	12,032
9	2026-01-09	163	198.7	13,536
10	2026-01-16	193	227.6	15,040
11	2026-01-23	219	256.5	16,544
12	2026-01-30	205	285.4	18,048
13	2026-02-06	285	314.3	19,552
14	2026-02-13	371	343.3	21,056
15	2026-02-20	384	372.2	22,560
16	2026-02-27	401	401.1	24,064
17	2026-03-06	462	430.0	25,568
18	2026-03-13	483	459.0	27,072
19	2026-03-20	572	487.9	28,576
20	2026-03-27	525	516.8	30,080
21	2026-04-03	515	545.7	31,584
22	2026-04-10	548	574.7	33,088
23	2026-04-17	580	603.6	34,592
24	2026-04-24	616	632.5	36,096
25	2026-05-01	697	661.4	37,600
26	2026-05-08	706	690.3	39,104
27	2026-05-15	NA	719.3	40,608
28	2026-05-22	NA	748.2	42,112
29	2026-05-29	NA	777.1	43,615
30	2026-06-05	NA	806.0	45,119

Tonmya scripts with linear model

raw Symphony data



Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:

	Estimate	Std. Error	t value	Pr(> t)
a	93.395311	12.211720	7.648	6.93e-08 ***
r	0.084989	0.006633	12.813	3.18e-12 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 63.86 on 24 degrees of freedom

Number of iterations to convergence: 11


Achieved convergence tolerance: 1.896e-06

Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	101	5,269
2	2025-11-21	12	110	5,717
3	2025-11-28	35	119	6,203
4	2025-12-05	60	129	6,730
5	2025-12-12	126	140	7,302
6	2025-12-19	154	152	7,923
7	2025-12-26	127	165	8,596
8	2026-01-02	108	179	9,327
9	2026-01-09	163	195	10,119
10	2026-01-16	193	211	10,979
11	2026-01-23	219	229	11,913
12	2026-01-30	205	249	12,925
13	2026-02-06	285	270	14,023
14	2026-02-13	371	293	15,215
15	2026-02-20	384	317	16,508
16	2026-02-27	401	344	17,912
17	2026-03-06	462	374	19,434
18	2026-03-13	483	405	21,085
19	2026-03-20	572	440	22,877
20	2026-03-27	525	477	24,822
21	2026-04-03	515	518	26,931
22	2026-04-10	548	562	29,220
23	2026-04-17	580	610	31,704
24	2026-04-24	616	662	34,398
25	2026-05-01	697	718	37,322
26	2026-05-08	706	779	40,493
27	2026-05-15	NA	845	43,935
28	2026-05-22	NA	917	47,669
29	2026-05-29	NA	995	51,720
30	2026-06-05	NA	1079	56,116

Tonmya scripts with exponential model


raw Symphony data



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.065984	-0.032700	0.006394	0.030220	0.071928

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.942768	0.015466	60.96	< 2e-16 ***
wk	0.016621	0.001001	16.60	1.18e-14 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 0.0383 on 24 degrees of freedom

Multiple R-squared: 0.9199, Adjusted R-squared: 0.9165

F-statistic: 275.5 on 1 and 24 DF, p-value: 1.176e-14

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	1.513e+02	1.986e+01	7.619	7.40e-08 ***
r	8.446e-02	6.662e-03	12.678	3.97e-12 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 103.3 on 24 degrees of freedom



Number of iterations to convergence: 11

Achieved convergence tolerance: 2.354e-06



Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$164	\$8.5
2	2025-11-21	\$16	\$178	\$9.3
3	2025-11-28	\$54	\$193	\$10.0
4	2025-12-05	\$93	\$209	\$10.9
5	2025-12-12	\$179	\$227	\$11.8
6	2025-12-19	\$268	\$246	\$12.8
7	2025-12-26	\$212	\$267	\$13.9
8	2026-01-02	\$187	\$289	\$15.1
9	2026-01-09	\$264	\$314	\$16.3
10	2026-01-16	\$324	\$340	\$17.7
11	2026-01-23	\$367	\$369	\$19.2
12	2026-01-30	\$352	\$400	\$20.8
13	2026-02-06	\$451	\$434	\$22.6
14	2026-02-13	\$598	\$471	\$24.5
15	2026-02-20	\$639	\$511	\$26.5
16	2026-02-27	\$642	\$554	\$28.8
17	2026-03-06	\$750	\$600	\$31.2
18	2026-03-13	\$755	\$651	\$33.9
19	2026-03-20	\$935	\$706	\$36.7
20	2026-03-27	\$799	\$766	\$39.8
21	2026-04-03	\$811	\$830	\$43.2
22	2026-04-10	\$829	\$901	\$46.8
23	2026-04-17	\$950	\$977	\$50.8
24	2026-04-24	\$994	\$1,059	\$55.1
25	2026-05-01	\$1,129	\$1,149	\$59.7
26	2026-05-08	\$1,141	\$1,246	\$64.8
27	2026-05-15	NA	\$1,351	\$70.2
28	2026-05-22	NA	\$1,465	\$76.2
29	2026-05-29	NA	\$1,589	\$82.6
30	2026-06-05	NA	\$1,723	\$89.6



Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-107.303	-45.388	0.461	42.290	152.776

Coefficients:


	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-94.277	25.141	-3.75	0.000989 ***
wk	46.132	1.628	28.34	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 62.26 on 24 degrees of freedom

Multiple R-squared: 0.971, Adjusted R-squared: 0.9698

F-statistic: 803 on 1 and 24 DF, p-value: < 2.2e-16



Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	-\$48	\$2.4
2	2025-11-21	\$16	-\$2	\$4.8
3	2025-11-28	\$54	\$44	\$7.2
4	2025-12-05	\$93	\$90	\$9.6
5	2025-12-12	\$179	\$136	\$12.0
6	2025-12-19	\$268	\$183	\$14.4
7	2025-12-26	\$212	\$229	\$16.8
8	2026-01-02	\$187	\$275	\$19.2
9	2026-01-09	\$264	\$321	\$21.6
10	2026-01-16	\$324	\$367	\$24.0
11	2026-01-23	\$367	\$413	\$26.4
12	2026-01-30	\$352	\$459	\$28.8
13	2026-02-06	\$451	\$505	\$31.2
14	2026-02-13	\$598	\$552	\$33.6
15	2026-02-20	\$639	\$598	\$36.0
16	2026-02-27	\$642	\$644	\$38.4
17	2026-03-06	\$750	\$690	\$40.8
18	2026-03-13	\$755	\$736	\$43.2
19	2026-03-20	\$935	\$782	\$45.6
20	2026-03-27	\$799	\$828	\$48.0
21	2026-04-03	\$811	\$874	\$50.4
22	2026-04-10	\$829	\$921	\$52.8
23	2026-04-17	\$950	\$967	\$55.2
24	2026-04-24	\$994	\$1,013	\$57.6
25	2026-05-01	\$1,129	\$1,059	\$60.0
26	2026-05-08	\$1,141	\$1,105	\$62.4
27	2026-05-15	NA	\$1,151	\$64.8
28	2026-05-22	NA	\$1,197	\$67.2
29	2026-05-29	NA	\$1,244	\$69.6
30	2026-06-05	NA	\$1,290	\$72.0

Tonmya sales with linear model

long extrapolation, raw Symphony data

