

Tonmya_Prescriptions

2026-06-06

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

Min	1Q	Median	3Q	Max
-80.634	-30.316	6.866	28.199	82.941

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-63.0952	15.0681	-4.187	0.000286 ***
wk	29.0608	0.9078	32.012	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 38.8 on 26 degrees of freedom

Multiple R-squared: 0.9753, Adjusted R-squared: 0.9743


F-statistic: 1025 on 1 and 26 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	-34.0	1,511
2	2025-11-21	12	-5.0	3,022
3	2025-11-28	35	24.1	4,533
4	2025-12-05	60	53.1	6,045
5	2025-12-12	126	82.2	7,556
6	2025-12-19	154	111.3	9,067
7	2025-12-26	127	140.3	10,578
8	2026-01-02	108	169.4	12,089
9	2026-01-09	163	198.5	13,600
10	2026-01-16	193	227.5	15,112
11	2026-01-23	219	256.6	16,623
12	2026-01-30	205	285.6	18,134
13	2026-02-06	285	314.7	19,645
14	2026-02-13	371	343.8	21,156
15	2026-02-20	384	372.8	22,667
16	2026-02-27	401	401.9	24,179
17	2026-03-06	462	430.9	25,690
18	2026-03-13	483	460.0	27,201
19	2026-03-20	572	489.1	28,712
20	2026-03-27	525	518.1	30,223
21	2026-04-03	515	547.2	31,734
22	2026-04-10	548	576.2	33,246
23	2026-04-17	580	605.3	34,757
24	2026-04-24	616	634.4	36,268
25	2026-05-01	697	663.4	37,779
26	2026-05-08	706	692.5	39,290
27	2026-05-15	677	721.5	40,801
28	2026-05-22	806	750.6	42,312
29	2026-05-29	NA	779.7	43,824
30	2026-06-05	NA	808.7	45,335
31	2026-06-12	NA	837.8	46,846
32	2026-06-19	NA	866.8	48,357

Tonmya scripts with linear model

raw Symphony data



Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:

	Estimate	Std. Error	t value	Pr(> t)	
a	1.029e+02	1.263e+01	8.149	1.25e-08	***
r	7.817e-02	5.759e-03	13.574	2.60e-13	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 68.06 on 26 degrees of freedom

Number of iterations to convergence: 11


Achieved convergence tolerance: 4.214e-06

Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	111	5,771
2	2025-11-21	12	120	6,222
3	2025-11-28	35	129	6,708
4	2025-12-05	60	139	7,233
5	2025-12-12	126	150	7,798
6	2025-12-19	154	162	8,408
7	2025-12-26	127	174	9,065
8	2026-01-02	108	188	9,773
9	2026-01-09	163	203	10,537
10	2026-01-16	193	218	11,361
11	2026-01-23	219	236	12,249
12	2026-01-30	205	254	13,207
13	2026-02-06	285	274	14,239
14	2026-02-13	371	295	15,352
15	2026-02-20	384	318	16,553
16	2026-02-27	401	343	17,847
17	2026-03-06	462	370	19,242
18	2026-03-13	483	399	20,746
19	2026-03-20	572	430	22,368
20	2026-03-27	525	464	24,116
21	2026-04-03	515	500	26,002
22	2026-04-10	548	539	28,034
23	2026-04-17	580	581	30,226
24	2026-04-24	616	627	32,589
25	2026-05-01	697	676	35,136
26	2026-05-08	706	729	37,883
27	2026-05-15	677	785	40,844
28	2026-05-22	806	847	44,037
29	2026-05-29	NA	913	47,480
30	2026-06-05	NA	984	51,191
31	2026-06-12	NA	1061	55,193
32	2026-06-19	NA	1144	59,508



TRx Total Prescriptions by Weekly Cohorts



total / new scripts at weekly rate - *linear model*

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.066566	-0.034767	0.006191	0.029614	0.072105

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.9414539	0.0150033	62.75	<2e-16	***
wk	0.0167475	0.0009039	18.53	<2e-16	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 0.03864 on 26 degrees of freedom

Multiple R-squared: 0.9296, Adjusted R-squared: 0.9269

F-statistic: 343.3 on 1 and 26 DF, p-value: < 2.2e-16

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	165.16553	20.13302	8.204	1.10e-08 ***
r	0.07831	0.00572	13.691	2.14e-13 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 108.7 on 26 degrees of freedom

Number of iterations to convergence: 12

Achieved convergence tolerance: 4.414e-06




Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$178	\$9.3
2	2025-11-21	\$16	\$192	\$10.0
3	2025-11-28	\$54	\$207	\$10.8
4	2025-12-05	\$93	\$223	\$11.6
5	2025-12-12	\$179	\$241	\$12.5
6	2025-12-19	\$268	\$260	\$13.5
7	2025-12-26	\$212	\$280	\$14.6
8	2026-01-02	\$187	\$302	\$15.7
9	2026-01-09	\$264	\$326	\$16.9
10	2026-01-16	\$324	\$351	\$18.3
11	2026-01-23	\$367	\$379	\$19.7
12	2026-01-30	\$352	\$408	\$21.2
13	2026-02-06	\$451	\$440	\$22.9
14	2026-02-13	\$598	\$475	\$24.7
15	2026-02-20	\$639	\$512	\$26.6
16	2026-02-27	\$642	\$552	\$28.7
17	2026-03-06	\$750	\$595	\$30.9
18	2026-03-13	\$755	\$642	\$33.4
19	2026-03-20	\$935	\$692	\$36.0
20	2026-03-27	\$799	\$746	\$38.8
21	2026-04-03	\$811	\$804	\$41.8
22	2026-04-10	\$829	\$867	\$45.1
23	2026-04-17	\$950	\$935	\$48.6
24	2026-04-24	\$994	\$1,009	\$52.4
25	2026-05-01	\$1,129	\$1,088	\$56.6
26	2026-05-08	\$1,141	\$1,173	\$61.0
27	2026-05-15	\$1,092	\$1,265	\$65.8
28	2026-05-22	\$1,318	\$1,364	\$70.9
29	2026-05-29	NA	\$1,470	\$76.5
30	2026-06-05	NA	\$1,586	\$82.4
31	2026-06-12	NA	\$1,710	\$88.9
32	2026-06-19	NA	\$1,844	\$95.9


Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data



Tonmya sales

broken into week cohorts 1 through 4, raw Symphony data



Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-108.279	-48.970	0.456	44.626	148.401

Coefficients:


	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-99.127	25.317	-3.915	0.000583 ***
wk	46.617	1.525	30.562	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 65.2 on 26 degrees of freedom


Multiple R-squared: 0.9729, Adjusted R-squared: 0.9719

F-statistic: 934.1 on 1 and 26 DF, p-value: < 2.2e-16



Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	-\$53	\$2.4
2	2025-11-21	\$16	-\$6	\$4.8
3	2025-11-28	\$54	\$41	\$7.3
4	2025-12-05	\$93	\$87	\$9.7
5	2025-12-12	\$179	\$134	\$12.1
6	2025-12-19	\$268	\$181	\$14.5
7	2025-12-26	\$212	\$227	\$17.0
8	2026-01-02	\$187	\$274	\$19.4
9	2026-01-09	\$264	\$320	\$21.8
10	2026-01-16	\$324	\$367	\$24.2
11	2026-01-23	\$367	\$414	\$26.7
12	2026-01-30	\$352	\$460	\$29.1
13	2026-02-06	\$451	\$507	\$31.5
14	2026-02-13	\$598	\$554	\$33.9
15	2026-02-20	\$639	\$600	\$36.4
16	2026-02-27	\$642	\$647	\$38.8
17	2026-03-06	\$750	\$693	\$41.2
18	2026-03-13	\$755	\$740	\$43.6
19	2026-03-20	\$935	\$787	\$46.1
20	2026-03-27	\$799	\$833	\$48.5
21	2026-04-03	\$811	\$880	\$50.9
22	2026-04-10	\$829	\$926	\$53.3
23	2026-04-17	\$950	\$973	\$55.8
24	2026-04-24	\$994	\$1,020	\$58.2
25	2026-05-01	\$1,129	\$1,066	\$60.6
26	2026-05-08	\$1,141	\$1,113	\$63.0
27	2026-05-15	\$1,092	\$1,160	\$65.5
28	2026-05-22	\$1,318	\$1,206	\$67.9
29	2026-05-29	NA	\$1,253	\$70.3
30	2026-06-05	NA	\$1,299	\$72.7
31	2026-06-12	NA	\$1,346	\$75.1
32	2026-06-19	NA	\$1,393	\$77.6



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

Min	1Q	Median	3Q	Max
-35.393	-11.999	-2.675	8.356	63.182

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-50.1746	9.1282	-5.497	9.11e-06 ***
wk	8.5712	0.5499	15.585	1.05e-14 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 23.51 on 26 degrees of freedom

Multiple R-squared: 0.9033, Adjusted R-squared: 0.8996

F-statistic: 242.9 on 1 and 26 DF, p-value: 1.049e-14

Tonmya refills with linear model

raw Symphony data

