

Tonmya_Prescriptions

2026-09-21

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

Min	1Q	Median	3Q	Max
-91.012	-31.381	-1.499	25.552	101.816

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-24.5648	14.7663	-1.664	0.104
wk	26.0394	0.5846	44.542	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 47.57 on 41 degrees of freedom

Multiple R-squared: 0.9798, Adjusted R-squared: 0.9793

F-statistic: 1984 on 1 and 41 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	1.5	1,354
2	2025-11-21	12	27.5	2,708
3	2025-11-28	35	53.6	4,062
4	2025-12-05	60	79.6	5,416
5	2025-12-12	126	105.6	6,770
6	2025-12-19	154	131.7	8,124
7	2025-12-26	127	157.7	9,478
8	2026-01-02	108	183.8	10,832
9	2026-01-09	163	209.8	12,186
10	2026-01-16	193	235.8	13,540
11	2026-01-23	219	261.9	14,895
12	2026-01-30	205	287.9	16,249
13	2026-02-06	285	313.9	17,603
14	2026-02-13	371	340.0	18,957
15	2026-02-20	384	366.0	20,311
16	2026-02-27	401	392.1	21,665
17	2026-03-06	462	418.1	23,019
18	2026-03-13	483	444.1	24,373
19	2026-03-20	572	470.2	25,727
20	2026-03-27	525	496.2	27,081
21	2026-04-03	515	522.3	28,435
22	2026-04-10	548	548.3	29,789
23	2026-04-17	580	574.3	31,143
24	2026-04-24	616	600.4	32,497
25	2026-05-01	697	626.4	33,851
26	2026-05-08	706	652.5	35,205
27	2026-05-15	677	678.5	36,559
28	2026-05-22	806	704.5	37,913
29	2026-05-29	703	730.6	39,267
30	2026-06-05	840	756.6	40,621
31	2026-06-12	859	782.7	41,976
32	2026-06-19	829	808.7	43,330
33	2026-06-26	878	834.7	44,684
34	2026-07-03	857	860.8	46,038
35	2026-07-10	903	886.8	47,392
36	2026-07-17	897	912.9	48,746
37	2026-07-24	920	938.9	50,100
38	2026-07-31	916	964.9	51,454
39	2026-08-07	944	991.0	52,808
40	2026-08-14	926	1,017.0	54,162
41	2026-08-21	1011	1,043.1	55,516
42	2026-08-28	1005	1,069.1	56,870
43	2026-09-04	1057	1,095.1	58,224
44	2026-09-11	NA	1,121.2	59,578
45	2026-09-18	NA	1,147.2	60,932
46	2026-09-25	NA	1,173.2	62,286
47	2026-10-02	NA	1,199.3	63,640



```
[1] 0.7349111
```

Refills since they started

Call:

```
lm(formula = refills ~ wk, data = df_scripts[df_scripts$refills >
0, ])
```

Residuals:

Min	1Q	Median	3Q	Max
-25.263	-12.484	-2.798	10.300	40.610

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-98.2390	7.0583	-13.92	7.84e-16 ***
wk	11.0939	0.2596	42.73	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 16.86 on 35 degrees of freedom

Multiple R-squared: 0.9812, Adjusted R-squared: 0.9807

F-statistic: 1826 on 1 and 35 DF, p-value: < 2.2e-16

Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	1.933e+02	1.902e+01	10.17	9.03e-13 ***
r	4.316e-02	3.005e-03	14.36	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 111.7 on 41 degrees of freedom

Number of iterations to convergence: 12

Achieved convergence tolerance: 3.297e-06




Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	202	10,486
2	2025-11-21	12	210	10,938
3	2025-11-28	35	219	11,411
4	2025-12-05	60	229	11,903
5	2025-12-12	126	239	12,417
6	2025-12-19	154	249	12,953
7	2025-12-26	127	260	13,512
8	2026-01-02	108	271	14,095
9	2026-01-09	163	283	14,703
10	2026-01-16	193	295	15,338
11	2026-01-23	219	308	16,000
12	2026-01-30	205	321	16,691
13	2026-02-06	285	335	17,411
14	2026-02-13	371	349	18,162
15	2026-02-20	384	364	18,946
16	2026-02-27	401	380	19,764
17	2026-03-06	462	396	20,617
18	2026-03-13	483	414	21,507
19	2026-03-20	572	431	22,435
20	2026-03-27	525	450	23,404
21	2026-04-03	515	469	24,414
22	2026-04-10	548	490	25,468
23	2026-04-17	580	511	26,567
24	2026-04-24	616	533	27,714
25	2026-05-01	697	556	28,910
26	2026-05-08	706	580	30,158
27	2026-05-15	677	605	31,459
28	2026-05-22	806	631	32,817
29	2026-05-29	703	658	34,233
30	2026-06-05	840	687	35,711
31	2026-06-12	859	716	37,252
32	2026-06-19	829	747	38,860
33	2026-06-26	878	780	40,538
34	2026-07-03	857	813	42,287
35	2026-07-10	903	848	44,112
36	2026-07-17	897	885	46,016
37	2026-07-24	920	923	48,003
38	2026-07-31	916	963	50,074
39	2026-08-07	944	1005	52,236
40	2026-08-14	926	1048	54,490
41	2026-08-21	1011	1093	56,842
42	2026-08-28	1005	1140	59,296
43	2026-09-04	1057	1190	61,855
44	2026-09-11	NA	1241	64,525
45	2026-09-18	NA	1294	67,310
46	2026-09-25	NA	1350	70,215
47	2026-10-02	NA	1409	73,246

Tonmya scripts with exponential model


raw Symphony data – for giggles



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
29	703
33	878
37	920
41	1011
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
30	840
34	857
38	916
42	1005
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
31	859
35	903
39	944
43	1057
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806
32	829
36	897
40	926

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.069280	-0.036234	-0.006392	0.030272	0.071059

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.9606304	0.0130979	73.34	<2e-16 ***
wk	0.0152539	0.0005186	29.42	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 0.0422 on 41 degrees of freedom

Multiple R-squared: 0.9548, Adjusted R-squared: 0.9537

F-statistic: 865.3 on 1 and 41 DF, p-value: < 2.2e-16

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	3.126e+02	3.117e+01	10.03	1.35e-12 ***
r	4.285e-02	3.049e-03	14.05	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 182.1 on 41 degrees of freedom

Number of iterations to convergence: 10

Achieved convergence tolerance: 7.525e-06




Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$326	\$17.0
2	2025-11-21	\$16	\$340	\$17.7
3	2025-11-28	\$54	\$355	\$18.4
4	2025-12-05	\$93	\$370	\$19.2
5	2025-12-12	\$179	\$386	\$20.1
6	2025-12-19	\$268	\$402	\$20.9
7	2025-12-26	\$212	\$419	\$21.8
8	2026-01-02	\$187	\$437	\$22.7
9	2026-01-09	\$264	\$456	\$23.7
10	2026-01-16	\$324	\$476	\$24.7
11	2026-01-23	\$367	\$496	\$25.8
12	2026-01-30	\$352	\$517	\$26.9
13	2026-02-06	\$451	\$539	\$28.0
14	2026-02-13	\$598	\$563	\$29.3
15	2026-02-20	\$639	\$587	\$30.5
16	2026-02-27	\$642	\$612	\$31.8
17	2026-03-06	\$750	\$638	\$33.2
18	2026-03-13	\$755	\$665	\$34.6
19	2026-03-20	\$935	\$694	\$36.1
20	2026-03-27	\$799	\$724	\$37.6
21	2026-04-03	\$811	\$755	\$39.2
22	2026-04-10	\$829	\$787	\$40.9
23	2026-04-17	\$950	\$821	\$42.7
24	2026-04-24	\$994	\$856	\$44.5
25	2026-05-01	\$1,129	\$892	\$46.4
26	2026-05-08	\$1,141	\$931	\$48.4
27	2026-05-15	\$1,092	\$971	\$50.5
28	2026-05-22	\$1,318	\$1,012	\$52.6
29	2026-05-29	\$1,132	\$1,055	\$54.9
30	2026-06-05	\$1,312	\$1,101	\$57.2
31	2026-06-12	\$1,394	\$1,148	\$59.7
32	2026-06-19	\$1,370	\$1,197	\$62.2
33	2026-06-26	\$1,430	\$1,248	\$64.9
34	2026-07-03	\$1,396	\$1,302	\$67.7
35	2026-07-10	\$1,428	\$1,358	\$70.6
36	2026-07-17	\$1,434	\$1,416	\$73.6
37	2026-07-24	\$1,465	\$1,476	\$76.8
38	2026-07-31	\$1,439	\$1,540	\$80.1
39	2026-08-07	\$1,480	\$1,606	\$83.5
40	2026-08-14	\$1,425	\$1,674	\$87.1
41	2026-08-21	\$1,633	\$1,746	\$90.8
42	2026-08-28	\$1,629	\$1,821	\$94.7
43	2026-09-04	\$1,699	\$1,899	\$98.8
44	2026-09-11	NA	\$1,980	\$103.0
45	2026-09-18	NA	\$2,065	\$107.4
46	2026-09-25	NA	\$2,154	\$112.0
47	2026-10-02	NA	\$2,246	\$116.8


Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data



Tonmya sales

broken into week cohorts 1 through 4, raw Symphony data



Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-201.756	-51.385	-5.626	50.406	189.438

Coefficients:


	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-33.890	25.734	-1.317	0.195
wk	41.516	1.019	40.749	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 82.91 on 41 degrees of freedom


Multiple R-squared: 0.9759, Adjusted R-squared: 0.9753

F-statistic: 1660 on 1 and 41 DF, p-value: < 2.2e-16



Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	\$8	\$2.2
2	2025-11-21	\$16	\$49	\$4.3
3	2025-11-28	\$54	\$91	\$6.5
4	2025-12-05	\$93	\$132	\$8.6
5	2025-12-12	\$179	\$174	\$10.8
6	2025-12-19	\$268	\$215	\$13.0
7	2025-12-26	\$212	\$257	\$15.1
8	2026-01-02	\$187	\$298	\$17.3
9	2026-01-09	\$264	\$340	\$19.4
10	2026-01-16	\$324	\$381	\$21.6
11	2026-01-23	\$367	\$423	\$23.7
12	2026-01-30	\$352	\$464	\$25.9
13	2026-02-06	\$451	\$506	\$28.1
14	2026-02-13	\$598	\$547	\$30.2
15	2026-02-20	\$639	\$589	\$32.4
16	2026-02-27	\$642	\$630	\$34.5
17	2026-03-06	\$750	\$672	\$36.7
18	2026-03-13	\$755	\$713	\$38.9
19	2026-03-20	\$935	\$755	\$41.0
20	2026-03-27	\$799	\$796	\$43.2
21	2026-04-03	\$811	\$838	\$45.3
22	2026-04-10	\$829	\$879	\$47.5
23	2026-04-17	\$950	\$921	\$49.7
24	2026-04-24	\$994	\$962	\$51.8
25	2026-05-01	\$1,129	\$1,004	\$54.0
26	2026-05-08	\$1,141	\$1,046	\$56.1
27	2026-05-15	\$1,092	\$1,087	\$58.3
28	2026-05-22	\$1,318	\$1,129	\$60.4
29	2026-05-29	\$1,132	\$1,170	\$62.6
30	2026-06-05	\$1,312	\$1,212	\$64.8
31	2026-06-12	\$1,394	\$1,253	\$66.9
32	2026-06-19	\$1,370	\$1,295	\$69.1
33	2026-06-26	\$1,430	\$1,336	\$71.2
34	2026-07-03	\$1,396	\$1,378	\$73.4
35	2026-07-10	\$1,428	\$1,419	\$75.6
36	2026-07-17	\$1,434	\$1,461	\$77.7
37	2026-07-24	\$1,465	\$1,502	\$79.9
38	2026-07-31	\$1,439	\$1,544	\$82.0
39	2026-08-07	\$1,480	\$1,585	\$84.2
40	2026-08-14	\$1,425	\$1,627	\$86.4
41	2026-08-21	\$1,633	\$1,668	\$88.5
42	2026-08-28	\$1,629	\$1,710	\$90.7
43	2026-09-04	\$1,699	\$1,751	\$92.8
44	2026-09-11	NA	\$1,793	\$95.0
45	2026-09-18	NA	\$1,834	\$97.1
46	2026-09-25	NA	\$1,876	\$99.3
47	2026-10-02	NA	\$1,917	\$101.5



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

Min	1Q	Median	3Q	Max
-40.635	-15.822	-1.147	15.025	57.327

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-67.3953	7.4105	-9.095	2.2e-11 ***
wk	10.0687	0.2934	34.319	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 23.87 on 41 degrees of freedom

Multiple R-squared: 0.9664, Adjusted R-squared: 0.9655

F-statistic: 1178 on 1 and 41 DF, p-value: < 2.2e-16

Tonmya refills with linear model

raw Symphony data

