

Tonmya_Prescriptions

2026-09-18

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

Min	1Q	Median	3Q	Max
-94.377	-29.640	-2.207	26.921	101.240

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-26.5134	15.0022	-1.767	0.0848 .
wk	26.1723	0.6078	43.058	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 47.75 on 40 degrees of freedom

Multiple R-squared: 0.9789, Adjusted R-squared: 0.9784

F-statistic: 1854 on 1 and 40 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	-0.3	1,361
2	2025-11-21	12	25.8	2,722
3	2025-11-28	35	52.0	4,083
4	2025-12-05	60	78.2	5,444
5	2025-12-12	126	104.3	6,805
6	2025-12-19	154	130.5	8,166
7	2025-12-26	127	156.7	9,527
8	2026-01-02	108	182.9	10,888
9	2026-01-09	163	209.0	12,249
10	2026-01-16	193	235.2	13,610
11	2026-01-23	219	261.4	14,971
12	2026-01-30	205	287.6	16,331
13	2026-02-06	285	313.7	17,692
14	2026-02-13	371	339.9	19,053
15	2026-02-20	384	366.1	20,414
16	2026-02-27	401	392.2	21,775
17	2026-03-06	462	418.4	23,136
18	2026-03-13	483	444.6	24,497
19	2026-03-20	572	470.8	25,858
20	2026-03-27	525	496.9	27,219
21	2026-04-03	515	523.1	28,580
22	2026-04-10	548	549.3	29,941
23	2026-04-17	580	575.4	31,302
24	2026-04-24	616	601.6	32,663
25	2026-05-01	697	627.8	34,024
26	2026-05-08	706	654.0	35,385
27	2026-05-15	677	680.1	36,746
28	2026-05-22	806	706.3	38,107
29	2026-05-29	703	732.5	39,468
30	2026-06-05	840	758.7	40,829
31	2026-06-12	859	784.8	42,190
32	2026-06-19	829	811.0	43,551
33	2026-06-26	878	837.2	44,912
34	2026-07-03	857	863.3	46,273
35	2026-07-10	903	889.5	47,634
36	2026-07-17	897	915.7	48,994
37	2026-07-24	920	941.9	50,355
38	2026-07-31	916	968.0	51,716
39	2026-08-07	944	994.2	53,077
40	2026-08-14	926	1,020.4	54,438
41	2026-08-21	1011	1,046.5	55,799
42	2026-08-28	1005	1,072.7	57,160
43	2026-09-04	NA	1,098.9	58,521
44	2026-09-11	NA	1,125.1	59,882
45	2026-09-18	NA	1,151.2	61,243
46	2026-09-25	NA	1,177.4	62,604



```
[1] 0.7349111
```

Refills since they started

Call:

```
lm(formula = refills ~ wk, data = df_scripts[df_scripts$refills >
0, ])
```

Residuals:

Min	1Q	Median	3Q	Max
-25.228	-12.719	-3.175	10.799	40.486

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-98.4877	7.3014	-13.49	3.3e-15 ***
wk	11.1072	0.2744	40.48	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 17.1 on 34 degrees of freedom

Multiple R-squared: 0.9797, Adjusted R-squared: 0.9791

F-statistic: 1639 on 1 and 34 DF, p-value: < 2.2e-16

Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	188.61188	19.04494	9.904	2.55e-12 ***
r	0.04429	0.00316	14.019	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 110.7 on 40 degrees of freedom

Number of iterations to convergence: 12

Achieved convergence tolerance: 3.016e-06




Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	197	10,242
2	2025-11-21	12	206	10,696
3	2025-11-28	35	215	11,170
4	2025-12-05	60	224	11,664
5	2025-12-12	126	234	12,181
6	2025-12-19	154	245	12,721
7	2025-12-26	127	255	13,284
8	2026-01-02	108	267	13,873
9	2026-01-09	163	279	14,487
10	2026-01-16	193	291	15,129
11	2026-01-23	219	304	15,799
12	2026-01-30	205	317	16,499
13	2026-02-06	285	331	17,229
14	2026-02-13	371	346	17,993
15	2026-02-20	384	361	18,790
16	2026-02-27	401	377	19,622
17	2026-03-06	462	394	20,491
18	2026-03-13	483	412	21,399
19	2026-03-20	572	430	22,346
20	2026-03-27	525	449	23,336
21	2026-04-03	515	469	24,370
22	2026-04-10	548	489	25,449
23	2026-04-17	580	511	26,577
24	2026-04-24	616	534	27,754
25	2026-05-01	697	557	28,983
26	2026-05-08	706	582	30,267
27	2026-05-15	677	608	31,608
28	2026-05-22	806	635	33,008
29	2026-05-29	703	663	34,470
30	2026-06-05	840	692	35,996
31	2026-06-12	859	723	37,591
32	2026-06-19	829	755	39,256
33	2026-06-26	878	788	40,995
34	2026-07-03	857	823	42,811
35	2026-07-10	903	860	44,707
36	2026-07-17	897	898	46,687
37	2026-07-24	920	938	48,755
38	2026-07-31	916	979	50,915
39	2026-08-07	944	1022	53,170
40	2026-08-14	926	1068	55,525
41	2026-08-21	1011	1115	57,984
42	2026-08-28	1005	1164	60,553
43	2026-09-04	NA	1216	63,235
44	2026-09-11	NA	1270	66,036
45	2026-09-18	NA	1326	68,961
46	2026-09-25	NA	1385	72,015

Tonmya scripts with exponential model


raw Symphony data – for giggles



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
29	703
33	878
37	920
41	1011
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
30	840
34	857
38	916
42	1005
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
31	859
35	903
39	944
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806
32	829
36	897
40	926

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.075415	-0.035706	-0.001834	0.030993	0.067642

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.9573385	0.0129973	73.66	<2e-16 ***
wk	0.0154783	0.0005266	29.39	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 0.04137 on 40 degrees of freedom

Multiple R-squared: 0.9557, Adjusted R-squared: 0.9546

F-statistic: 863.9 on 1 and 40 DF, p-value: < 2.2e-16

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	3.055e+02	3.135e+01	9.746	4.04e-12 ***
r	4.391e-02	3.214e-03	13.660	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 181.1 on 40 degrees of freedom

Number of iterations to convergence: 11

Achieved convergence tolerance: 2.055e-06




Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$319	\$16.6
2	2025-11-21	\$16	\$333	\$17.3
3	2025-11-28	\$54	\$348	\$18.1
4	2025-12-05	\$93	\$363	\$18.9
5	2025-12-12	\$179	\$379	\$19.7
6	2025-12-19	\$268	\$395	\$20.6
7	2025-12-26	\$212	\$413	\$21.5
8	2026-01-02	\$187	\$431	\$22.4
9	2026-01-09	\$264	\$450	\$23.4
10	2026-01-16	\$324	\$470	\$24.4
11	2026-01-23	\$367	\$490	\$25.5
12	2026-01-30	\$352	\$512	\$26.6
13	2026-02-06	\$451	\$534	\$27.8
14	2026-02-13	\$598	\$558	\$29.0
15	2026-02-20	\$639	\$582	\$30.3
16	2026-02-27	\$642	\$608	\$31.6
17	2026-03-06	\$750	\$634	\$33.0
18	2026-03-13	\$755	\$662	\$34.4
19	2026-03-20	\$935	\$691	\$35.9
20	2026-03-27	\$799	\$722	\$37.5
21	2026-04-03	\$811	\$753	\$39.2
22	2026-04-10	\$829	\$786	\$40.9
23	2026-04-17	\$950	\$821	\$42.7
24	2026-04-24	\$994	\$857	\$44.6
25	2026-05-01	\$1,129	\$895	\$46.5
26	2026-05-08	\$1,141	\$934	\$48.6
27	2026-05-15	\$1,092	\$975	\$50.7
28	2026-05-22	\$1,318	\$1,018	\$52.9
29	2026-05-29	\$1,132	\$1,062	\$55.2
30	2026-06-05	\$1,312	\$1,109	\$57.7
31	2026-06-12	\$1,394	\$1,158	\$60.2
32	2026-06-19	\$1,370	\$1,209	\$62.8
33	2026-06-26	\$1,430	\$1,262	\$65.6
34	2026-07-03	\$1,396	\$1,317	\$68.5
35	2026-07-10	\$1,428	\$1,375	\$71.5
36	2026-07-17	\$1,434	\$1,435	\$74.6
37	2026-07-24	\$1,465	\$1,498	\$77.9
38	2026-07-31	\$1,439	\$1,564	\$81.3
39	2026-08-07	\$1,480	\$1,633	\$84.9
40	2026-08-14	\$1,425	\$1,704	\$88.6
41	2026-08-21	\$1,633	\$1,779	\$92.5
42	2026-08-28	\$1,629	\$1,857	\$96.6
43	2026-09-04	NA	\$1,939	\$100.8
44	2026-09-11	NA	\$2,024	\$105.2
45	2026-09-18	NA	\$2,113	\$109.9
46	2026-09-25	NA	\$2,206	\$114.7


Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data



Tonmya sales

broken into week cohorts 1 through 4, raw Symphony data



Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

Min	1Q	Median	3Q	Max
-206.37	-49.68	-0.77	50.61	187.01

Coefficients:


	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-36.563	26.232	-1.394	0.171
wk	41.698	1.063	39.233	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 83.49 on 40 degrees of freedom


Multiple R-squared: 0.9747, Adjusted R-squared: 0.974

F-statistic: 1539 on 1 and 40 DF, p-value: < 2.2e-16



Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	\$5	\$2.2
2	2025-11-21	\$16	\$47	\$4.3
3	2025-11-28	\$54	\$89	\$6.5
4	2025-12-05	\$93	\$130	\$8.7
5	2025-12-12	\$179	\$172	\$10.8
6	2025-12-19	\$268	\$214	\$13.0
7	2025-12-26	\$212	\$255	\$15.2
8	2026-01-02	\$187	\$297	\$17.3
9	2026-01-09	\$264	\$339	\$19.5
10	2026-01-16	\$324	\$380	\$21.7
11	2026-01-23	\$367	\$422	\$23.9
12	2026-01-30	\$352	\$464	\$26.0
13	2026-02-06	\$451	\$506	\$28.2
14	2026-02-13	\$598	\$547	\$30.4
15	2026-02-20	\$639	\$589	\$32.5
16	2026-02-27	\$642	\$631	\$34.7
17	2026-03-06	\$750	\$672	\$36.9
18	2026-03-13	\$755	\$714	\$39.0
19	2026-03-20	\$935	\$756	\$41.2
20	2026-03-27	\$799	\$797	\$43.4
21	2026-04-03	\$811	\$839	\$45.5
22	2026-04-10	\$829	\$881	\$47.7
23	2026-04-17	\$950	\$922	\$49.9
24	2026-04-24	\$994	\$964	\$52.0
25	2026-05-01	\$1,129	\$1,006	\$54.2
26	2026-05-08	\$1,141	\$1,048	\$56.4
27	2026-05-15	\$1,092	\$1,089	\$58.5
28	2026-05-22	\$1,318	\$1,131	\$60.7
29	2026-05-29	\$1,132	\$1,173	\$62.9
30	2026-06-05	\$1,312	\$1,214	\$65.0
31	2026-06-12	\$1,394	\$1,256	\$67.2
32	2026-06-19	\$1,370	\$1,298	\$69.4
33	2026-06-26	\$1,430	\$1,339	\$71.6
34	2026-07-03	\$1,396	\$1,381	\$73.7
35	2026-07-10	\$1,428	\$1,423	\$75.9
36	2026-07-17	\$1,434	\$1,465	\$78.1
37	2026-07-24	\$1,465	\$1,506	\$80.2
38	2026-07-31	\$1,439	\$1,548	\$82.4
39	2026-08-07	\$1,480	\$1,590	\$84.6
40	2026-08-14	\$1,425	\$1,631	\$86.7
41	2026-08-21	\$1,633	\$1,673	\$88.9
42	2026-08-28	\$1,629	\$1,715	\$91.1
43	2026-09-04	NA	\$1,756	\$93.2
44	2026-09-11	NA	\$1,798	\$95.4
45	2026-09-18	NA	\$1,840	\$97.6
46	2026-09-25	NA	\$1,882	\$99.7



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

Min	1Q	Median	3Q	Max
-40.623	-15.810	-1.413	15.771	56.829

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-66.8618	7.5750	-8.827	6.21e-11 ***
wk	10.0323	0.3069	32.688	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 24.11 on 40 degrees of freedom

Multiple R-squared: 0.9639, Adjusted R-squared: 0.963

F-statistic: 1068 on 1 and 40 DF, p-value: < 2.2e-16

Tonmya refills with linear model

raw Symphony data

