

# Tonmya\_Prescriptions

2026-05-25

## Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

### scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

| Min     | 1Q      | Median | 3Q     | Max    |
|---------|---------|--------|--------|--------|
| -80.424 | -28.672 | 7.076  | 26.808 | 84.117 |

Coefficients:

|             | Estimate | Std. Error | t value | Pr(> t )     |
|-------------|----------|------------|---------|--------------|
| (Intercept) | -61.6492 | 15.2136    | -4.052  | 0.000462 *** |
| wk          | 28.9227  | 0.9851     | 29.360  | < 2e-16 ***  |

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 37.67 on 24 degrees of freedom

Multiple R-squared: 0.9729, Adjusted R-squared: 0.9718


F-statistic: 862 on 1 and 24 DF, p-value: < 2.2e-16

## Scripts, Linear Model

| wk | weekly_seq | total reported | linear predicted | annual |
|----|------------|----------------|------------------|--------|
| 1  | 2025-11-14 | 2              | -32.7            | 1,504  |
| 2  | 2025-11-21 | 12             | -3.8             | 3,008  |
| 3  | 2025-11-28 | 35             | 25.1             | 4,512  |
| 4  | 2025-12-05 | 60             | 54.0             | 6,016  |
| 5  | 2025-12-12 | 126            | 83.0             | 7,520  |
| 6  | 2025-12-19 | 154            | 111.9            | 9,024  |
| 7  | 2025-12-26 | 127            | 140.8            | 10,528 |
| 8  | 2026-01-02 | 108            | 169.7            | 12,032 |
| 9  | 2026-01-09 | 163            | 198.7            | 13,536 |
| 10 | 2026-01-16 | 193            | 227.6            | 15,040 |
| 11 | 2026-01-23 | 219            | 256.5            | 16,544 |
| 12 | 2026-01-30 | 205            | 285.4            | 18,048 |
| 13 | 2026-02-06 | 285            | 314.3            | 19,552 |
| 14 | 2026-02-13 | 371            | 343.3            | 21,056 |
| 15 | 2026-02-20 | 384            | 372.2            | 22,560 |
| 16 | 2026-02-27 | 401            | 401.1            | 24,064 |
| 17 | 2026-03-06 | 462            | 430.0            | 25,568 |
| 18 | 2026-03-13 | 483            | 459.0            | 27,072 |
| 19 | 2026-03-20 | 572            | 487.9            | 28,576 |
| 20 | 2026-03-27 | 525            | 516.8            | 30,080 |
| 21 | 2026-04-03 | 515            | 545.7            | 31,584 |
| 22 | 2026-04-10 | 548            | 574.7            | 33,088 |
| 23 | 2026-04-17 | 580            | 603.6            | 34,592 |
| 24 | 2026-04-24 | 616            | 632.5            | 36,096 |
| 25 | 2026-05-01 | 697            | 661.4            | 37,600 |
| 26 | 2026-05-08 | 706            | 690.3            | 39,104 |
| 27 | 2026-05-15 | NA             | 719.3            | 40,608 |
| 28 | 2026-05-22 | NA             | 748.2            | 42,112 |
| 29 | 2026-05-29 | NA             | 777.1            | 43,615 |
| 30 | 2026-06-05 | NA             | 806.0            | 45,119 |

## Tonmya scripts with linear model

raw Symphony data



## Scripts Projection - at weekly growth rate - *exponential model*

Formula:  $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:

|   | Estimate  | Std. Error | t value | Pr(> t )     |
|---|-----------|------------|---------|--------------|
| a | 93.395311 | 12.211720  | 7.648   | 6.93e-08 *** |
| r | 0.084989  | 0.006633   | 12.813  | 3.18e-12 *** |

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 63.86 on 24 degrees of freedom

Number of iterations to convergence: 11


Achieved convergence tolerance: 1.896e-06

## Scripts, Exponential Model

| wk | weekly_seq | total reported | exp predicted | annual |
|----|------------|----------------|---------------|--------|
| 1  | 2025-11-14 | 2              | 101           | 5,269  |
| 2  | 2025-11-21 | 12             | 110           | 5,717  |
| 3  | 2025-11-28 | 35             | 119           | 6,203  |
| 4  | 2025-12-05 | 60             | 129           | 6,730  |
| 5  | 2025-12-12 | 126            | 140           | 7,302  |
| 6  | 2025-12-19 | 154            | 152           | 7,923  |
| 7  | 2025-12-26 | 127            | 165           | 8,596  |
| 8  | 2026-01-02 | 108            | 179           | 9,327  |
| 9  | 2026-01-09 | 163            | 195           | 10,119 |
| 10 | 2026-01-16 | 193            | 211           | 10,979 |
| 11 | 2026-01-23 | 219            | 229           | 11,913 |
| 12 | 2026-01-30 | 205            | 249           | 12,925 |
| 13 | 2026-02-06 | 285            | 270           | 14,023 |
| 14 | 2026-02-13 | 371            | 293           | 15,215 |
| 15 | 2026-02-20 | 384            | 317           | 16,508 |
| 16 | 2026-02-27 | 401            | 344           | 17,912 |
| 17 | 2026-03-06 | 462            | 374           | 19,434 |
| 18 | 2026-03-13 | 483            | 405           | 21,085 |
| 19 | 2026-03-20 | 572            | 440           | 22,877 |
| 20 | 2026-03-27 | 525            | 477           | 24,822 |
| 21 | 2026-04-03 | 515            | 518           | 26,931 |
| 22 | 2026-04-10 | 548            | 562           | 29,220 |
| 23 | 2026-04-17 | 580            | 610           | 31,704 |
| 24 | 2026-04-24 | 616            | 662           | 34,398 |
| 25 | 2026-05-01 | 697            | 718           | 37,322 |
| 26 | 2026-05-08 | 706            | 779           | 40,493 |
| 27 | 2026-05-15 | NA             | 845           | 43,935 |
| 28 | 2026-05-22 | NA             | 917           | 47,669 |
| 29 | 2026-05-29 | NA             | 995           | 51,720 |
| 30 | 2026-06-05 | NA             | 1079          | 56,116 |

## Tonmya scripts with exponential model


raw Symphony data



TRx Total Prescriptions by Weekly Cohorts

## Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

|  | Min       | 1Q        | Median   | 3Q       | Max      |
|--|-----------|-----------|----------|----------|----------|
|  | -0.065984 | -0.032700 | 0.006394 | 0.030220 | 0.071928 |

Coefficients:

|             | Estimate | Std. Error | t value | Pr(> t )     |
|-------------|----------|------------|---------|--------------|
| (Intercept) | 0.942768 | 0.015466   | 60.96   | < 2e-16 ***  |
| wk          | 0.016621 | 0.001001   | 16.60   | 1.18e-14 *** |


---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.0383 on 24 degrees of freedom

Multiple R-squared: 0.9199, Adjusted R-squared: 0.9165

F-statistic: 275.5 on 1 and 24 DF, p-value: 1.176e-14



### Sales Projection - at weekly growth rate - *exponential model*

Formula:  $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:

|   | Estimate  | Std. Error | t value | Pr(> t )     |
|---|-----------|------------|---------|--------------|
| a | 1.513e+02 | 1.986e+01  | 7.619   | 7.40e-08 *** |
| r | 8.446e-02 | 6.662e-03  | 12.678  | 3.97e-12 *** |


---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 103.3 on 24 degrees of freedom

Number of iterations to convergence: 11



Achieved convergence tolerance: 2.354e-06



## Exponential Model

| wk | weekly_seq | sales, thousands | exp, thousands | annual, M |
|----|------------|------------------|----------------|-----------|
| 1  | 2025-11-14 | \$2              | \$164          | \$8.5     |
| 2  | 2025-11-21 | \$16             | \$178          | \$9.3     |
| 3  | 2025-11-28 | \$54             | \$193          | \$10.0    |
| 4  | 2025-12-05 | \$93             | \$209          | \$10.9    |
| 5  | 2025-12-12 | \$179            | \$227          | \$11.8    |
| 6  | 2025-12-19 | \$268            | \$246          | \$12.8    |
| 7  | 2025-12-26 | \$212            | \$267          | \$13.9    |
| 8  | 2026-01-02 | \$187            | \$289          | \$15.1    |
| 9  | 2026-01-09 | \$264            | \$314          | \$16.3    |
| 10 | 2026-01-16 | \$324            | \$340          | \$17.7    |
| 11 | 2026-01-23 | \$367            | \$369          | \$19.2    |
| 12 | 2026-01-30 | \$352            | \$400          | \$20.8    |
| 13 | 2026-02-06 | \$451            | \$434          | \$22.6    |
| 14 | 2026-02-13 | \$598            | \$471          | \$24.5    |
| 15 | 2026-02-20 | \$639            | \$511          | \$26.5    |
| 16 | 2026-02-27 | \$642            | \$554          | \$28.8    |
| 17 | 2026-03-06 | \$750            | \$600          | \$31.2    |
| 18 | 2026-03-13 | \$755            | \$651          | \$33.9    |
| 19 | 2026-03-20 | \$935            | \$706          | \$36.7    |
| 20 | 2026-03-27 | \$799            | \$766          | \$39.8    |
| 21 | 2026-04-03 | \$811            | \$830          | \$43.2    |
| 22 | 2026-04-10 | \$829            | \$901          | \$46.8    |
| 23 | 2026-04-17 | \$950            | \$977          | \$50.8    |
| 24 | 2026-04-24 | \$994            | \$1,059        | \$55.1    |
| 25 | 2026-05-01 | \$1,129          | \$1,149        | \$59.7    |
| 26 | 2026-05-08 | \$1,141          | \$1,246        | \$64.8    |
| 27 | 2026-05-15 | NA               | \$1,351        | \$70.2    |
| 28 | 2026-05-22 | NA               | \$1,465        | \$76.2    |
| 29 | 2026-05-29 | NA               | \$1,589        | \$82.6    |
| 30 | 2026-06-05 | NA               | \$1,723        | \$89.6    |





### Sales Projection - at weekly rate - *linear model*

Call:  
`lm(formula = sales ~ wk, data = df_sales)`

Residuals:

|  | Min      | 1Q      | Median | 3Q     | Max     |
|--|----------|---------|--------|--------|---------|
|  | -107.303 | -45.388 | 0.461  | 42.290 | 152.776 |

Coefficients:

|             | Estimate | Std. Error | t value | Pr(> t )     |
|-------------|----------|------------|---------|--------------|
| (Intercept) | -94.277  | 25.141     | -3.75   | 0.000989 *** |
| wk          | 46.132   | 1.628      | 28.34   | < 2e-16 ***  |


---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 62.26 on 24 degrees of freedom


Multiple R-squared: 0.971, Adjusted R-squared: 0.9698

F-statistic: 803 on 1 and 24 DF, p-value: < 2.2e-16



## Linear Model

| wk | weekly_seq | sales, thousands | linear, thousands | annual, M |
|----|------------|------------------|-------------------|-----------|
| 1  | 2025-11-14 | \$2              | -\$48             | \$2.4     |
| 2  | 2025-11-21 | \$16             | -\$2              | \$4.8     |
| 3  | 2025-11-28 | \$54             | \$44              | \$7.2     |
| 4  | 2025-12-05 | \$93             | \$90              | \$9.6     |
| 5  | 2025-12-12 | \$179            | \$136             | \$12.0    |
| 6  | 2025-12-19 | \$268            | \$183             | \$14.4    |
| 7  | 2025-12-26 | \$212            | \$229             | \$16.8    |
| 8  | 2026-01-02 | \$187            | \$275             | \$19.2    |
| 9  | 2026-01-09 | \$264            | \$321             | \$21.6    |
| 10 | 2026-01-16 | \$324            | \$367             | \$24.0    |
| 11 | 2026-01-23 | \$367            | \$413             | \$26.4    |
| 12 | 2026-01-30 | \$352            | \$459             | \$28.8    |
| 13 | 2026-02-06 | \$451            | \$505             | \$31.2    |
| 14 | 2026-02-13 | \$598            | \$552             | \$33.6    |
| 15 | 2026-02-20 | \$639            | \$598             | \$36.0    |
| 16 | 2026-02-27 | \$642            | \$644             | \$38.4    |
| 17 | 2026-03-06 | \$750            | \$690             | \$40.8    |
| 18 | 2026-03-13 | \$755            | \$736             | \$43.2    |
| 19 | 2026-03-20 | \$935            | \$782             | \$45.6    |
| 20 | 2026-03-27 | \$799            | \$828             | \$48.0    |
| 21 | 2026-04-03 | \$811            | \$874             | \$50.4    |
| 22 | 2026-04-10 | \$829            | \$921             | \$52.8    |
| 23 | 2026-04-17 | \$950            | \$967             | \$55.2    |
| 24 | 2026-04-24 | \$994            | \$1,013           | \$57.6    |
| 25 | 2026-05-01 | \$1,129          | \$1,059           | \$60.0    |
| 26 | 2026-05-08 | \$1,141          | \$1,105           | \$62.4    |
| 27 | 2026-05-15 | NA               | \$1,151           | \$64.8    |
| 28 | 2026-05-22 | NA               | \$1,197           | \$67.2    |
| 29 | 2026-05-29 | NA               | \$1,244           | \$69.6    |
| 30 | 2026-06-05 | NA               | \$1,290           | \$72.0    |



### Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

| Min     | 1Q      | Median | 3Q     | Max    |
|---------|---------|--------|--------|--------|
| -32.193 | -11.332 | -0.104 | 12.870 | 36.453 |

Coefficients:

|             | Estimate | Std. Error | t value | Pr(> t )     |
|-------------|----------|------------|---------|--------------|
| (Intercept) | -44.4277 | 8.1209     | -5.471  | 1.27e-05 *** |
| wk          | 7.9747   | 0.5258     | 15.165  | 8.55e-14 *** |

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 20.11 on 24 degrees of freedom

Multiple R-squared: 0.9055, Adjusted R-squared: 0.9016

F-statistic: 230 on 1 and 24 DF, p-value: 8.548e-14

## Tonmya refills with linear model

raw Symphony data

