

Tonmya_Prescriptions

2026-08-01

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

Min	1Q	Median	3Q	Max
-79.954	-25.777	-0.111	28.867	88.723

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-55.0270	13.0517	-4.216	0.000174 ***
wk	28.3318	0.6151	46.057	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 38.34 on 34 degrees of freedom

Multiple R-squared: 0.9842, Adjusted R-squared: 0.9838


F-statistic: 2121 on 1 and 34 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	-26.7	1,473
2	2025-11-21	12	1.6	2,947
3	2025-11-28	35	30.0	4,420
4	2025-12-05	60	58.3	5,893
5	2025-12-12	126	86.6	7,366
6	2025-12-19	154	115.0	8,840
7	2025-12-26	127	143.3	10,313
8	2026-01-02	108	171.6	11,786
9	2026-01-09	163	200.0	13,259
10	2026-01-16	193	228.3	14,733
11	2026-01-23	219	256.6	16,206
12	2026-01-30	205	285.0	17,679
13	2026-02-06	285	313.3	19,152
14	2026-02-13	371	341.6	20,626
15	2026-02-20	384	369.9	22,099
16	2026-02-27	401	398.3	23,572
17	2026-03-06	462	426.6	25,045
18	2026-03-13	483	454.9	26,519
19	2026-03-20	572	483.3	27,992
20	2026-03-27	525	511.6	29,465
21	2026-04-03	515	539.9	30,938
22	2026-04-10	548	568.3	32,412
23	2026-04-17	580	596.6	33,885
24	2026-04-24	616	624.9	35,358
25	2026-05-01	697	653.3	36,831
26	2026-05-08	706	681.6	38,305
27	2026-05-15	677	709.9	39,778
28	2026-05-22	806	738.3	41,251
29	2026-05-29	703	766.6	42,724
30	2026-06-05	840	794.9	44,198
31	2026-06-12	859	823.3	45,671
32	2026-06-19	829	851.6	47,144
33	2026-06-26	878	879.9	48,617
34	2026-07-03	885	908.3	50,091
35	2026-07-10	901	936.6	51,564
36	2026-07-17	961	964.9	53,037
37	2026-07-24	NA	993.2	54,510
38	2026-07-31	NA	1,021.6	55,984
39	2026-08-07	NA	1,049.9	57,457
40	2026-08-14	NA	1,078.2	58,930

Tonmya scripts with linear model

raw Symphony data



Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:

	Estimate	Std. Error	t value	Pr(> t)
a	147.88679	15.43690	9.58	3.46e-11 ***
r	0.05657	0.00379	14.93	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 88.98 on 34 degrees of freedom

Number of iterations to convergence: 11


Achieved convergence tolerance: 2.57e-06

Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	156	8,125
2	2025-11-21	12	165	8,585
3	2025-11-28	35	174	9,070
4	2025-12-05	60	184	9,584
5	2025-12-12	126	195	10,126
6	2025-12-19	154	206	10,699
7	2025-12-26	127	217	11,304
8	2026-01-02	108	230	11,943
9	2026-01-09	163	243	12,619
10	2026-01-16	193	256	13,333
11	2026-01-23	219	271	14,087
12	2026-01-30	205	286	14,884
13	2026-02-06	285	302	15,726
14	2026-02-13	371	320	16,616
15	2026-02-20	384	338	17,556
16	2026-02-27	401	357	18,549
17	2026-03-06	462	377	19,598
18	2026-03-13	483	398	20,707
19	2026-03-20	572	421	21,878
20	2026-03-27	525	445	23,116
21	2026-04-03	515	470	24,424
22	2026-04-10	548	496	25,805
23	2026-04-17	580	524	27,265
24	2026-04-24	616	554	28,807
25	2026-05-01	697	585	30,437
26	2026-05-08	706	618	32,159
27	2026-05-15	677	653	33,978
28	2026-05-22	806	690	35,900
29	2026-05-29	703	729	37,931
30	2026-06-05	840	771	40,077
31	2026-06-12	859	814	42,344
32	2026-06-19	829	860	44,740
33	2026-06-26	878	909	47,271
34	2026-07-03	885	960	49,945
35	2026-07-10	901	1015	52,771
36	2026-07-17	961	1072	55,756
37	2026-07-24	NA	1133	58,910
38	2026-07-31	NA	1197	62,243
39	2026-08-07	NA	1265	65,764
40	2026-08-14	NA	1336	69,484


Tonmya scripts with exponential model

raw Symphony data



Tonmya scripts with exponential model


raw Symphony data – for giggles



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.072075	-0.034016	0.004789	0.031297	0.072375

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.9420920	0.0136725	68.90	<2e-16 ***
wk	0.0166466	0.0006444	25.83	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.04017 on 34 degrees of freedom


Multiple R-squared: 0.9515, Adjusted R-squared: 0.9501

F-statistic: 667.3 on 1 and 34 DF, p-value: < 2.2e-16

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
29	703
33	878
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
30	840
34	885
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
31	859
35	901
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806
32	829
36	961

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:

	Estimate	Std. Error	t value	Pr(> t)	
a	2.368e+02	2.442e+01	9.698	2.54e-11	***
r	5.683e-02	3.742e-03	15.187	< 2e-16	***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 141.3 on 34 degrees of freedom

Number of iterations to convergence: 13


Achieved convergence tolerance: 3.091e-06

Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$250	\$13.0
2	2025-11-21	\$16	\$264	\$13.8
3	2025-11-28	\$54	\$280	\$14.5
4	2025-12-05	\$93	\$295	\$15.4
5	2025-12-12	\$179	\$312	\$16.2
6	2025-12-19	\$268	\$330	\$17.2
7	2025-12-26	\$212	\$349	\$18.1
8	2026-01-02	\$187	\$369	\$19.2
9	2026-01-09	\$264	\$389	\$20.3
10	2026-01-16	\$324	\$412	\$21.4
11	2026-01-23	\$367	\$435	\$22.6
12	2026-01-30	\$352	\$460	\$23.9
13	2026-02-06	\$451	\$486	\$25.3
14	2026-02-13	\$598	\$513	\$26.7
15	2026-02-20	\$639	\$543	\$28.2
16	2026-02-27	\$642	\$573	\$29.8
17	2026-03-06	\$750	\$606	\$31.5
18	2026-03-13	\$755	\$640	\$33.3
19	2026-03-20	\$935	\$677	\$35.2
20	2026-03-27	\$799	\$715	\$37.2
21	2026-04-03	\$811	\$756	\$39.3
22	2026-04-10	\$829	\$799	\$41.5
23	2026-04-17	\$950	\$844	\$43.9
24	2026-04-24	\$994	\$892	\$46.4
25	2026-05-01	\$1,129	\$943	\$49.0
26	2026-05-08	\$1,141	\$997	\$51.8
27	2026-05-15	\$1,092	\$1,053	\$54.8
28	2026-05-22	\$1,318	\$1,113	\$57.9
29	2026-05-29	\$1,132	\$1,177	\$61.2
30	2026-06-05	\$1,312	\$1,243	\$64.7
31	2026-06-12	\$1,394	\$1,314	\$68.3
32	2026-06-19	\$1,370	\$1,389	\$72.2
33	2026-06-26	\$1,430	\$1,468	\$76.3
34	2026-07-03	\$1,396	\$1,551	\$80.7
35	2026-07-10	\$1,459	\$1,639	\$85.2
36	2026-07-17	\$1,573	\$1,732	\$90.1
37	2026-07-24	NA	\$1,831	\$95.2
38	2026-07-31	NA	\$1,935	\$100.6
39	2026-08-07	NA	\$2,045	\$106.3
40	2026-08-14	NA	\$2,161	\$112.4


Tonmya sales with exponential model


raw Symphony data



Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data





Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

Min	1Q	Median	3Q	Max
-107.163	-51.013	-0.321	42.533	156.137

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-88.894	21.552	-4.125	0.000226 ***
wk	45.671	1.016	44.961	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 63.31 on 34 degrees of freedom

Multiple R-squared: 0.9835, Adjusted R-squared: 0.983


F-statistic: 2021 on 1 and 34 DF, p-value: < 2.2e-16

Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	-\$43	\$2.4
2	2025-11-21	\$16	\$2	\$4.7
3	2025-11-28	\$54	\$48	\$7.1
4	2025-12-05	\$93	\$94	\$9.5
5	2025-12-12	\$179	\$139	\$11.9
6	2025-12-19	\$268	\$185	\$14.2
7	2025-12-26	\$212	\$231	\$16.6
8	2026-01-02	\$187	\$276	\$19.0
9	2026-01-09	\$264	\$322	\$21.4
10	2026-01-16	\$324	\$368	\$23.7
11	2026-01-23	\$367	\$413	\$26.1
12	2026-01-30	\$352	\$459	\$28.5
13	2026-02-06	\$451	\$505	\$30.9
14	2026-02-13	\$598	\$551	\$33.2
15	2026-02-20	\$639	\$596	\$35.6
16	2026-02-27	\$642	\$642	\$38.0
17	2026-03-06	\$750	\$688	\$40.4
18	2026-03-13	\$755	\$733	\$42.7
19	2026-03-20	\$935	\$779	\$45.1
20	2026-03-27	\$799	\$825	\$47.5
21	2026-04-03	\$811	\$870	\$49.9
22	2026-04-10	\$829	\$916	\$52.2
23	2026-04-17	\$950	\$962	\$54.6
24	2026-04-24	\$994	\$1,007	\$57.0
25	2026-05-01	\$1,129	\$1,053	\$59.4
26	2026-05-08	\$1,141	\$1,099	\$61.7
27	2026-05-15	\$1,092	\$1,144	\$64.1
28	2026-05-22	\$1,318	\$1,190	\$66.5
29	2026-05-29	\$1,132	\$1,236	\$68.9
30	2026-06-05	\$1,312	\$1,281	\$71.2
31	2026-06-12	\$1,394	\$1,327	\$73.6
32	2026-06-19	\$1,370	\$1,373	\$76.0
33	2026-06-26	\$1,430	\$1,418	\$78.4
34	2026-07-03	\$1,396	\$1,464	\$80.7
35	2026-07-10	\$1,459	\$1,510	\$83.1
36	2026-07-17	\$1,573	\$1,555	\$85.5
37	2026-07-24	NA	\$1,601	\$87.9
38	2026-07-31	NA	\$1,647	\$90.2
39	2026-08-07	NA	\$1,692	\$92.6
40	2026-08-14	NA	\$1,738	\$95.0


Tonmya sales with linear model

raw Symphony data



Tonmya sales with linear model

long extrapolation, raw Symphony data



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

Min	1Q	Median	3Q	Max
-41.100	-19.100	-7.641	19.408	57.276

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-67.3746	9.4496	-7.13	3.06e-08 ***
wk	10.0983	0.4454	22.67	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 27.76 on 34 degrees of freedom

Multiple R-squared: 0.938, Adjusted R-squared: 0.9361

F-statistic: 514.1 on 1 and 34 DF, p-value: < 2.2e-16

