

Tonmya_Prescriptions

2026-10-06

Some simple models based on Tonmya sales

What are we doing here? - Just trying to get a grasp on the rate of increase and projecting out if that rate continues. It is not necessarily realistic to take it out as far as projections provide. Nothing here should be regarded as investment advice. I am not a financial analyst or advisor.

scripts Projection - at weekly rate - *linear model*

Call:

```
lm(formula = scripts ~ wk, data = df_scripts)
```

Residuals:

Min	1Q	Median	3Q	Max
-178.401	-30.180	-2.989	30.394	109.423

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-15.3646	16.5367	-0.929	0.358
wk	25.4265	0.6261	40.613	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 54.54 on 43 degrees of freedom

Multiple R-squared: 0.9746, Adjusted R-squared: 0.974

F-statistic: 1649 on 1 and 43 DF, p-value: < 2.2e-16

Scripts, Linear Model

wk	weekly_seq	total reported	linear predicted	annual
1	2025-11-14	2	10.1	1,322
2	2025-11-21	12	35.5	2,644
3	2025-11-28	35	60.9	3,967
4	2025-12-05	60	86.3	5,289
5	2025-12-12	126	111.8	6,611
6	2025-12-19	154	137.2	7,933
7	2025-12-26	127	162.6	9,255
8	2026-01-02	108	188.0	10,577
9	2026-01-09	163	213.5	11,900
10	2026-01-16	193	238.9	13,222
11	2026-01-23	219	264.3	14,544
12	2026-01-30	205	289.8	15,866
13	2026-02-06	285	315.2	17,188
14	2026-02-13	371	340.6	18,510
15	2026-02-20	384	366.0	19,833
16	2026-02-27	401	391.5	21,155
17	2026-03-06	462	416.9	22,477
18	2026-03-13	483	442.3	23,799
19	2026-03-20	572	467.7	25,121
20	2026-03-27	525	493.2	26,444
21	2026-04-03	515	518.6	27,766
22	2026-04-10	548	544.0	29,088
23	2026-04-17	580	569.4	30,410
24	2026-04-24	616	594.9	31,732
25	2026-05-01	697	620.3	33,054
26	2026-05-08	706	645.7	34,377
27	2026-05-15	677	671.2	35,699
28	2026-05-22	806	696.6	37,021
29	2026-05-29	703	722.0	38,343
30	2026-06-05	840	747.4	39,665
31	2026-06-12	859	772.9	40,987
32	2026-06-19	829	798.3	42,310
33	2026-06-26	878	823.7	43,632
34	2026-07-03	857	849.1	44,954
35	2026-07-10	903	874.6	46,276
36	2026-07-17	897	900.0	47,598
37	2026-07-24	920	925.4	48,921
38	2026-07-31	916	950.8	50,243
39	2026-08-07	944	976.3	51,565
40	2026-08-14	926	1,001.7	52,887
41	2026-08-21	1011	1,027.1	54,209
42	2026-08-28	1005	1,052.5	55,531
43	2026-09-04	1057	1,078.0	56,854
44	2026-09-11	925	1,103.4	58,176
45	2026-09-18	1123	1,128.8	59,498
46	2026-09-25	NA	1,154.3	60,820
47	2026-10-02	NA	1,179.7	62,142
48	2026-10-09	NA	1,205.1	63,464



```
[1] 0.7349111
```

Refills since they started

Call:

```
lm(formula = refills ~ wk, data = df_scripts[df_scripts$refills >
  0, ])
```

Residuals:

Min	1Q	Median	3Q	Max
-33.268	-12.683	-2.436	11.317	40.859

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-97.8316	7.1904	-13.61	5.65e-16 ***
wk	11.0704	0.2538	43.62	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 17.84 on 37 degrees of freedom

Multiple R-squared: 0.9809, Adjusted R-squared: 0.9804

F-statistic: 1903 on 1 and 37 DF, p-value: < 2.2e-16

Scripts Projection - at weekly growth rate - *exponential model*

Formula: $\text{scripts} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	2.057e+02	2.006e+01	10.25	4.02e-13 ***
r	4.036e-02	2.851e-03	14.15	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 118.7 on 43 degrees of freedom

Number of iterations to convergence: 12

Achieved convergence tolerance: 4.558e-06




Scripts, Exponential Model

wk	weekly_seq	total reported	exp predicted	annual
1	2025-11-14	2	214	11,129
2	2025-11-21	12	223	11,578
3	2025-11-28	35	232	12,045
4	2025-12-05	60	241	12,532
5	2025-12-12	126	251	13,037
6	2025-12-19	154	261	13,564
7	2025-12-26	127	271	14,111
8	2026-01-02	108	282	14,680
9	2026-01-09	163	294	15,273
10	2026-01-16	193	306	15,889
11	2026-01-23	219	318	16,531
12	2026-01-30	205	331	17,198
13	2026-02-06	285	344	17,892
14	2026-02-13	371	358	18,614
15	2026-02-20	384	372	19,365
16	2026-02-27	401	387	20,147
17	2026-03-06	462	403	20,960
18	2026-03-13	483	419	21,806
19	2026-03-20	572	436	22,686
20	2026-03-27	525	454	23,601
21	2026-04-03	515	472	24,554
22	2026-04-10	548	491	25,545
23	2026-04-17	580	511	26,576
24	2026-04-24	616	532	27,648
25	2026-05-01	697	553	28,764
26	2026-05-08	706	575	29,925
27	2026-05-15	677	599	31,133
28	2026-05-22	806	623	32,389
29	2026-05-29	703	648	33,697
30	2026-06-05	840	674	35,057
31	2026-06-12	859	701	36,471
32	2026-06-19	829	730	37,943
33	2026-06-26	878	759	39,475
34	2026-07-03	857	790	41,068
35	2026-07-10	903	822	42,725
36	2026-07-17	897	855	44,450
37	2026-07-24	920	889	46,244
38	2026-07-31	916	925	48,110
39	2026-08-07	944	963	50,052
40	2026-08-14	926	1001	52,072
41	2026-08-21	1011	1042	54,173
42	2026-08-28	1005	1084	56,359
43	2026-09-04	1057	1128	58,634
44	2026-09-11	925	1173	61,000
45	2026-09-18	1123	1220	63,462
46	2026-09-25	NA	1270	66,024
47	2026-10-02	NA	1321	68,688
48	2026-10-09	NA	1374	71,460

Tonmya scripts with exponential model


raw Symphony data – for giggles



TRx Total Prescriptions by Weekly Cohorts

Tonmya total prescriptions

broken into week cohorts 1 through 4, raw Symphony data



total / new scripts at weekly rate - *linear model*

wk	scripts_reported
1	
1	2
5	126
9	163
13	285
17	462
21	515
25	697
29	703
33	878
37	920
41	1011
45	1123
2	
2	12
6	154
10	193
14	371
18	483
22	548
26	706
30	840
34	857
38	916
42	1005
3	
3	35
7	127
11	219
15	384
19	572
23	580
27	677
31	859
35	903
39	944
43	1057
4	
4	60
8	108
12	205
16	401
20	525
24	616
28	806
32	829
36	897

Call:

```
lm(formula = total_to_new ~ wk, data = trx_nrx_df)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-0.066228	-0.035943	-0.005909	0.029909	0.073883

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.9623758	0.0125802	76.50	<2e-16 ***
wk	0.0151396	0.0004763	31.79	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residual standard error: 0.04149 on 43 degrees of freedom

Multiple R-squared: 0.9592, Adjusted R-squared: 0.9582

F-statistic: 1010 on 1 and 43 DF, p-value: < 2.2e-16

Tonmya total / new prescriptions linear model

raw Symphony data



Sales Projection - at weekly growth rate - *exponential model*

Formula: $\text{sales} \sim a * (1 + r)^{\text{wk}}$

Parameters:


	Estimate	Std. Error	t value	Pr(> t)
a	3.307e+02	3.238e+01	10.21	4.56e-13 ***
r	4.031e-02	2.863e-03	14.08	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 191.5 on 43 degrees of freedom

Number of iterations to convergence: 10

Achieved convergence tolerance: 4.331e-06




Exponential Model

wk	weekly_seq	sales, thousands	exp, thousands	annual, M
1	2025-11-14	\$2	\$344	\$17.9
2	2025-11-21	\$16	\$358	\$18.6
3	2025-11-28	\$54	\$372	\$19.4
4	2025-12-05	\$93	\$387	\$20.1
5	2025-12-12	\$179	\$403	\$21.0
6	2025-12-19	\$268	\$419	\$21.8
7	2025-12-26	\$212	\$436	\$22.7
8	2026-01-02	\$187	\$454	\$23.6
9	2026-01-09	\$264	\$472	\$24.5
10	2026-01-16	\$324	\$491	\$25.5
11	2026-01-23	\$367	\$511	\$26.6
12	2026-01-30	\$352	\$531	\$27.6
13	2026-02-06	\$451	\$553	\$28.7
14	2026-02-13	\$598	\$575	\$29.9
15	2026-02-20	\$639	\$598	\$31.1
16	2026-02-27	\$642	\$622	\$32.4
17	2026-03-06	\$750	\$647	\$33.7
18	2026-03-13	\$755	\$674	\$35.0
19	2026-03-20	\$935	\$701	\$36.4
20	2026-03-27	\$799	\$729	\$37.9
21	2026-04-03	\$811	\$758	\$39.4
22	2026-04-10	\$829	\$789	\$41.0
23	2026-04-17	\$950	\$821	\$42.7
24	2026-04-24	\$994	\$854	\$44.4
25	2026-05-01	\$1,129	\$888	\$46.2
26	2026-05-08	\$1,141	\$924	\$48.0
27	2026-05-15	\$1,092	\$961	\$50.0
28	2026-05-22	\$1,318	\$1,000	\$52.0
29	2026-05-29	\$1,132	\$1,040	\$54.1
30	2026-06-05	\$1,312	\$1,082	\$56.3
31	2026-06-12	\$1,394	\$1,126	\$58.5
32	2026-06-19	\$1,370	\$1,171	\$60.9
33	2026-06-26	\$1,430	\$1,219	\$63.4
34	2026-07-03	\$1,396	\$1,268	\$65.9
35	2026-07-10	\$1,428	\$1,319	\$68.6
36	2026-07-17	\$1,434	\$1,372	\$71.3
37	2026-07-24	\$1,465	\$1,427	\$74.2
38	2026-07-31	\$1,439	\$1,485	\$77.2
39	2026-08-07	\$1,480	\$1,545	\$80.3
40	2026-08-14	\$1,425	\$1,607	\$83.6
41	2026-08-21	\$1,633	\$1,672	\$86.9
42	2026-08-28	\$1,629	\$1,739	\$90.4
43	2026-09-04	\$1,699	\$1,809	\$94.1
44	2026-09-11	\$1,490	\$1,882	\$97.9
45	2026-09-18	\$1,845	\$1,958	\$101.8
46	2026-09-25	NA	\$2,037	\$105.9
47	2026-10-02	NA	\$2,119	\$110.2
48	2026-10-09	NA	\$2,204	\$114.6


Tonmya sales with exponential model

long extrapolation – for amusement, raw Symphony data



Tonmya sales

broken into week cohorts 1 through 4, raw Symphony data



Sales Projection - at weekly rate - *linear model*

Call:

```
lm(formula = sales ~ wk, data = df_sales)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-279.383	-51.141	-9.709	45.568	199.965

Coefficients:


	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-21.82	28.00	-0.779	0.44
wk	40.71	1.06	38.400	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 92.36 on 43 degrees of freedom


Multiple R-squared: 0.9717, Adjusted R-squared: 0.971

F-statistic: 1475 on 1 and 43 DF, p-value: < 2.2e-16



Linear Model

wk	weekly_seq	sales, thousands	linear, thousands	annual, M
1	2025-11-14	\$2	\$19	\$2.1
2	2025-11-21	\$16	\$60	\$4.2
3	2025-11-28	\$54	\$100	\$6.4
4	2025-12-05	\$93	\$141	\$8.5
5	2025-12-12	\$179	\$182	\$10.6
6	2025-12-19	\$268	\$222	\$12.7
7	2025-12-26	\$212	\$263	\$14.8
8	2026-01-02	\$187	\$304	\$16.9
9	2026-01-09	\$264	\$345	\$19.1
10	2026-01-16	\$324	\$385	\$21.2
11	2026-01-23	\$367	\$426	\$23.3
12	2026-01-30	\$352	\$467	\$25.4
13	2026-02-06	\$451	\$507	\$27.5
14	2026-02-13	\$598	\$548	\$29.6
15	2026-02-20	\$639	\$589	\$31.8
16	2026-02-27	\$642	\$630	\$33.9
17	2026-03-06	\$750	\$670	\$36.0
18	2026-03-13	\$755	\$711	\$38.1
19	2026-03-20	\$935	\$752	\$40.2
20	2026-03-27	\$799	\$792	\$42.3
21	2026-04-03	\$811	\$833	\$44.5
22	2026-04-10	\$829	\$874	\$46.6
23	2026-04-17	\$950	\$914	\$48.7
24	2026-04-24	\$994	\$955	\$50.8
25	2026-05-01	\$1,129	\$996	\$52.9
26	2026-05-08	\$1,141	\$1,037	\$55.0
27	2026-05-15	\$1,092	\$1,077	\$57.2
28	2026-05-22	\$1,318	\$1,118	\$59.3
29	2026-05-29	\$1,132	\$1,159	\$61.4
30	2026-06-05	\$1,312	\$1,199	\$63.5
31	2026-06-12	\$1,394	\$1,240	\$65.6
32	2026-06-19	\$1,370	\$1,281	\$67.7
33	2026-06-26	\$1,430	\$1,322	\$69.9
34	2026-07-03	\$1,396	\$1,362	\$72.0
35	2026-07-10	\$1,428	\$1,403	\$74.1
36	2026-07-17	\$1,434	\$1,444	\$76.2
37	2026-07-24	\$1,465	\$1,484	\$78.3
38	2026-07-31	\$1,439	\$1,525	\$80.4
39	2026-08-07	\$1,480	\$1,566	\$82.6
40	2026-08-14	\$1,425	\$1,607	\$84.7
41	2026-08-21	\$1,633	\$1,647	\$86.8
42	2026-08-28	\$1,629	\$1,688	\$88.9
43	2026-09-04	\$1,699	\$1,729	\$91.0
44	2026-09-11	\$1,490	\$1,769	\$93.1
45	2026-09-18	\$1,845	\$1,810	\$95.3
46	2026-09-25	NA	\$1,851	\$97.4
47	2026-10-02	NA	\$1,892	\$99.5
48	2026-10-09	NA	\$1,932	\$101.6



Refills - at weekly rate - *linear model*

Call:

```
lm(formula = refills ~ wk, data = trx_nrx_df)
```

Residuals:

Min	1Q	Median	3Q	Max
-40.594	-17.130	-1.813	13.992	58.284

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-68.4182	7.3711	-9.282	7.88e-12 ***
wk	10.1341	0.2791	36.314	< 2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 24.31 on 43 degrees of freedom

Multiple R-squared: 0.9684, Adjusted R-squared: 0.9677

F-statistic: 1319 on 1 and 43 DF, p-value: < 2.2e-16

Tonmya refills with linear model

raw Symphony data

