

SRRender

Generated by Doxygen 1.8.11

Contents

1	SRRender	1
2	Namespace Index	2
2.1	Namespace List	2
3	Class Index	2
3.1	Class List	2
4	File Index	2
4.1	File List	2
5	Namespace Documentation	2
5.1	srrender Namespace Reference	2
5.1.1	Typedef Documentation	3
6	Class Documentation	3
6.1	srrender::SRRender2D< FloatT, IdxT > Class Template Reference	3
6.1.1	Detailed Description	4
6.1.2	Member Typedef Documentation	4
6.1.3	Member Function Documentation	5
6.1.4	Member Data Documentation	5
7	File Documentation	5
7.1	README.md File Reference	5
7.2	SRRender.h File Reference	5
7.2.1	Detailed Description	6
Index		7

1 SRRender

Super-resolution microscopy parallel rendering tool for Matlab and C++.

LICENSE

- Copyright: 2014-2019
- Author: Mark J. Olah
- Email: ([mjo@cs.unm](mailto:mjo@cs.unm.edu) DOT edu)
- LICENSE: Apache 2.0. See [LICENSE](#) file.

2 Namespace Index

2.1 Namespace List

Here is a list of all namespaces with brief descriptions:

[srrender](#) 2

3 Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

[srrender::SRRender2D< FloatT, IdxT >](#) 3

4 File Index

4.1 File List

Here is a list of all files with brief descriptions:

[SRRender.h](#)
The class declaration and inline and templated functions for SRRender 5

5 Namespace Documentation

5.1 srrender Namespace Reference

Classes

- class [SRRender2D](#)

Typedefs

- using [SRRenderError](#) = backtrace_exception::BacktraceException

5.1.1 Typedef Documentation

5.1.1.1 using srrender::SRRenderError = typedef backtrace_exception::BacktraceException

Definition at line 17 of file SRRender.h.

6 Class Documentation

6.1 srrender::SRRender2D< FloatT, IdxT > Class Template Reference

```
#include </home/travis/build/markjolah/SRRender/include/SRRender/SRRender.h>
```

Public Types

- using [IVecT](#) = arma::Col< IdxT >
- using [VecT](#) = arma::Col< FloatT >
- using [ImageT](#) = arma::Mat< FloatT >
- using [MovieT](#) = arma::Cube< FloatT >
- using [EmitterVecT](#) = arma::Mat< FloatT >

Static Public Member Functions

- static void [renderHist](#) (const [EmitterVecT](#) &points, const [VecT](#) &roi, [ImageT](#) &im)
- static void [renderGauss](#) (const [EmitterVecT](#) &points, const [VecT](#) &roi, [ImageT](#) &im, FloatT sigma↔ Accuracy=[DefaultSigmaAccuracy](#))
- static void [renderHistMovie](#) (const [EmitterVecT](#) &points, const [VecT](#) &roi, [MovieT](#) &im)
- static void [renderGaussMovie](#) (const [EmitterVecT](#) &points, const [VecT](#) &roi, [MovieT](#) &im, FloatT sigma↔ Accuracy=[DefaultSigmaAccuracy](#))

Static Public Attributes

- static const FloatT [DefaultSigmaAccuracy](#)

6.1.1 Detailed Description

```
template<class FloatT = float, class IdxT = uint32_t>
class srrender::SRRender2D< FloatT, IdxT >
```

Points format. Row-oriented each row is a point, each column is a property 2D renderHist Columns: [I X Y] 2D render←
 Gauss Columns:[I X Y sigmaX sigmaY] 2D renderHistMovie Columns: [I X Y Frame] - Frame is 0-indexed 2D render←
 GaussMovie Columns:[I X Y sigmaX sigmaY Frame] - Frame is 0-indexed

The 'size' parameter gives the size of the entire field of view to be rendered in units corresponding to the points format vectors.

Definition at line 32 of file SRRender.h.

6.1.2 Member Typedef Documentation

6.1.2.1 `template<class FloatT = float, class IdxT = uint32_t> using srrender::SRRender2D< FloatT, IdxT >::EmitterVecT = arma::Mat<FloatT>`

Definition at line 38 of file SRRender.h.

6.1.2.2 `template<class FloatT = float, class IdxT = uint32_t> using srrender::SRRender2D< FloatT, IdxT >::ImageT = arma::Mat<FloatT>`

Definition at line 36 of file SRRender.h.

6.1.2.3 `template<class FloatT = float, class IdxT = uint32_t> using srrender::SRRender2D< FloatT, IdxT >::IVecT = arma::Col<IdxT>`

Definition at line 34 of file SRRender.h.

6.1.2.4 `template<class FloatT = float, class IdxT = uint32_t> using srrender::SRRender2D< FloatT, IdxT >::MovieT = arma::Cube<FloatT>`

Definition at line 37 of file SRRender.h.

6.1.2.5 `template<class FloatT = float, class IdxT = uint32_t> using srrender::SRRender2D< FloatT, IdxT >::VecT = arma::Col<FloatT>`

Definition at line 35 of file SRRender.h.

6.1.3 Member Function Documentation

6.1.3.1 `template<class FloatT = float, class IdxT = uint32_t> static void srrender::SRRender2D< FloatT, IdxT >::renderGauss (const EmitterVecT & points, const VecT & roi, ImageT & im, FloatT sigmaAccuracy = DefaultSigmaAccuracy) [static]`

6.1.3.2 `template<class FloatT = float, class IdxT = uint32_t> static void srrender::SRRender2D< FloatT, IdxT >::renderGaussMovie (const EmitterVecT & points, const VecT & roi, MovieT & im, FloatT sigmaAccuracy = DefaultSigmaAccuracy) [static]`

6.1.3.3 `template<class FloatT = float, class IdxT = uint32_t> static void srrender::SRRender2D< FloatT, IdxT >::renderHist (const EmitterVecT & points, const VecT & roi, ImageT & im) [static]`

6.1.3.4 `template<class FloatT = float, class IdxT = uint32_t> static void srrender::SRRender2D< FloatT, IdxT >::renderHistMovie (const EmitterVecT & points, const VecT & roi, MovieT & im) [static]`

6.1.4 Member Data Documentation

6.1.4.1 `template<class FloatT = float, class IdxT = uint32_t> const FloatT srrender::SRRender2D< FloatT, IdxT >::DefaultSigmaAccuracy [static]`

Definition at line 39 of file SRRender.h.

The documentation for this class was generated from the following file:

- [SRRender.h](#)

7 File Documentation


7.1 README.md File Reference

7.2 SRRender.h File Reference

The class declaration and inline and templated functions for SRRender.

```
#include <BacktraceException/BacktraceException.h>
#include <armadillo>
```

Include dependency graph for SRRender.h:



Classes

- class [srrender::SRRender2D< FloatT, IdxT >](#)

Namespaces

- [srrender](#)

Typedefs

- using [srrender::SRRenderError](#) = [backtrace_exception::BacktraceException](#)

7.2.1 Detailed Description

The class declaration and inline and templated functions for SRRender.

Author

Mark J. Olah (mjo@cs.unm DOT edu)

Date

2014-2019 Rendering of SR emitter localizations

Index

- DefaultSigmaAccuracy
 - srrender::SRRender2D, [5](#)
- EmitterVecT
 - srrender::SRRender2D, [4](#)
- IVecT
 - srrender::SRRender2D, [4](#)
- ImageT
 - srrender::SRRender2D, [4](#)
- MovieT
 - srrender::SRRender2D, [4](#)
- README.md, [5](#)
- renderGauss
 - srrender::SRRender2D, [5](#)
- renderGaussMovie
 - srrender::SRRender2D, [5](#)
- renderHist
 - srrender::SRRender2D, [5](#)
- renderHistMovie
 - srrender::SRRender2D, [5](#)
- SRRender.h, [5](#)
- SRRenderError
 - srrender, [3](#)
- srrender, [2](#)
 - SRRenderError, [3](#)
- srrender::SRRender2D< FloatT, IdxT >, [3](#)
- srrender::SRRender2D
 - DefaultSigmaAccuracy, [5](#)
 - EmitterVecT, [4](#)
 - IVecT, [4](#)
 - ImageT, [4](#)
 - MovieT, [4](#)
 - renderGauss, [5](#)
 - renderGaussMovie, [5](#)
 - renderHist, [5](#)
 - renderHistMovie, [5](#)
 - VecT, [4](#)
- VecT
 - srrender::SRRender2D, [4](#)