

PRISM

The Manufacturing Intelligence Platform

One platform. Every manufacturing process. Physics-based AI intelligence.

109,814 tools | 6,346 materials | 888 machines | 850 algorithms from 220 university courses
Built in 85 days. \$9M–\$16M replacement value. No direct competitor.

Version: 9.0 | **Date:** March 2026 | **Classification:** Confidential

THE OPPORTUNITY

Manufacturing software is fragmented. PRISM unifies it.

Today's machine shops pay for 5–8 separate software subscriptions — a CAM system (\$15K–\$60K/seat), a speed/feed calculator (\$500–\$2K), an ERP system (\$15K–\$50K/yr), machine monitoring (\$500–\$2K/machine/yr), quality software (\$10K–\$30K/yr), and compliance tools (\$5K–\$15K/yr). None of these systems talk to each other. None use physics. None learn.

PRISM replaces all of them with a single AI-native platform built on peer-reviewed physics from 220 university courses, backed by the largest curated manufacturing database in existence.

Market Size

Segment	TAM	PRISM Coverage
CAM Software	\$3.2B	Toolpath strategy, post-processing, simulation
Manufacturing ERP	\$5.1B	Job costing, scheduling, inventory, HR, accounting
Machine Monitoring	\$2.8B	OPC-UA, adaptive control, digital twin
Quality/SPC	\$1.4B	SPC, CMM, GD&T, tolerance analysis
Speed/Feed Calculators	\$400M	Physics-based, AI-optimized, 7 operations
Manufacturing Training	\$600M	15-course LMS, apprentice system
Total Addressable	\$13.5B	PRISM addresses all segments

Competitive Landscape

Company	Funding/Valuation	What They Do	PRISM Advantage
Xometry	\$1.2B market cap	Upload-to-quote marketplace	We do quote + program + monitor + manage
MachineMetrics	\$80M+ raised	Machine monitoring only	We add physics, adaptive control, 850 algorithms
ProShop ERP	Private, \$50K+/yr	Shop management only	We integrate manufacturing intelligence into ERP
Vericut	Private, \$30K+/yr	Simulation only	We simulate + optimize + generate + post-process
Mastercam/Autodesk	\$B+ enterprises	CAM software	We offer cross-CAM portability + physics no CAM has

No competitor combines all capabilities. PRISM is category-defining.

THE 4 LAUNCH PRODUCTS

Product 1: PRISM Speed & Feed Calculator (SFC)

The most comprehensive speed/feed calculator in existence.

Physics-based, not empirical lookup. Accepts ANY input subset and infers all missing parameters. Far exceeds Harvey Tool, Kennametal, and Sandvik calculators combined.

What Makes It Different

Every competitor uses lookup tables. PRISM uses physics.

- **Kienzle (1952):** Real cutting force prediction — $F_c = k_c 1.1 \times a_p \times f_z^{(1-m_c)}$
- **Taylor (1907):** Tool life prediction with cost optimization — $VT^n = C$
- **Loewen-Shaw:** Thermal damage risk with coating-aware temperature limits
- **Brammertz:** Surface finish prediction from feed geometry + runout + vibration
- **Gilbert:** Economic optimization balancing tool cost vs machine time

PRISM Mode — AI-Optimized Parameters:

- Machine learning trained on 220 university courses + 109,814 tools + 6,346 materials
- Multi-objective optimization: tool life, surface finish, MRR, and cost simultaneously
- Confidence scoring (0-1) on every output parameter
- Formula transparency — shows exact equation used for every value
- 3 output modes: Conservative / Balanced / Aggressive

7 Operations x 6 ISO Groups x 3 Cut Types = 126+ Parameter Combinations: Milling, turning, drilling, tapping, reaming, boring, thread milling — each with roughing, semi-finishing, and finishing parameters across all material families.

Smart Recommendation Engine

Feature	What It Does	Value
Tooling with ROI	Recommends from 109,814-tool catalog. Shows cost/part, tool life, time savings vs current tool	Reduces tool spend 15-25%
Machine Selection	Recommends which machine should run each job based on spindle power, rigidity, utilization	Improves shop utilization 10-20%
Fixturing	Recommends workholding with clamp force calculations and safety margins	Prevents part ejection
Outsourcing Intelligence	Calculates in-house vs outsource cost. Integrates with supplier marketplace	Saves 15-30% on outsourced work
Buy Popup	When a recommended tool isn't owned, shows pricing from MSC, Grainger, manufacturer direct	One-click procurement

Plugin Strategy (Network Effect Moat)

Fusion 360 Plugin (Built): Exports PRISM's 109K+ tools as Fusion 360 libraries with auto-filled cutting parameters. When users have our plugin, SFC results are MORE ACCURATE because we have real tool geometry + material-specific physics.

Planned: Mastercam, SolidCAM, HyperMill, NX, PowerMill, Esprit, GibbsCAM. Each plugin deepens the data moat and increases switching costs.

Estimated Value: \$120K–\$200K/yr per enterprise customer

Product 2: PRISM Post Processor Generator (PPG)

Cross-CAM post processing with physics-backed feed optimization and machine-specific feature injection.

Takes toolpath output from ANY CAM system and generates optimized G-code for ANY controller — with capabilities no single CAM offers.

3-Engine Architecture

Engine 1 — Base G-code Generation:

- 13 controller families: FANUC, HAAS, SIEMENS, HEIDENHAIN, MAZAK, OKUMA, BROTHER, HURCO, FAGOR, DMG_MORI, DOOSAN, MITSUBISHI, GRBL
- 20+ dialect variations, canned cycle translation, work offset management

Engine 2 — Advanced Feature Injection:

Feature	Capability	Controllers
HSM Arc Fitting	NURBS interpolation, corner rounding, jerk limiting	FANUC G05.1, SIEMENS COMPCAD, HAAS G187
Physics-Backed Feed Optimization	Chip thinning compensation, corner slowdown — using Kienzle	All
Tool Management	Sister tooling rotation, break detection, auto wear offset	All
In-Process Measurement	Probe features every N parts, auto-compensate, SPC logging	All with probing
Multi-Axis RTCP	G43.4/G43.5 (FANUC), TRAORI (SIEMENS), TCPM (HEIDENHAIN)	5-axis

Engine 3 — Cross-CAM Orchestrator:

- Mix toolpaths from DIFFERENT CAM systems in one program
- Apply best features from each: iMachining + HyperMill collision avoidance + Fusion adaptive
- 204+ tribal knowledge tips injected as enhancements
- RL-based format selection that learns over time

The Differentiator: Auto Speed/Feed in Post

PostProcessorFeedOptimizerEngine recalculates feeds for corner dynamics using the same Kienzle physics as Product 1. Combined with our CAM plugins: **real tool geometry + real material data = feeds optimized beyond what any standalone CAM can achieve.**

Custom Algorithm Support

6 novel PRISM algorithms (TGAR, HRAF, MTHZD, CFSF, PTDC, VCER) + 18 extended scientific algorithms + cross-CAM best practices.

G-Code Transpilation

Convert existing G-code between ANY of 17+ controller dialects — FANUC to SIEMENS, HAAS to HEIDENHAIN, and back.

Estimated Value: \$200K–\$350K/yr per enterprise customer

Product 3: Print-to-Program Pipeline

Upload an engineering drawing. Get a complete CNC program with tool list, setup sheet, and confidence scoring.

Uses Products 1 & 2 internally — the products compound.

5-Stage Pipeline

Stage 1 — Drawing Intake: BlueprintOCREngine extracts dimensions (linear, diameter, radius, angular, thread, chamfer, counterbore/countersink), all 14 ASME Y14.5 GD&T symbols, title block metadata, process notes. Confidence-scored.

Stage 2 — Feature Extraction: PrintToGeometryEngine converts extracted data to machinable features (40+ types including aerospace turbine slots, medical bone screw threads, mold cooling channels). Generates parametric 3D models.

Stage 3 — Process Planning: UltimateSpeedFeedEngine (Product 1) calculates speeds/feeds for EVERY operation. Auto tool selection from 109,814-tool catalog. Kienzle force, Taylor tool life, deflection checks.

Stage 4 — Program Generation: PostProcessorEngine (Product 2) generates controller-specific G-code with all advanced features.

Stage 5 — Validation: Safety checks, setup sheet, tool list, inspection plan, overall confidence score.

Blueprint-to-Quote Bridge (Xometry Competitor)

BlueprintToQuoteBridgeEngine translates extracted data directly to instant quote. Auto-maps 20+ material callouts, detects secondary ops from notes. **Competes with Xometry's upload-to-quote at a fraction of the cost.**

Estimated Value: \$150K–\$250K/yr per enterprise customer

Product 4: Full ERP / Business Management / Accounting

Complete shop management — quoting, job tracking, scheduling, inventory, HR/payroll, customers, purchasing, financial reporting, and compliance. Replaces JobBOSS + E2 + ProShop + QuickBooks combined.

193 Actions Across 20+ Engines

Multi-Process Quoting (9 Quote Engines): CNC machining, sheet metal, injection molding (6 mold classes, 25+ plastics), additive (FDM/SLA/SLS/MJF/DMLS), casting (sand/investment/die), weld fabrication, multi-process composite. Physics-backed cost estimation.

Job Lifecycle (13-State Machine): Quoted > Ordered > Scheduled > In-Progress > On-Hold > QC-Pending > QC-Passed/Failed > Finishing > Complete > Shipped > Invoiced > Closed

Scheduling (5+ Algorithms): FIFO, SPT, EDD, CR, SLACK dispatching + Johnson's algorithm + CPM + genetic algorithm optimizer + bottleneck analysis + capacity planning

Full Accounting: General Ledger with double-entry bookkeeping, chart of accounts, trial balance, P&L, balance sheet, invoice generation, AP/AR aging, purchase orders with 3-way match

HR & Payroll: Employee lifecycle, time clock, payroll calculation (gross, tax, FICA, health, 401k), training paths, certification tracking

Customer CRM: CRUD, credit checking, sales pipeline, opportunity tracking, communication logging, analytics

Inventory: EOQ, safety stock, ABC analysis, reorder alerts, vendor directory (MSC, Grainger)

SaaS Billing (Built-in): Stripe integration with checkout, portal, webhooks. Subscription tiers: Free / \$29 / \$79 + Enterprise. Post-processor purchases (monthly/annual/permanent/bundles).

Estimated Value: \$200K–\$400K/yr per enterprise customer

PLATFORM DEPTH: COMPLETE MANUFACTURING PROCESS COVERAGE

PRISM covers every manufacturing process, not just milling and turning.

Traditional Machining

- **Milling:** Face, profile, pocket, slot, adaptive, trochoidal, HSM, HPC, plunge, ball nose scallop
- **Turning:** OD, ID, facing, grooving, threading, parting, taper, bar feeder, chuck force, tailstock
- **5-Axis:** RTCP compensation, singularity avoidance, tilt optimization, work envelope, inverse kinematics (SAFETY CRITICAL)
- **Mill-Turn:** Live tooling, sub-spindle, multi-channel, bar feeder, Swiss-type
- **Drilling:** Standard, peck, gun-drill, deep hole (9 specialized actions), spot, center, reaming
- **Boring:** Rough/finish, deflection compensation, bore finishing
- **Threading:** 21 actions, 4 standards (ISO/Unified/Acme/Pipe), Go/No-Go gauges, thread milling with helical kinematics

Non-Traditional Machining

- **Wire EDM:** Wire tension, dielectric, pulse, surface integrity, recast layer prediction
- **Sinker EDM:** Electrode design, spark gap, electrode wear, flushing, VDI 3399
- **Micro EDM:** Micro-hole drilling, precision cavity machining
- **Laser Cutting:** Speed/power/kerf, 50+ machine models (CO2, fiber, green), gas selection
- **Laser Marking:** Parameters, depth control
- **Waterjet:** Abrasive/pure mode, Q1–Q5 quality levels, taper prediction
- **Plasma Cutting:** Arc speed, gas selection, kerf width
- **Ultrasonic Machining:** Frequency, amplitude, abrasive slurry
- **Electrochemical Machining:** Electrode gap, current density, MRR

Grinding

Surface, cylindrical, centerless, creep feed — wheel selection (ANSI B74.13), dressing, burn/white-layer threshold detection

Secondary Operations

Honing, lapping, polishing/burnishing, deburring, knurling, power skiving, broaching, gear hobbing, spline milling, keyway cutting, chamfering

Forming & Casting

Sheet metal (press brake, flat pattern, nesting), tube forming, wire drawing, rolling mill, extrusion, injection molding, blow/compression/rotational molding, vacuum/centrifugal/die/investment/sand casting

Welding & Joining

MIG, TIG, stick, flux-core, sub-arc, laser, electron beam, friction stir, brazing, adhesive bonding, ultrasonic welding

Heat Treatment & Surface Processing

Anneal, normalize, quench, temper, case harden, age, stress relief, anodizing (Type I/II/III), passivation, plating/electroplating, shot peening, nitriding, carburizing, cryogenic treatment, masking (6 methods)

Additive Manufacturing

Melt pool dynamics, scan strategy optimization, thermal stress prediction, process window, 3D printed fixtures

THE DATA MOAT

PRISM's competitive advantage compounds over time through accumulated data no competitor can easily replicate.

Manufacturing Data Assets

Asset	Scale	Depth
Tool Catalog	109,814 tools from 33 manufacturers	Geometry, speeds/feeds, coatings, life data per material
Materials Database	6,346+ materials	127 Kienzle-enriched parameters each (force coefficients, thermal, machinability)
Machine Profiles	888 machines from 43 manufacturers	Spindle curves, axis dynamics, ATC, kinematics, collision zones (Level 4-5)
Formulas	499 across 27 domains	Kienzle, Taylor, Johnson-Cook, Brammertz, Merchant, Oxley, Usui, Archard
Toolpath Strategies	697+ cross-CAM	Best practices from 18 CAM systems
Shop Practice Library	3,700+ tips, 296 playbook rules	From 18 CAM systems, searchable, confidence-scored
Alarm Database	2,500+ entries	12 controller families with remediation procedures
Thread Standards	4 complete standards	ISO, Unified, Acme, Pipe with Go/No-Go gauges
ISO 286 Tolerances	42 size bands, 19 IT grades	35+ position combinations, 0-3150mm range

Tool Manufacturers Integrated

Sandvik, Kennametal, Mitsubishi, Iscar, Sumitomo Electric, Helical Solutions, Harvey, Niagara, Walter, Kyocera, Seco, Garr, Widia, Mapal, OSG, Dormer Pramet, YG1, Nachi, Guhring, Tungaloy, Korloy, Emuge, Accupro, SGS, Horn, Ingersoll, Union Tool, MA-Ford, RapidKut, Camfix, Widia, Flash, AMPC

Machine Manufacturers Profiled

Manufacturer	Machines	Manufacturer	Machines
Haas	139	Mazak	107
DMG MORI	94	Okuma	60
DN Solutions	56	Hurco	49
Makino	30	Brother	28
Hyundai WIA	26	Matsuura	22

Spinner	17	Chiron	15
Feeler	15	Hardinge	14
Hermle	13	Citizen	13
Plus 27 more manufacturers	277 total		

THE ACADEMIC FOUNDATION

220 University Courses from 12 Universities with 850 Algorithms

This is PRISM's deepest moat. While competitors use empirical lookup tables from cutting tool catalogs, PRISM implements peer-reviewed physics from the world's leading engineering programs.

Universities Represented

University	Courses	Key Domains
MIT	40+	Manufacturing (2.830J), Signals (6.003), Controls (2.14), Mechanics (3.22), Probability (6.041), Linear Algebra (18.06), Geometry (2.158J)
Stanford	20+	Reinforcement Learning (CS234), Compilers (CS164), Optimization
Berkeley	15+	Computational Geometry (CS274), Signal Processing
Carnegie Mellon	12+	Robotics, Machine Learning, Manufacturing Systems
Georgia Tech	10+	Manufacturing Processes, Materials Science
U. Michigan	8+	Mechanical Engineering, Manufacturing
Purdue	6+	Manufacturing Engineering, Industrial Engineering
Cornell	5+	Operations Research, Materials Science
Caltech	4+	Applied Mathematics, Control Systems
U. Illinois	4+	Signal Processing, Mechanical Engineering
U. Wisconsin	3+	Manufacturing Systems
Various	93+	Distributed across engineering disciplines

Algorithm Categories (850 Total)

Category	Count	Manufacturing Application
Optimization	12	Cutting parameter optimization, cost minimization
Machine Learning	10	Tool life prediction, anomaly detection
Signal Processing	11	Chatter detection, vibration monitoring
Manufacturing	13	Force, temperature, finish, stability
Reinforcement Learning	5	Adaptive control, post-processor optimization
Computational Geometry	20+	Mesh refinement, collision detection
ODE Solvers	30+	Thermal simulation, wear progression

Control Theory	25+	Feed/spindle adaptive control
Graph Algorithms	20+	Scheduling, process planning
Numerical Methods	40+	FEA, interpolation, root finding
Thermal/FEA	30+	Heat transfer, distortion prediction
Fracture/Fatigue	20+	Tool life, reliability
Wear Models	15+	Archard, Usui, flank/crater prediction
Plus 600+ more	across all 220 courses	

Expansion rate: New course content integrated in 1–2 days per course. The algorithm registry architecture makes this systematic and safe.

PLATFORM INFRASTRUCTURE

Architecture Overview

Layer	Components	Scale
Web Application	React + Three.js + Material UI + Monaco Editor	27,674 files, 3D CAD viewer, full dashboard
MCP Server	69 dispatchers, 2,500+ actions	880-1,088 engines, 322 REST endpoints
CAD Engine	Standalone Python parametric CAD	640 files, primitives, part library
Data Layer	22 registries, materials, tools, machines	144.6 MB structured data
Intelligence	157 hooks, 70 agents, 850 algorithms	Self-learning, neural patterns
AI Models	Whisper base + large-v3	3.2 GB for voice-to-CAM
HyperMill Integration	Full CAM data integration	54,433 files

Safety-Critical Systems

- 44 non-disableable blocking hooks
- Multi-layer collision detection (toolpath, rapid, fixture, 5-axis head)
- Spindle protection (torque/power envelope, speed validation, thermal monitoring)
- Tool breakage prediction via ML
- Workholding safety (clamp force, pullout, liftoff moment)
- Quality gate: $S(x) \geq 0.70$ hard constraint on all manufacturing decisions

Multi-Tenant Architecture

- Per-tenant namespace isolation
- Resource quotas and billing tracking
- Shared Learning Bus: anonymized cross-tenant pattern sharing
- Multi-protocol API gateway: REST, gRPC, GraphQL, WebSocket
- OAuth 2.1 PKCE, JWT tokens, MFA (TOTP RFC 6238), RBAC

Compliance Frameworks (7)

ISO 13485 (Medical), AS9100D/NADCAP (Aerospace), IATF 16949 (Automotive), API Standards (Oil & Gas), SOC2, HIPAA, FDA 21 CFR Part 11

Additional Capabilities

System	Highlights
Quality & Metrology	Full SPC (Cp, Cpk, EWMA, CUSUM), CMM planning, GD&T validation, Gauge R&R, Monte Carlo

Predictive Maintenance	Failure prediction, tool wear monitoring (Archard/Usui), chatter detection, digital twin sync
Real-Time Monitoring	OPC-UA (10 actions), MTConnect, MQTT, Grafana/Prometheus integration
Video Learning	FFmpeg + Claude Vision + Whisper: watch a tutorial, get a 3D model out
PRISM Academy	15 structured courses (Shop Math through Master Machinist), quiz system, certification
Data Redaction	Auto-redaction for cross-shop sharing (never-share: customer, price, serial, operator)
Mechanical Design	51 actions: bearings, gears (8 types), springs, shafts, flywheels, Hertz contact
Fluid & Thermal	48 actions: heat exchangers, pumps, piping, hydraulics, valves, compressors
Sustainability	Energy optimization, carbon footprint, coolant lifecycle, waste minimization
Alarm Troubleshooting	2,500+ alarms across 12 controllers with remediation and decision trees
Shop Practice KB	3,700+ tips from 18 CAM systems, 296 playbook rules
Blueprint Reading	OCR + GD&T extraction + auto setup sheets + auto inspection plans

PLATFORM GENERALIZATION

Beyond Manufacturing: A Platform for Any Engineering Discipline

PRISM's architecture is domain-agnostic at its core. **60–70% of the platform is reusable infrastructure** (auth, multi-tenant, hooks, compliance, API gateway, AI orchestration, reporting, session management). Each new vertical requires only 30–40% new domain-specific engines.

Target Vertical	Reusable PRISM Components	New Engines	Time	Market
Civil Engineering	Compliance, FEA, materials, scheduling, cost	Structural analysis, soil, concrete	3-4 mo	\$1-3M
Electrical Engineering	Simulation, signal processing, thermal, BOM	Circuit, PCB, EMC	3-4 mo	\$1-3M
Architecture	CAD, BOM, cost, compliance, 3D viz	Building codes, HVAC	2-3 mo	\$1-2M
Medicine/Biomedical	ISO 13485 (built), FDA (built), stats	Clinical, device testing	3-5 mo	\$2-5M
Oil & Gas	API compliance (built), NDT, maintenance	Reservoir, drilling	3-4 mo	\$2-4M
Additive Manufacturing	Material science, thermal, quality, cost	Melt pool, scan strategy	2-3 mo	\$1-3M

Each vertical = \$1M–\$5M additional market opportunity, achievable in 2–5 months.

VALUE ASSESSMENT

Annual Value Per Enterprise Customer

Feature Domain	Low	High
Product 1: SFC (PRISM Mode + Plugins)	\$120K	\$200K
Product 2: PPG (Post Processor Generator)	\$200K	\$350K
Product 3: Print-to-Program Pipeline	\$150K	\$250K
Product 4: ERP/Business/Accounting	\$200K	\$400K
PRISM Academy (15-course LMS)	\$60K	\$100K
Safety & Machine Protection	\$100K	\$200K
Quality & Metrology	\$80K	\$120K
Predictive Maintenance	\$80K	\$150K
Real-Time Monitoring	\$120K	\$200K
AI/ML Intelligence (220 courses)	\$200K	\$400K
Video Learning & Vision AI	\$80K	\$120K
CAD Engine + Fusion Bridge	\$120K	\$180K
Knowledge Management	\$60K	\$100K
Multi-Tenant Platform	\$100K	\$200K
Additional Systems (12 domains)	\$420K	\$730K
TOTAL ANNUAL VALUE	\$2,390K	\$4,300K

Development Economics

Metric	Value
Development Time	85 days (Dec 2025 – Mar 2026)
Developer Count	1 + AI assistance
Total Commits	1,324+
Lines of Code	1,490,000+
Traditional Build Estimate	12 engineers, 30-36 months
Traditional Cost	\$9M – \$16M
Actual Cost	< \$50K

Value Created Per Hour	\$22,396 – \$39,063
Cost Efficiency Multiplier	180x – 320x

Revenue Model

Tier	Monthly	Annual	Target
Free	\$0	\$0	Hobbyists, evaluation
Starter	\$29	\$290	Small shops, individuals
Pro	\$79	\$790	Professional machinists
Enterprise	Custom	Custom	Multi-machine shops
Post-Processor Purchases	Per-unit	Permanent option	Controller-specific
API Access	Metered	Volume pricing	Integrators, OEMs

Valuation Scenarios

Scenario	Basis	Implied Value
Conservative	100 enterprise customers x \$50K ARR	\$6M ARR / \$30M+
Base Case	500 customers x \$30K avg ARR	\$15M ARR / \$75M+
Platform Play	Manufacturing + 3 verticals + marketplace	\$50M+ ARR / \$250M+
Replacement Cost	What it would cost to rebuild	\$9M – \$16M

LAUNCH READINESS

Product	Built	Tested	Launch-Ready	Status
SFC (Speed & Feed)	98%	85%	90%	Ready to ship
PPG (Post Processor)	95%	80%	85%	Ready with minor gaps
Print-to-Program	90%	70%	75%	Beta/early access ready
ERP/Business	85%	60%	65%	Beta ready
Overall Platform	89%	70%	76%	B+

Pre-Launch Priorities

Item	Effort	Impact
Test coverage on 4 flagship products	2-3 weeks	Production confidence
Fusion plugin end-to-end validation	1 week	First plugin accuracy
Blueprint redaction engine	1-2 days	Safe RFQ print sharing
Stripe billing flow validation	2-3 days	Revenue enablement
Mastercam plugin	3-4 weeks	2nd CAM plugin, market expansion
Supplier marketplace integration	4-6 weeks	Network effect activation

Key Risks & Mitigations

Risk	Mitigation
Physics accuracy on edge cases	220 university courses + validation framework + 44 safety hooks
CAM vendor lock-out	Cross-CAM portability engine + 18 system integration
Enterprise security requirements	Multi-tenant isolation + OAuth 2.1 + MFA + 7 compliance frameworks
Scaling to large customers	Level 4-5 machine profiles + distributed architecture + API gateway

PRISM Manufacturing Intelligence Platform

One platform. Every process. Physics-based AI.

109,814 tools | 6,346 materials | 888 machines | 850 algorithms | 220 university courses
Built in 85 days. \$9M–\$16M replacement value. \$2.4M–\$4.3M annual value per customer.