

BIOLOGY — GRADE 11 | CELL DIVISION

Quick Check

Lesson 3: Types of Cell Division: Mitosis and Its Stages

7 multiple-choice questions • choose A, B, C or D

Sub-Strand 1.4: Cell Division | Lesson 3

© 2026 SeaVuria and ARES. Aligned with KICD objectives. Developed by SeaVuria; technical implementation by ARES (with AI assistance from Claude). Licensed under [CC BY-NC 4.0](https://creativecommons.org/licenses/by-nc/4.0/) (<https://creativecommons.org/licenses/by-nc/4.0/>).

A skin cell in a growing child has 4 chromosomes. It divides by mitosis into two new cells. How many chromosomes will each new cell have?

- A** A different number in each cell, because new cells get new instructions
- B** 2 chromosomes, because the chromosomes are split in half between the cells
- C** 4 chromosomes, the same as the original cell
- D** 8 chromosomes, because each new cell makes extra instructions

Learners studying a dividing onion root tip cell see the chromosomes lined up along the middle (equator) of the cell. Which stage of mitosis is this?

A Prophase

B Telophase

C Anaphase

D Metaphase

In a dividing cell, the chromosomes have reached opposite ends of the cell and two new nuclei are forming. Which stage of mitosis is this?

- A** Metaphase, because the chromosomes are in an ordered position
- B** Telophase, because two new nuclei form around the chromosomes
- C** Anaphase, because the chromosomes are moving apart
- D** Prophase, because the chromosomes are visible

A newborn baby weighing 3 kg grows into a teenager of 50 kg. Which statement best explains how mitosis helps this child grow?

- A** Cells only get bigger, so mitosis is not needed for growth
- B** Mitosis splits the chromosomes in half so each new cell gets only part of the instructions
- C** Mitosis copies and shares chromosomes accurately to make two daughter cells, so the number of cells increases and the body grows
- D** Mitosis makes new cells that are different from the parent cell so the body can have many cell types

A child in Kericho eats ugali, sukuma wiki and beans and grows taller. Which statement correctly links the food to the growth of new cells?

- A** Food gives energy and building materials, but new cells are made when existing cells divide by mitosis
- B** Food is not needed because mitosis makes new cells from nothing
- C** Food makes the chromosomes inside cells change into new instructions
- D** Food turns directly into new cells without any cell division

Which list shows the stages of mitosis in the correct order, followed by the division of the cytoplasm?

- A** Prophase, metaphase, telophase, anaphase, cytokinesis
- B** Metaphase, prophase, anaphase, telophase, cytokinesis
- C** Prophase, metaphase, anaphase, telophase, cytokinesis
- D** Prophase, anaphase, metaphase, telophase, cytokinesis

A group draws a flow diagram of mitosis. After the two nuclei have formed, the last step shows the cell dividing into two separate daughter cells. What is this step called?

A Prophase

B Anaphase

C Cytokinesis

D Telophase

All done

Ask your teacher how to submit your answers today (for example, on a paper answer slip).