

Quick Check

Lesson 4: Hormonal Conductors: How Pituitary and Ovarian Hormones Regulate the Menstrual Cycle and Egg Release

7 multiple-choice questions • choose A, B, C or D

Sub-Strand 3.1: Reproduction in Animals | Lesson 4

On a normal 28-day menstrual cycle graph, a sudden sharp rise (surge) in one hormone around Day 14 is followed soon after by ovulation. Which hormone surge triggers the release of the egg from the ovary?

- A Oestrogen
- B Follicle stimulating hormone (FSH)
- C Luteinising hormone (LH)
- D Progesterone

After ovulation, the empty follicle becomes the corpus luteum. Which hormone does the corpus luteum mainly release to keep the uterine lining thick and ready for a fertilised egg?

- A** Luteinising hormone (LH)
- B** Progesterone
- C** Oestrogen
- D** Follicle stimulating hormone (FSH)

A woman's hormone graph shows normal FSH and oestrogen, but there is no LH surge in the middle of the cycle. What is the most likely effect?

- A** Ovulation takes place but progesterone rises too early
- B** The egg is not released because ovulation does not take place
- C** Several eggs are released at the same time
- D** The uterine lining thickens twice in one cycle

In the second half of the cycle, oestrogen and progesterone levels are high. What do these high levels do to the pituitary gland, as an example of negative feedback?

- A** They make it release the egg directly
- B** They stimulate it to release even more FSH and LH
- C** They have no effect on it
- D** They inhibit (reduce) the release of FSH and LH

Just before ovulation, oestrogen from the growing follicle reaches a high level. What does this high oestrogen do to LH release, as an example of positive feedback?

A It stops all LH release until menstruation

B It triggers the LH surge

C It causes menstruation to start

D It turns the follicle into the uterine lining

A woman at a clinic in Nairobi is given FSH injections as part of IVF treatment. Why is FSH given?

- A** To make the uterus grow a baby outside the body
- B** To replace progesterone after ovulation
- C** To stimulate several follicles to develop, so more than one egg can be collected
- D** To stop menstruation permanently

Many people believe IVF babies grow wholly in a test tube. Which statement is scientifically correct?

- A** IVF babies need no hormones at any stage of development
- B** The baby grows in the test tube for nine months, then is placed in the mother
- C** Only fertilisation happens in the laboratory; the baby develops in the mother's uterus
- D** The baby develops in the ovary after fertilisation in the laboratory

All done

Ask your teacher how to submit your answers today (for example, on a paper answer slip).