

Quick Check

Lesson 2: Built for Reproduction: Dissecting Mammalian Reproductive Structures

8 multiple-choice questions • choose A, B, C or D

Sub-Strand 3.1: Reproduction in Animals | Lesson 2

A Friesian cow in Kericho carries her calf for about nine months before birth. In which organ does the calf develop during this time?

A The uterus

B The ovary

C The oviduct

D The stomach

In a male rat, the testes hang outside the main body cavity. What is the main advantage of this position?

- A** It stores the embryo safely until birth
- B** It lets urine and sperm leave through separate tubes
- C** It keeps the sperm cooler than the body temperature
- D** It keeps the sperm warm so they develop faster

A group dissecting a male rabbit finds a long, tightly coiled tube lying against the testis. What is its function?

- A** It carries urine out of the body
- B** It produces testosterone only
- C** It is where fertilisation takes place
- D** It stores sperm until they are released

In a male mammal, the sperm duct joins another tube that leads through the penis. Which tube is this, and what does it carry?

- A** The epididymis, which carries urine only
- B** The sperm duct, which carries urine only
- C** The oviduct, which carries sperm only
- D** The urethra, which carries both urine and sperm

A female rabbit specimen has a pair of thin tubes lined with tiny hair-like cilia that lead from the ovaries to the uterus. What is the role of these tubes?

- A** They seal the uterus to protect the embryo
- B** They move the egg along and are where fertilisation happens
- C** They store the calf or pups until birth
- D** They make the hormones FSH and LH

Which feature of the uterus makes it well adapted to support a developing embryo?

- A** It has a thin wall so that the embryo can leave quickly
- B** It makes the eggs that will be fertilised
- C** It has a thick muscular wall and a rich lining where the embryo implants
- D** It has cilia that carry the sperm to the egg

A frog near Kisumu releases thousands of eggs into the pond, but a cow usually produces one calf at a time. Which statement best explains this difference?

- A** Cows have no ovaries, so they can only make one egg in a lifetime
- B** A cow's embryo grows in the stomach, which only has room for one
- C** Frogs have a uterus that can hold thousands of embryos
- D** Frog eggs are fertilised outside the body and many are lost, while the cow's single embryo is protected and nourished inside the mother

A woman's oviducts are blocked, so the egg and sperm cannot meet. Which statement about how IVF can help is correct?

- A** Fertilisation can happen in a dish, and the early embryo is then placed in the uterus to develop
- B** The embryo is placed in the stomach, where it grows
- C** The baby grows wholly in a test tube until it is born
- D** The sperm are made in the uterus instead of the testes

All done

Ask your teacher how to submit your answers today (for example, on a paper answer slip).